F·S·T



FINE SURGICAL INSTRUMENTS FOR RESEARCH™

ORDERING INFORMATION



TELEPHONE

+1 800-521-2109 or +1 650-349-1636 Mon.-Fri. 8:00 am to 5:00 pm Pacific Time



FAX

+1 800-523-2109 or +1 650-349-3729



MAIL

Fine Science Tools (USA) Inc. 4000 East 3rd Avenue, Suite 100 Foster City, CA 94404-4824



ORDER ONLINE

finescience.com



EMAIL-CUSTOMER SERVICE

america@finescience.com

EMAIL-ORDERS


orders-us@finescience.com

For a complete explanation of our returns and exchange policies, please refer to our website.


CHECK OUT OUR NEW WEBSHOP

finescience.com











LETTER FROM THE OWNER

Dear Valued Customers, Partners, and Friends,

As I reflect on this milestone moment, I am filled with profound gratitude and a deep sense of emotion. 50 Fine Years ago, our journey began with a vision from my uncle Hans - a vision that has evolved into the vibrant tapestry of experiences, relationships, and achievements that define our company today.

Our story is not just one of business success, but of lasting partnerships forged in trust and mutual respect. It is a narrative woven with the threads of perseverance through challenges, innovation in the face of change, and above all, a commitment to quality and excellence in everything we do. We understand the critical importance of each instrument that bears our name, knowing that behind every tool lies an important mission relying on the knowledge, skill and dedication of our end users. This awareness drives us to maintain the highest standards of craftsmanship, sophistication, and reliability in our instruments.

To our loyal customers, your unwavering support and feedback have been the cornerstone of our growth. You have entrusted us with your needs, and it has been our privilege to serve you. Each interaction and request have been an opportunity for us to learn, to improve, and to strive for continuous evolution. We are thrilled to celebrate our company's birthday, and in this special moment, we want to extend our heartfelt gratitude. To show our appreciation for your support, we are introducing our Golden Ticket, where you will have the chance to win exciting prizes as our way of saying thank you for being a part of our story.

To our dedicated partners, your collaboration has been instrumental in our journey. Together, we have navigated uncharted waters, adapted to shifting landscapes, and embraced new horizons. Your expertise and commitment have helped us reach milestones we once only dreamed of.

Markus Gawenda

To our incredible team spanning across the globe, past and present, you are the heart and soul of Fine Science Tools. Your hard work, dedication, and passion have been the driving force behind our success. Through your creativity and determination, you have turned challenges into opportunities and brought aspirations to life.

In commemoration and tribute to our Founder Hans Gawenda, we are delighted to introduce the Bonn-Gawenda Scissors - a testament to our revolutionary capabilities encompassing state of the art features, fabricated with utmost sophistication. These limited-edition scissors celebrate our heritage of ingenuity and the astounding legacy Hans has left behind.

As we celebrate this 50th anniversary, we honor not only our past but also look forward to an exciting future. We are excited to announce the opening of FST Asia in Hong Kong, China, as we continue to diversify and enhance how we serve our customers across the globe. The world around us may change, but our commitment to delivering high quality instruments, vast selection, and unparalleled service remains steadfast.

To everyone who has been a part of our journey - thank you. Your belief and patronage in us have been our greatest asset. As we continue to write the next chapter of our story, we do so with optimism, humility, and a renewed sense of purpose.

Here's to the next 50 years of learning, innovation, growth, and shared success.

Warmest regards, Markus Gawenda



Timeline

FST SINCE 1974

For 50 years, Fine Science Tools has been the leading distributor of precision surgical and microsurgical instruments, as well as laboratory accessories with offices in Forster City (USA), Heidelberg (Germany) and Hong Kong (China) supporting and serving customers across the globe.

2009

FST Catalog Cover wins 1st place award for Showcase of Print and Design Excellence. Since 2009, FST catalog covers and print ads have won over 22 awards

1974

FST is established by Hans Gawenda in North Vancouver B.C., Canada

1996

1984

FST invents and launches the first and only available

0.5 mm Cup Rongeur

FST opens a business office in Foster City, California, USA

FST opens a business office in Heidelberg,

Germany

2003

Deployment of the first website with ordering capability

1999

Anniversary of FST 2006

Introduction of FST CeramaCut® scissors





















































2024

50th Anniversary of FST

2019

Markus Gawenda joins the company

> US Office moves and expands in Foster City, California, USA

\$

FST opens a business office in Hong Kong, China

> Launch of our FST "Exclusive Line"

New Webshop Launch

2014

FST wins the Highest Attention-Getting Ads in Magazines



Markus Gawenda becomes the sole owner

2021

FST establishes a global Management-Team


















































Exclusive Line

BONN-GAWENDA SCISSORS

To celebrate our 50th anniversary, we're proud to introduce the Exclusive Line, meticulously crafted to support every aspect of your research needs. At the heart of this collection is the Bonn-Gawenda Scissors, created as a tribute to our founder, Hans Gawenda, and symbolizing our legacy of innovation and excellence. These scissors stand out for their advanced design and exceptional craftsmanship, reflecting the high standards that have always defined our work.

The ToughCut® technology incorporates one micro-serrated cutting edge paired with a razor-sharp blade, delivering consistently clean and precise cuts. These scissors have perfect tips for precision work under a microscope. Designed with comfort and ergonomics in mind, the large finger loops and specially engineered handle ensure exceptional control throughout each use.







Introducing our Exclusive Line which offers a unique combination of popular features from our tools combined into one. Whether you're seeking elegance, stability and ergonomics, or versatile functionality, the Exclusive Line was specially designed to cater to every aspect of your research needs.



Look for the Exclusive Line icon in the catalog.




TABLE OF CONTENTS | CATALOG 2025

Letter from the Owner	1
Timeline	2 - 3
Exclusive Line	4 - 5
Table of Contents	6 - 7
Catalog Features	8 - 9
Handcrafted	10 - 11
Custom Design	10
Scissors Test	11
Satisfaction Guarantee	12 - 13
Quality Control	12
Repair Service	13
Alloys & Materials	14 – 15
Maintenance & Care	16 - 19

Index Pages

Numerical Index

Alphabetical Index



228 - 235

228 - 231

232 - 235











Scissors		21 - 54
	Spring	21 - 33
	Fine	34 - 47
	Surgical	48 - 54
Bone Instruments		55 - 69
	Rongeurs	55 - 59
	Cutters	60 - 66
	Accessories	67 - 68
C	urettes & Chisels	69
Knives & Scalpels		70 – 81

Forceps/Tweezers		83 - 116
	ST by Dumont	83 - 92
	Fine	93 - 96, 100 - 104
	Moria	97 – 98
	S&T	99
	Standard	105 - 116
Hemostats		117 – 122
Vascular Instruments		123 – 133
	Clamps	123 – 127
Occluders & Ligation		128 - 130
Dilation & Cannulation		131 – 133

Probes & Hooks	135 - 139
Spatulae	140 - 144
Spoons	145
Pins & Holders	146 - 147
Wound Closure	148 - 159
Needle Holders & Suture	148 - 156
Staplers, Clips & Applicators	157 - 159
Retractors	160 - 167

Animal Accessories	169 - 174
Feeding Needles	169 - 170
Animal Identification	171 – 174
Instrument Care & Accessories	175 – 186
Instrument Care	175 - 176, 184 - 186
Sterilization & Storage	177 – 183
Surgical Accessories	187 – 190
Drill Accessories	187
Cauterizers	188 – 189
Laboratory Accessories	191 - 203
Tools	191 – 196
Magnifiers & Lens Paper	197 – 203


Student Quality Instruments Quality instruments with the student in mind	205 – 227	
Scissors	206 - 211	
Cutter	211	
Scalpel Handles	212	
Forceps	213 - 218	
Hemostats & Towel Clamps	219 - 225	
Pin & Needle Holders	226	
Retractors, Vessel Dilator & Clamps	227	

Catalog Features

PRODUCT FEATURES

To provide you with our support regarding your decisions in finding the right instruments for your purpose, the product feature details are explained below.

Most Items in the catalog are shown in actual size.





Detailed

item specifications.

Straight Sharp/Sharp

Length: 8 cm Cutting edge: 2 mm Tip Ø: 0.05 mm

No. 15000-03

ICONS



The Exclusive Line offers a unique combination of popular features of our tools combined into one. Whether you're seeking elegance, stability and ergonomics, or versatile functionality, the Exclusive Line is specially designed to cater to every facet of your research needs.



Fine Science Tools has noted which items are most frequently purchased for use in a variety of surgical procedures. To find our most popular items, look for the "most popular" icon throughout the catalog.



Our yearly selection of new instruments is based on a careful study and knowledge of our customer needs, as well as listening to their requests.



These items are not suitable to autoclave, but can be sterilized by a different method. For example: hot bead sterilization, gas sterilization, plasma sterilization or hot air sterilization. Please contact us to receive more information regarding the best preferred method for your instruments.



Fine Science Tools is proud to offer a large selection of left-handed surgical instruments to the research community. To find our left-handed instruments in this catalog, look for the "lefthanded" icon on the pages below.

Scissors: pages 37, 48 Hemostatic Forceps: page 118 Needle Holders: pages 152 - 153 Ligation Aid: page 131



FST features a selection of scissors with larger than normal finger loops. Most of these loops are easily adjustable to fit larger fingers more comfortably. To find our large loop scissors please look for the "large loop" icon on the pages below.

Scissors: pages 34, 38, 47 and 50



The tips have micro serrations to ensure a better grip on tissue or other materials.

WE PROUDLY STOCK



Fine Science Tools offers a wide selection of the latest and most popular Dumont forceps. Handcrafted in Switzerland for more than a century, these forceps are known for their consistent and uncompromised fineness.

Dumont forceps come in an array of styles and alloys. Below you will find detailed descriptions to help guide you in choosing the right Dumont forceps best suited for your needs.

FINDING THE DUMONT FORCEPS BEST SUITED FOR YOUR NEEDS

Alloys	Hardness	Magnetic	Temperature resistance	Autoclavable	Advantages
Titanium	Least Hard	No	Up to 430 °C	Yes	Resistant to corrosion from nitric acid, chloride, and salt water. Titanium is 40% lighter than stainless steel.
Dumoxel	Hard	No	400 °C	Yes	The most popular alloy available for Dumont forceps offers the best resistance to corrosion, sulphuric environments, hydrochloric acids, and all other mineral and organic acids.
lnox	Harder	Yes	400 °C	Yes	Available for most Dumont forceps. Contains chromium added to carbon steel, which results in some loss of hardness but offers good stainless qualities and resistance to corrosion.
Dumostar	Harder	No	500 °C	Yes	More durable and corrosion resistant than the best stainless steels. Highly resistant to mineral and organic acids, and salt water. Dumostar lasts an average of four times longer than Dumoxel and lnox. Most cost effective alloy for laboratory use.
Carbon	Hardest	Yes	N/A	No	Extremely hard; ensuring strong tips. Easily stains and rusts without proper care. Carbon cannot be immersed in a water bath or sterilized.

Tip profiles: Dimensions vary. See each style for specific dimensions (width x thickness).


Standard	Made for high precision and consistently precise work under a microscope.
Biology	Twice as fine as "Standard Tips". Especially produced for high precision laboratory work under the microscope.
Super Fine Tips	Four times finer than the "Standard Tips". These tips are extremely delicate for the finest work under the microscope. Extra care is needed for these tips as they are very fragile.

Styles

•	
#2	Straight forceps with wide yet fine tips, referred to as Mouse Laminectomy Forceps because of their popularity in breaking off delicate bone from mouse skulls.
#2AP	Epoxy coated with flat wide blunt tips.
#3	Long straight forceps with coarse tips. Popular in low magnification procedures.
#3C	Shorter version of #3.
#4	Similar to the #5 but with broader shanks and stronger tips.
#5	Most popular style of Dumont straight forceps with fine tips which come in several styles.
#55	Similar to the #5 but with lighter shanks, giving the forceps a lighter spring action.
#5CO	Similar to the #55 but with even finer shanks producing the lightest spring action and longest meeting surface of any Dumont style.
#5L	Medical #5 forceps with slide sleeve for a secure hold and retention.
#5SF	The finest tips ever produced by Dumont.

Extra Long #5 forceps.
Tips angled at 45°.
Designed to pick up cover slips from multi-well plates.
Tips angled at 90°.
Self-closing Anti-Capillary forceps.
Sharply angled, broad tips.
Most popular style of Dumont curved forceps with fine tips which come in several styles.
Curved serrated tips.
Strong broad tips.
Mini forceps.
Denotes distinctive ribbed handle to maximize grip.
Long and narrow shanks with thin tips.
One piece design with no soldering grooves allows the forceps to be thoroughly and easily cleaned preventing biofilm residue.

Handcrafted



PRECISION THAT MAKES A MARK

Our highly skilled and experienced surgical mechanics refine and perfect our instruments in FST's very own workshop, a step that only we take in this manner. This is crucial for the precision and consistent quality of our products. For example, our Friedmann-Pearson rongeurs with a tip diameter of 0.5 or 0.7 mm are unique in the world. Our spring

scissors have also established themselves in the research industry and are unsurpassed in their fineness. The result: a level of quality to be proud of - and to which we have now committed ourselves to. Our "Handcrafted" symbol stands for 100% guaranteed craftsmanship and instruments that you can rely on today, tomorrow, and always.





CUSTOM DESIGN

Have you ever thought about how wonderful it would be to have a personalized, unique instrument perfect for your needs? Please contact us to learn about our custom capabilities to manufacture any instrument to

your specific specifications and requirements. We as well have the capability to perform special modifications to our existing instruments.

SCISSORS TEST

Does paying more for a pair of scissors really buy more value and a longer cutting life?

The picture below shows our cutting test for ring scissors based on the standards and specifications of surgical instruments in our office in Heidelberg. Each pair of scissors must perform a smooth cut without tearing or fraying the material, specifically at the fine tips. In addition, a specialized long-term test is done to identify the longevity of other featured alloys and cutting edges, Tungsten Carbide and ToughCut®. In this test the scissors will repeatedly cut through a continuous feed of cotton cloth and a counter keeps track of the number of cuts made

to evaluate when the scissors begin to show a decrease in cutting quality.

The results showcase the addition of added features dramatically increases the cutting life of the scissors. Most notably, the cutting life is more than doubled with the addition of ToughCut® blades and over six times longer with our CeramaCut® feature.

See the chart below for a comparison of four different scissors sold by FST.



The cutting life is more than doubled with the addition of **ToughCut**® blades to stainless steel, and over six times longer with **CeramaCut**® blades.





Tungsten Carbide® Lasts longer than stainless steel by: 1.9x





Stainless Steel with ToughCut® Lasts longer than stainless steel by: 2.3x





Tungsten Carbide with ToughCut® Lasts longer than stainless steel by: 4.1x





CeramaCut® (Ceramic Coated Tungsten Carbide with ToughCut®) Lasts longer than

Lasts longer than stainless steel by: **6.6x**

Satisfaction Guarantee

QUALITY CONTROL

The high quality of Fine Science Tools surgical and microsurgical instruments is the result of our relentless attention to detail. Almost every instrument we sell is manufactured by skilled European craftsmen, designed to exacting specifications made from the finest German stainless steel alloys, and forged from the strongest, lightest materials available, and tested to ensure precision performance and ergonomics.

We are dedicated to quality control, with technicians in our German office inspecting most

FST instruments. Aside from checking instrument dimensions and specifications, we thoroughly inspect tip sharpness, cutting edges, springs, joints, and other various components. Only after passing our detailed inspections, instruments are approved and sealed with our "FST Inspected" sticker.

We are proud to back all of our products with a 100% satisfaction guarantee. If, for any reason, you are not completely satisfied with your purchase, you may return it for a full refund.

100% SATISFACTION GUARANTEE

"If, for any reason, you are not completely satisfied with your purchase, you may return it for a full refund."

Hans Gawenda, Founder, Fine Science Tools Inc.

FINE SCIENCE TOOLS SERVICE

We are constantly trying to improve ourselves and our service. Our service includes the preparation and repair of instruments, custom-made products and individual pieces of various instruments according to customer requirements, customer-specific advice based on their application and more.


Over the years we have built up a network of partners and collaborations with well-known institutions and companies. As a result, we also offer application-specific instrument kits including complementary items from our partners.

If you are interested or have any questions, please give us a call at one of our offices.



REPAIR SERVICE

In our very own workshop in Heidelberg, Germany we not only manufacture and customize specific instruments according to customer requirements, but also offer a repair service for all of our products.



Alloys & Materials

There are various alloys and materials which are used to produce micro surgical instruments for research with each having certain properties that would be advantageous in particular environments or applications.

We will introduce theses alloys, describe their benefits and highlight unique tools for particular procedures that may be ergonomic and overall helpful for your studies and/or protocols.



ToughCut® Scissors

- Black handles
- Last approx. 2.3x longer than stainless steel
- One cutting edge has micro serrations to minimize tissue slippage
- One cutting edge has increased sharpness (cutting edge with a 30° instead of 15° angle)



Tungsten Carbide Instruments

- Golden handles (short gold plating)
- Last approx. 1.9x longer than stainless steel
- Is welded onto the cutting edges of scissors tips of forceps and needles holders
- Available instruments: bone cutters, scissors, forceps, needles, needle holders, burrs





CeramaCut® Scissors

- · Golden handles and black coating
- Last approx. 6.6x longer than stainless steel
- Cutting edges with Tungsten Carbide and ToughCut® plus ceramic coating
- Tungsten Carbide is one of the hardest materials on earth
- Reduced glare



Tungsten Carbide & ToughCut® Scissors

- Golden handles (long gold plating)
- Last approx. 4.1x longer than stainless steel
- One cutting edge has micro serrations to minimize tissue slippage
- One cutting edge has increased sharpness (cutting edge with a 30° instead of 15° angle)



Titanium Instruments

- Approx. 40% lighter than stainless steel
- Softer alloy than stainless steel
- Corrosion resistance (cannot rust)
- Non-Magnetic
- High temperature resistance up to 440 °C / 824 °F
- Available instruments: scissors, forceps, probes, hooks, spatula, vascular clamps



Ceramic Instruments

- Ceramic coating
- Last approx. 2.3x longer than stainless steel
- Reduced glare
- Available instruments:
 Dumont forceps, spring scissors



Learn more about our Alloys & Materials





Maintenance & Care

Proper care of your surgical instruments will improve their longevity and function. Below are different cleaning, sterilization, and maintenance processes to guide you through your techniques.

GENERAL

Guidelines to extend the life of your surgical instruments.

Clean and thoroughly dry your instruments as soon as possible after each use, paying special attention to joints, hinges, and anywhere there is metal to metal contact.

Handle your instruments delicately and with care.

Use your instruments for their intended purpose.

Store your instruments with tip protectors, and always place them so that they do not touch each other.



these areas can accumulate unwanted material.

joints and hinges. Then store them only in clean and dry environments.

RESEARCH ONLY

Rinse instruments thoroughly with distilled water, paying close attention to joints and hinges as

Air dry your instruments completely and use a can of compressed air to blow out any water at the



ULTRASONIC CLEANING

Ultrasonic cleaning is the most effective cleaning method. The vibrating sound waves create micron-sized bubbles in the solution that grow with the alternating pressure. When the bubbles reach a particular size, they collapse creating a force that dislodges dirt and particles, even in the smallest of crevices.



NOT recommended for delicate and micro instruments.



Follow the manufacturer's guidelines for specific instructions and cleaning cycle times.



Instruments should be processed for the full recommended cycle time.

Place instruments in the open position in the ultrasonic cleaner.

- Do NOT allow instruments with sharp blades to touch other instruments.
- Do NOT place dissimilar metals (stainless, copper, chrome plated) in the same cleaning cycle.

• Make sure all instruments are completely submerged.

After the ultrasonic cleaning cycle is complete, rinse instruments thoroughly to remove all ultrasonic cleaning solution.



Dry instruments thoroughly with a clean towel.



Use a spray lubricant in the hinges to minimize the risk of corrosion and maintain functionality.



STERILIZATION

It is important that instruments are free from all traces of organic or other matter prior to sterilization.

STEAM STERILIZATION/AUTOCLAVING

The autoclave process utilizes moist heat (or steam) under pressure for sterilization. The steam used must be from distilled water and free of all impurities.



Lubricate all instruments that have any metal to metal interaction such as; scissors, rongeurs, needle holders, hemostats, and retractors. Do NOT use WD-40 or other industrial lubricants.

Instruments may be autoclaved individually or in sets.



- Individual instruments: Disposable wraps or sterilization pouches are ideal. Make sure the pouch size is sufficient for the instrument to be in an open (unlocked) position.
- Instrument sets: Open and unlock all instruments. Place the heavier instruments on the bottom of the set when two layers are needed.



Do NOT lock instruments during autoclaving. This will prevent the steam from reaching and sterilizing the metal to metal surfaces, and heat expansion during autoclaving can cause cracks in the hinge areas.



Do NOT over load the autoclave chamber as this may hinder steam penetration.



Place a towel on the bottom of the pan to absorb excess moisture during autoclaving. Make sure the towel has no detergent residue and is pH neutral if immersed in water.



At the end of the autoclave cycle (before the drying cycle) unlock the autoclave door and open it slightly. Run the dry cycle for the recommended time period by the autoclave manufacturer.

Please note: If the autoclave door is fully opened before the drying cycle, cold air will rush into the chamber, which can cause condensation on the instruments. This will result in water stains on the instruments.



HOT BEAD STERILIZATION

Recommended for speed and convenience when instrument tips or blade sterilization is required. The Hot Bead Sterilizer does not use dangerous gases, flames, or chemicals. Highlights:



Bench top set up.



Only 20 seconds of contact required to ensure your instruments are free of pathogens and microbial contaminants



 $_{\star}$ Beads reach temperature of 240° - 270 °C (464° - 518 °F) within 15-20 minutes heating time.

Please see page 178 - 179 for more information on the FST Hot Bead Sterilizers.



ETHYLENE OXIDE (ETO) STERILIZATION

This method is recommended for instruments that will not tolerate high temperatures or moisture (e.g., catheters, cannulae, etc.). This is a process consisting of 4 primary variables; gas concentration, humidity, temperature and time.

Sterilization pouches and wraps available, see pages 177 and 180.





STORAGE

Surgical instruments should be properly stored in a clean and dry environment. It is highly recommended to use tip protectors and instrument cases to avoid possible damage to your instruments.

Instrument tip protectors are available, see page 186 Instrument cases are available, see pages 182 - 186



OXIDATION (RUST)

All FST stainless steel surgical instruments are manufactured from medical grade stainless steel under strict European standards. It is very important to properly take care of your instruments to extend their lifespan.

Although stainless steel is corrosive resistant, it can still rust or stain if handled improperly. Under unfavorable conditions instruments may oxidize because stainless steel that is exposed to physical, thermal, or chemical manipulations may lose some of its stainless properties.

SCISSORS, **BONE INSTRUMENTS, KNIVES & SCALPELS**

	Spring Scissors	21 – 33
	Fine Scissors	34 – 47
	Surgical Scissors	48 – 54
	Bone Instruments	55 – 69
M	Knives & Scalpels	70 – 81
Comment State of the Second State of the Secon		

Micro Vannas

The long taper is ideal for cutting

vessel walls or when a longer cutting

edge is needed.

MOST Popular

300%

Micro Vannas

These Vannas-style spring scissors have the smallest blades ever produced. They are ideal where space is restricted and where absolute precision is demanded.



Micro Vannas

The short taper is ideal for small, precise cuts.





Straight Sharp/Sharp

8 cm Cutting edge: 2.5 mm Tip Ø: 0.05 mm

No. 15000-08

\$317.00



 $8\,\mathrm{cm}$ Cutting edge: 2 mm Tip Ø: 0.05 mm

No. 15000-03

\$ 408.00



Curved Sharp/Sharp

8 cm Cutting edge: 2 mm Tip Ø: 0.05 mm

No. 15000-04 \$418.00



Curved Sharp/Sharp

8 cm Cutting edge: 2.5 mm Tip Ø: 0.05 mm

> No. 15001-08 \$ 327.50



Angled to side Sharp/Sharp

 $8\,\mathrm{cm}$ Cutting edge: 2.5 mm Tip Ø: 0.05 mm

No. 15002-08 \$ 350.50

Straight Sharp/Sharp

 $8\,\mathrm{cm}$ Cutting edge: 3 mm Tip Ø: 0.05 mm

No. 15000-00 \$350.00

Curved Sharp/Sharp

 $8\,\mathrm{cm}$ Cutting edge: 3 mm Tip Ø: 0.05 mm

No. 15000-10 \$ 360.50



Vannas-Tübingen





Straight Sharp/Sharp

8.5 cm Cutting edge: 5 mm Tip Ø: 0.075 mm

No. 15003-08 \$ 355.50



Curved Sharp/Sharp

8.5 cm Cutting edge: 5 mm Tip Ø: 0.075 mm

No. 15004-08 \$ 368.00



Angled up Sharp/Sharp

9.5 cm Cutting edge: 5 mm Tip Ø: 0.075 mm

No. 15005-08 \$ 388.50



Angled to side Sharp/Sharp

8.5~cm Cutting edge: 5~mm Tip Ø: 0.075~mm

No. 15008-08 \$ 380.50

Vannas Spring Scissors High Polished

The highly polished surface makes the scissors more resistant to corrosion and easier to clean. It also prevents tissue from sticking on it while operating, it's also called non-sticky surface.



Vannas Spring Scissors Round Handle

The round handle allows an easy finger adjustment during the application. The hollow grind in the handle reduces the weight. The fine blades are tapered to give a better overview.





Straight Sharp/Sharp

8.5 cm Cutting edge: 5 mm Tip Ø: 0.075 mm

No. 15903-08 \$ 252.00



Curved Sharp/Sharp

8.5 cm Cutting edge: 5 mm Tip Ø: 0.075 mm

No. 15904-08 \$ 287.50



Straight Sharp/Sharp

9 cm Cutting edge: 5 mm Tip Ø: 0.075 mm

No. 15403-08 \$ 288.50



Curved Sharp/Sharp

9 cm Cutting edge: 5 mm Tip Ø: 0.075 mm

No. 15404-08

\$ 298.50



Vannas Scissors with Microserrations

Microserrated to minimize slippage.







8.5 cm Cutting edge: 7 mm Tip Ø: 0.1 mm

No. 15007-08 \$ 377.50



Straight Sharp/Sharp

8.5 cm Cutting edge: 5 mm Tip Ø: 0.1 mm

No. 15070-08 \$ 382.50



Curved Sharp/Sharp

8.5 cm Cutting edge: 5 mm Tip Ø: 0.1 mm

No. 15071-08 \$ 387.50

Vannas







Straight Sharp/Sharp

8 cm Cutting edge: 5 mm Tip Ø: 0.125 mm

No. 15044-08 \$ 469.00



Curved Sharp/Sharp

8 cm Cutting edge: 5 mm Tip Ø: 0.125 mm

No. 15043-08 \$ 510.00



Ultra long cutting edge without sacrificing tip width.





Straight Sharp/Sharp

8.5 cm Cutting edge: 8 mm Tip Ø: 0.1 mm

No. 15009-08 \$ 411.50

Miniature Vannas

Finished under high magnification, these tips are especially useful when incising vessel walls for catheter insertion.





Moria 9600

Moria 9601



Straight Sharp/Sharp

8 cm Cutting edge: 5 mm Tip Ø: 0.15 mm

No. 15396-00 \$ 602.50



Curved Sharp/Sharp

8 cm Cutting edge: 5 mm Tip Ø: 0.15 mm

No. 15396-01 \$ 611.50

Titanium Vannas





Straight Sharp/Sharp

9.5 cm Cutting edge: 5 mm Tip Ø: 0.3 mm

No. 15610-08

\$ 375.00



Curved Sharp/Sharp

9.5 cm Cutting edge: 5 mm Tip Ø: 0.3 mm

No. 15615-08 \$ 384.50



Angled up Sharp/Sharp

9.5 cm Cutting edge: 5 mm Tip Ø: 0.3 mm

No. 15617-08 \$ 495.50

Cohan-Vannas

Long cutting blades for a more controlled cut.





6 cm Cutting edge: 6 mm Tip Ø: 0.1 mm

No. 15000-02

\$ 430.00



Curved Sharp/Sharp

6 cm Cutting edge: 6 mm Tip Ø: 0.1 mm

No. 15000-01

\$ 439.00



Straight Blunt/Blunt

6 cm Cutting edge: 6 mm Tip Ø: 0.15 mm

No. 15000-12 \$ 403.00



Curved Blunt/Blunt

6 cm Cutting edge: 6 mm Tip Ø: 0.15 mm

No. 15000-11

\$ 416.50



Spring Scissors

Ceramic Coated Spring Scissors

Ceramic Coated Titanium Castroviejo











10 cm Cutting edge: 8 mm Tip Ø: 0.15 mm

No. 15024-10 \$ 327.50







Straight Blunt/Blunt

10 cm Cutting edge: 8 mm Tip Ø: 0.3 mm

No. 15025-10 \$ 318.50



Curved Sharp/Sharp

10 cm Cutting edge: 8 mm Tip Ø: 0.15 mm

No. 15023-10 \$ 339.50



Straight Sharp/Sharp

10 cm Cutting edge: 7 mm Tip Ø: 0.1 mm

No. 15750-11 \$ 339.50



Curved Sharp/Sharp

10 cm Cutting edge: 7 mm Tip Ø: 0.1 mm

No. 15751-11 \$ 356.50



Straight Sharp/Sharp

11 cm Cutting edge: 5 mm Tip Ø: 0.2 mm

No. 15650-11 \$ 398.00



Curved Sharp/Sharp


11 cm Cutting edge: 5 mm Tip Ø: 0.2 mm

No. 15651-11 \$ 420.00

Castroviejo

Castroviejo with Ball Tip

Castroviejo











Angled to side Sharp/Sharp

10 cm Cutting edge: 10 mm Tip Ø: 0.125 mm

No. 15006-09 \$ 341.00



Angled to side Sharp/Ball tip

9 cm Cutting edge: 8 mm Tip Ø: 1.3 mm

No. 15033-09 \$ 368.50



Curved Sharp/Sharp


10 cm Cutting edge: 10 mm Tip Ø: 0.2 mm

No. 15017-10 \$ 324.00

Vannas-Wolff

Fine Angled Spring Scissors

Dowell



Moria





Moria MC52

Moria MC50





Straight Sharp/Sharp

10 cm Cutting edge: 7 mm Tip Ø: 0.15 mm

No. 15370-52 \$611.00



Curved Sharp/Sharp

10 cm Cutting edge: 7 mm Tip Ø: 0.15 mm

No. 15370-50 \$621.00



Angled up Sharp/Sharp

9.5 cm Cutting edge: 2 mm Tip Ø: 0.1 mm

No. 15010-09 \$ 321.00



Angled up Sharp/Sharp

10 cm Cutting edge: 4 mm Tip Ø: 0.125 mm

No. 15010-10 \$ 308.00



Straight Sharp/Sharp

11.5 cm Cutting edge: 10 mm Tip Ø: 0.1 mm

No. 15040-11 \$ 280.50



Angled up Sharp/Sharp

11.5 cm Cutting edge: 10 mm Tip Ø: 0.1 mm

> No. 15042-11 \$ 306.00

Vannas Westcott Pascheff-Wolff

Very delicate blades.









Moria MC19/B



 11 cm
 10.5 cm

 Cutting edge: 15 mm
 Cutting edge: 3 mm

 Tip Ø: 0.25 mm
 Tip Ø: 0.15 mm

No. 15371-92 \$ 606.00



Tip Ø: 0.15 mm

No. 15018-10

\$ 316.50



No. 15019-10 \$ 329.00

No. 15015-11 \$ 308.00

Noyes

Tungsten Carbide Noyes

Tungsten carbide cutting edges provide long lasting sharpness.









Straight Sharp/Sharp

12 cm Cutting edge: 14 mm Tip Ø: 0.2 mm

No. 15012-12 \$ 317.00



Curved Sharp/Sharp

12 cm Cutting edge: 14 mm Tip Ø: 0.2 mm

> No. 15011-12 \$ 330.00



Angled up Sharp/Sharp

12 cm Cutting edge: 14 mm Tip Ø: 0.2 mm

> No. 15013-12 \$ 336.50



Straight Sharp/Sharp

12 cm Cutting edge: 14 mm Tip Ø: 0.275 mm

No. 15514-12 \$ 430.00

ToughCut® Spring Scissors

Round Handled Vannas Round handles allow easy fingertip

adjustments.

Spring Scissors













Straight

Cutting edge: 6 mm

Tip Ø: 0.075 mm

Curved Sharp/Sharp Sharp/Sharp 12.5 cm

12.5 cm Cutting edge: 6 mm Tip Ø: 0.075 mm

\$ 384.50



14 cm Cutting edge: 6 mm Tip Ø: 0.15 mm

No. 15020-15 \$ 415.00



14 cm Cutting edge: 6 mm Tip Ø: 0.15 mm

No. 15021-15 \$ 428.50

12.5 cm Cutting edge: 6 mm

Straight

Sharp/Sharp

Tip Ø: 0.3 mm No. 15124-12

\$ 490.00

Cutting edge: 6 mm Tip Ø: 0.3 mm No. 15123-12

Curved

Sharp/Sharp

12.5 cm

\$ 510.50 \$ 372.50

No. 15400-12

No. 15401-12

Long Handle Spring Scissors

Trident II

Special design with short handle and inner spring.





Straight Sharp/Sharp

8 cm Cutting edge: 8 mm Tip Ø: 0.2 mm

No. 15110-08 \$ 333.00



Angled to side Sharp/Sharp

8 cm Cutting edge: 8 mm Tip Ø: 0.2 mm

No. 15111-08 \$ 341.00



Curved

Sharp/Sharp

No. 15027-18

\$ 318.00

Micro Scissors

With microserrations to minimize slippage.

Micro Scissors

The finest blades on spring scissors. Designed for ophthalmic surgery (vitrectomy). The spring handles are made of ribbed plastic to ensure a solid grip. **Autoclavable**.



No. 15031-14

\$610.00



No. 15030-14

\$613.00

Ultra Fine Clipper Scissors II

For microscopic dissections of soft and mucous tissue. The minute fineness of the blades allows clear visualization of the tissue being dissected.



Uses:

- Removing sheath of ganglia to access neurons in aplysia.
- Cutting single nerve axons in aplysia, mollusk and snail.
- Stripping fascia off arteries and muscles.
- Ultra fine brain tissue dissection.
- · Cutting of minute fiber optic strands.



Straight Sharp/Sharp

10 cm Cutting edge: 2 mm Tip Ø: 0.08 mm Blade shape: Triangular 0.1 mm Blade thickness

No. 15300-00

\$ 293.50

Biemer Scissors

These scissors are designed to securely cut vessels without slipping.





Straight Blunt/Blunt

8.5 cm Cutting edge: 4 mm Tip Ø: 2 mm

No. 15032-08 \$ 300.00

Bonn-Gawenda Scissors

The innovative Bonn-Gawenda scissors from our Exclusive Line combine a precise cutting edge, similar to our spring scissors and our ToughCut® feature which ensures an exact cut without slipping. These scissors have perfect tips for precision work under a microscope. Designed with comfort and ergonomics in mind, the large finger loops and specially engineered handle ensure exceptional control throughout each use.













10.5 cm Cutting edge: 10 mm

No. 14854-10 \$ 142.00



Curved Sharp/Sharp

10.5 cm Cutting edge: 10 mm

No. 14855-10 \$ 149.00

Extra Fine Bonn

Our finest iris scissors, best suited for microdissection under high magnification.







8.5 cm Cutting edge: 10 mm

No. 14084-08 \$ 98.00



Curved Sharp/Sharp

8.5 cm Cutting edge: 10 mm

> No. 14085-08 \$ 103.50



Straight Sharp/Blunt

8.5 cm Cutting edge: 10 mm

No. 14083-08 \$ 89.50



Extra Fine Bonn

Highly polished.



ToughCut® Bonn-Strabismus

A fusion of two light and delicate iris scissors with ToughCut cutting edges.

TOUGH



Hardened Fine Iris Scissors

These scissors have an anti-reflective finish to reduce glare.





8.5 cm Cutting edge: 10 mm

No. 14184-09 \$ 91.00



Curved Sharp/Sharp

8.5 cm Cutting edge: 10 mm

No. 14185-09 \$ 99.00



Blunt/Blunt

8.5 cm Cutting edge: 10 mm

No. 14084-09 \$ 166.50



Blunt/Blunt

8.5 cm Cutting edge: 10 mm

No. 14085-09 \$171.00



Straight Sharp/Sharp

9 cm Cutting edge: 16 mm

No. 14090-09 \$116.00

11 cm Cutting edge: 16 mm

> No. 14090-11 \$ 118.50



Curved Sharp/Sharp

9 cm Cutting edge: 16 mm

No. 14091-09 \$124.00

11 cm Cutting edge: 16 mm

No. 14091-11 \$122.00

Fine Iris Scissors

Made from Martensitic stainless steel, combined with Molybdenum and Vanadium.



Straight Sharp/Sharp

10.5 cm Cutting edge: 16 mm

No. 14094-11 \$ 126.50



10.5 cm Cutting edge: 16 mm

No. 14095-11 \$ 131.00

Iris Scissors

Delicate pattern.





Straight Sharp/Sharp

9 cm Cutting edge: 16 mm

No. 14060-09 \$ 86.50

10.5 cm Cutting edge: 16 mm

No. 14060-10 \$ 86.50

11.5 cm Cutting edge: 16 mm

No. 14060-11 \$ 87.00



Curved Sharp/Sharp

9 cm Cutting edge: 16 mm

No. 14061-09 \$ 91.00

10.5 cm Cutting edge: 16 mm

> No. 14061-10 \$ 90.00

11.5 cm Cutting edge: 18 mm

> No. 14061-11 \$ 92.50



Curved to side Sharp/Sharp

9 cm Cutting edge: 16 mm

No. 14062-09 \$ 93.50

10.5 cm Cutting edge: 16 mm

No. 14062-10 \$ 100.50



Angled to side Sharp/Sharp

9 cm Cutting edge: 16 mm

> No. 14063-09 \$ 99.50

n

Left Handed Iris Scissors Moria Iris Scissors Extra Narrow Iris Scissors Extra narrow, delicate pattern. Very slim blades with gentle cutting action. Moria MOST POPULAR LEFT-HANDED Moria 4877A Side-view showing extra narrow pattern Straight Curved **Straight** Straight Sharp/Sharp Sharp/Sharp Sharp/Sharp Sharp/Sharp 10.5 cm 10.5 cm 12.5 cm 10.5 cm Cutting edge: 18 mm Cutting edge: 18 mm Cutting edge: 10.5 mm Cutting edge: 16 mm No. 14370-22 No. 14088-10 No. 14160-10 No. 14161-10 \$ 141.50 \$ 145.00 \$ 172.50 \$ 98.50

Largo Loops Scissors LARGE LOOP F. S .T 14040-10

Wagner





10 cm Cutting edge: 16 mm

No. 14040-10 \$ 101.50



10 cm Cutting edge: 16 mm

No. 14041-10 \$ 108.00



Sharp/Sharp 12 cm

Cutting edge: 20 mm No. 14068-12 \$ 85.50



Curved Sharp/Sharp

12 cm Cutting edge: 20 mm

No. 14069-12 \$ 91.00



Straight Sharp/Sharp

12 cm Cutting edge: 20 mm

No. 14070-12 \$ 96.00



Curved Sharp/Sharp

12 cm Cutting edge: 20 mm

No. 14071-12 \$ 100.50



Fine Scissors Lexer-Baby







Straight Sharp/Blunt

10 cm Cutting edge: 17 mm

No. 14028-10 \$ 90.00



Curved
Sharp/Blunt

10 cm Cutting edge: 17 mm

No. 14029-10 \$ 95.50



Straight Blunt/Blunt

10 cm Cutting edge: 16 mm

No. 14078-10 \$ 81.50



Curved Blunt/Blunt

10 cm Cutting edge: 16 mm

No. 14079-10 \$ 88.50

ToughCut®











Straight Sharp/Sharp

9 cm Cutting edge: 16 mm

No. 14058-09 \$ 94.50

11.5 cm Cutting edge: 16 mm

No. 14058-11 \$ 97.00



Curved Sharp/Sharp

9 cm Cutting edge: 16 mm

No. 14059-09 \$ 102.00

11.5 cm Cutting edge: 16 mm

No. 14059-11 \$ 105.50









Straight Sharp/Sharp

9 cm Cutting edge: 16 mm

No. 14568-09 \$ 149.50

11.5 cm Cutting edge: 16 mm

No. 14568-12 \$ 155.50



Curved Sharp/Sharp

9 cm Cutting edge: 16 mm

No. 14569-09 \$ 157.00

11.5 cm Cutting edge: 16 mm

No. 14569-12 \$ 164.00



ToughCut® and Tungsten Carbide







9 cm Cutting edge: 16 mm

No. 14558-09 \$ 212.00

11.5 cm Cutting edge: 16 mm

No. 14558-11 \$ 216.50



Curved Sharp/Sharp

9 cm Cutting edge: 16 mm

No. 14559-09

\$ 224.50

11.5 cm Cutting edge: 16 mm

No. 14559-11 \$ 229.00

CeramaCut®

These ceramic-coated scissors are the cleanest cutting, longest lasting scissors ever produced. Utilizing the unique properties of a ceramic coating, they will last six times longer than Tungsten Carbide instruments and cut even better than ToughCut® scissors. The black, corrosion-resistant coating has a non-glare finish.









Straight Sharp/Sharp

9 cm Cutting edge: 16 mm

No. 14958-09 \$ 325.50

11.5 cm Cutting edge: 16 mm

No. 14958-11 \$ 331.50



Curved Sharp/Sharp

9 cm Cutting edge: 16 mm

No. 14959-09 \$ 337.00

11.5 cm Cutting edge: 16 mm

No. 14959-11 \$ 343.00

Strabismus

Tungsten Carbide Strabismus







Straight Blunt/Blunt

9 cm Cutting edge: 12 mm

No. 14074-09

\$ 87.50

11.5 cm Cutting edge: 20 mm

No. 14074-11 \$ 86.50



Curved Blunt/Blunt

9 cm Cutting edge: 12 mm

No. 14075-09

\$ 91.00

11.5 cm Cutting edge: 20 mm

No. 14075-11 \$ 89.00



Straight Blunt/Blunt

9 cm Cutting edge: 12 mm

No. 14574-09 \$ 143.50

11 cm Cutting edge: 20 mm

No. 14574-11

\$ 147.50



Curved Blunt/Blunt

9 cm Cutting edge: 12 mm

No. 14575-09

\$ 147.50

11 cm Cutting edge: 20 mm

No. 14575-11

\$ 154.00



Stevens Tenotomy Walton Curved Curved **Straight** Curved **Straight** Curved Sharp/Sharp Sharp/Sharp Sharp/Sharp Sharp/Sharp **Blunt/Blunt Blunt/Blunt** 9.5 cm 10.5 cm 11 cm 11 cm 11 cm 11 cm Cutting edge: 10 mm Cutting edge: 10 mm Cutting edge: 13 mm Cutting edge: 13 mm Cutting edge: 13 mm Cutting edge: 13 mm

No. 14077-10

\$ 106.00

No. 14064-11

\$ 99.50

No. 14077-09

\$ 105.00

No. 14067-11

\$ 97.00

No. 14066-11

\$ 93.00

No. 14065-11

\$ 103.50

LaGrange

One edge is serrated to minimize slippage of tissue during cutting. Curved handle helps when cutting from an awkward angle.



Transplant scissors with light and delicate pattern.








11.5 cm Cutting edge: 12 mm

> No. 14173-12 \$ 119.00



12 cm Cutting edge: 16 mm

No. 14105-12 \$ 122.00

Dissector Scissors

Slim blades for cutting tissue.



Similar to 14081-09, but with stronger blades for cutting fine bone.

Spencer Ligature

Used for cutting stitches or suture.









Angled to side Sharp/Sharp

10 cm Cutting edge: 6 mm

No. 14081-09 \$ 105.00



Angled to side Sharp/Sharp

10.5 cm Cutting edge: 8 mm

No. 14082-09 \$ 112.00



Straight Sharp/Sharp

9 cm Cutting edge: 16 mm

No. 14076-09 \$ 69.50

Bonn Artery

Iris scissors with one ball tip to prevent piercing of underlying tissue.

Tissue Separating Scissors







Straight Sharp/Ball tip

9 cm Cutting edge: 10 mm 1.5 mm Ball Diameter

> No. 14086-09 \$ 123.00



Straight
Sharp/Ball tip

11.5 cm Cutting edge: 16 mm 1.5 mm Ball Diameter

> No. 14080-11 \$ 110.00



Straight Blunt/Blunt

11.5 cm Cutting edge: 16 mm

No. 14072-10 \$ 103.00

Graefe **Adjustable Loops Fine Scissors** Kaye The finger loops can be enlarged to fit These scissors have semi-sharp outer almost any size. edges to better facilitate dissection. LARGE LOOP LARGE LOOP **SERRATED** Angled up Straight Straight Curved Sharp/Sharp Sharp/Sharp **Blunt/Blunt** Blunt/Blunt 10.5 cm 9.5 cm 9.5 cm 10.5 cm Cutting edge: 12 mm Cutting edge: 8 mm Cutting edge: 8 mm Cutting edge: 14 mm No. 14037-10 No. 14106-09 No. 14108-09 No. 14171-10 \$ 139.50 \$ 93.50 \$ 85.00 \$ 116.50

Standard Pattern

Our standard surgical scissors are recognized for these important features:

- · Excellent feel and handling capability.
- Overall execution that marks them as fine examples of German craftsmanship.





14008-14







F-5-T 14001-14

			IIII						
	Length (cm)	Cutting edge	Curved Sharp / Sharp	Price	Curved Sharp / Blunt	Price	Curved Blunt / Blunt	Price	
	12	26	No. 14005-12	\$ 63.00	No. 14004-12	\$ 59.50	No. 14003-12	\$ 56.00	
	13	28	No. 14005-13	\$ 65.00	No. 14004-13	\$ 62.00	No. 14003-13	\$ 59.00	
	14.5	30	No. 14005-14	\$ 69.00	No. 14004-14	\$ 65.50	No. 14003-14	\$ 62.00	
	16.5	36	No. 14005-16	\$ 71.50	No. 14004-16	\$ 68.00	No. 14003-16	\$ 64.50	
	18.5	40			No. 14004-18	\$ 71.00	No. 14003-18	\$ 67.00	
	20	44					No. 14003-20	\$ 70.00	

ToughCut® Standard Pattern

Tungsten Carbide Standard Pattern











Straight Sharp/Blunt

13 cm Cutting edge: 28 mm

No. 14054-13 \$ 114.00



Straight
Sharp/Blunt

17.5 cm Cutting edge: 42 mm

No. 14130-17 \$ 122.00



Straight Sharp/Sharp

14.5 cm Cutting edge: 34 mm

No. 14502-14 \$ 149.50



Straight Sharp/Blunt

14.5 cm Cutting edge: 34 mm

No. 14501-14 \$ 144.50



Curved Sharp/Sharp

14.5 cm Cutting edge: 34 mm

No. 14505-14 \$ 151.50



Curved Sharp/Blunt

14.5 cm Cutting edge: 34 mm

No. 14504-14 \$ 147.50



Standard Pattern with Serrations





Standard Pattern with Large Finger Loops

These finger loops are approximately 1.5x larger than our standard surgical scissors.





Lister

Excellent skin cutting scissors. Longer, blunt blade prevents damaging tissue underneath skin without losing the cutting line.







14 cm Cutting edge: 30 mm

No. 14007-14 \$ 82.50



Straight Sharp/Blunt

14.5 cm Cutting edge: 30 mm

> No. 14101-14 \$ 64.00



Angled to side Blunt/Blunt

14 cm Cutting edge: 26 mm

> No. 14131-14 \$ 109.50

Metzenbaum Baby

Tungsten Carbide Metzenbaum Fino





Straight Blunt/Blunt

13 cm Cutting edge: 20 mm

No. 14018-13 \$101.00

14.5 cm Cutting edge: 22 mm

No. 14018-14 \$101.00

18 cm Cutting edge: 24 mm

No. 14018-18 \$110.50



70% of

actual size

Curved Blunt/Blunt

13 cm Cutting edge: 20 mm

No. 14019-13 \$115.50

14.5 cm Cutting edge: 22 mm

No. 14019-14

\$118.50

18 cm Cutting edge: 24 mm

No. 14019-18 \$127.50



14.5 cm Cutting edge: 22 mm

No. 14508-15

\$179.00



14.5 cm Cutting edge: 22 mm

No. 14518-14 \$138.00

18 cm Cutting edge: 24 mm

No. 14518-18

\$ 140.50



Curved

Ultra fine Blunt/

Blunt

14.5 cm

Cutting edge: 22 mm

No. 14509-15

\$ 188.00

Curved Blunt/Blunt

14.5 cm Cutting edge: 22 mm

No. 14519-14

\$ 147.50

18 cm Cutting edge: 24 mm

No. 14519-18

\$ 152.50

Metzenbaum

ToughCut® Metzenbaum







14.5 cm Cutting edge: 22 mm

No. 14024-14 \$ 82.00



Straight Blunt/Blunt

14.5 cm Cutting edge: 22 mm

> No. 14016-14 \$ 78.50

18 cm Cutting edge: 24 mm

No. 14016-18 \$ 86.00



Curved Blunt/Blunt

14.5 cm Cutting edge: 22 mm

No. 14017-14 \$ 87.00

18 cm Cutting edge: 24 mm

No. 14017-18 \$ 94.00



14.5 cm

Cutting edge: 22 mm

No. 14116-14

\$ 91.50

18 cm

Cutting edge: 24 mm

No. 14116-18

\$ 98.50

14.5 cm

Cutting edge: 22 mm

No. 14117-14

\$ 100.50

18 cm

Cutting edge: 24 mm

No. 14117-18

\$ 106.50

Mayo ToughCut® Mayo **Tungsten Carbide Mayo** TOUGH TUNGSTEN CARBIDE **TUNGSTEN** CUT CARBIDE TOUGH CUT 14512-15 & 14512-17 0 80% of 80% of 80% of 0 actual size actual size actual size **Straight** Curved Straight Curved **Straight** Curved Straight **Blunt/Blunt Blunt/Blunt Blunt/Blunt Blunt/Blunt Blunt/Blunt Blunt/Blunt** Blunt/Blunt 15 cm Cutting edge: 28 mm No. 14010-15 No. 14110-15 No. 14510-15 No. 14512-15 \$77.50 \$84.00 \$117.00 \$127.50 \$140.00 \$147.00 \$ 256.50 17 cm Cutting edge: 32 mm No. 14010-17 No. 14011-17 No. 14110-17 No. 14111-17 No. 14510-17 No. 14511-17 No. 14512-17 \$80.00 \$ 132.00 \$ 265.50 \$86.50 \$122.00 \$146.50 \$ 153.50

Mayo-Stille Mayo-Noble **Decapitation Scissors** Stop guard at tips to prevent slippage. MOST POPULAR 80% of 80% of 65% of 1 actual size actual size actual size Straight Curved Blunt/Blunt **Blunt/Blunt** 15 cm 15 cm Cutting edge: 28 mm Cutting edge: 28 mm No. 14012-15 No. 14013-15 Straight Curved Straight \$ 69.50 \$ 77.00 **Blunt/Blunt** Blunt/Blunt **Blunt/Blunt** 17 cm 17 cm 16.5 cm 16.5 cm 21 cm Cutting edge: 50 mm Cutting edge: 32 mm Cutting edge: 32 mm Cutting edge: 30 mm Cutting edge: 30 mm No. 14013-17 No. 14014-17 No. 14015-17 No. 14200-21 No. 14012-17 \$ 74.50 \$82.00 \$ 96.50 \$ 102.00 \$ 93.00

Micro Friedmann-Pearson Rongeur

Experience the unparalleled precision of our flagship rongeur which features a specialized 0.5 mm cup diameter, tailored for the finest research techniques. These rongeurs guarantee effortless cutting while ensuring captured tissue remains secure and intact.



Friedmann-Pearson Rongeur

Best suited for delicate work, this is one of our finest tip rongeurs in our product line. The fine-cupped jaws have been designed with a longer and slimmer approach for better visibility.






Pearson

Provides excellent visibility at dissection site due to its extra long and narrow approach to the fine cutting jaws. Especially suitable for larger hands.

Luer






Baby-Beyer

Double-action rongeur with strong jaws helps relieve hand strain.

Beyer

Double-action rongeur with strong jaws helps relieve hand strain.



Lempert Friedmann Extra fine jaws. Strong and large jaws are ideal for use on the harder, outer regions of the spinal cord. Also can be used to gain access to delicate structures encased in bone. Diameter of this circle determines cup size. Form an imaginary circle that will fit in the very tip of the instrument and measure its diameter. Curved Straight Curved 13 cm 16 cm 16 cm Cup size: 2.5 mm Cup size: 2.5 mm Cup size: 2.5 mm No. 16000-14 No. 16004-16 No. 16005-16

\$ 310.00

\$ 314.00

\$ 323.00

Bone Trimmers

Cartilage Cutter

Round cutting blades for tissue, cartilage and soft bone.





14 cm Cutting edge: 8 mm

No. 16109-14 \$ 324.50





Curved

14 cm Cutting edge: 9 mm

No. 16107-14 \$ 176.50

Dumont #15A Cutter

Cutting edge on both outside and inside bevel.

Cuts suture, cartilage, bone and steel wire to

0.06 mm, and copper wire to 0.15 mm.









Angled

11.5 cm Cutting edge: 10 mm Jaw Opening: 2.5 mm

Hard carbon steel

No. 11215-01

\$82.00

Dumont #15ARW Cutter

Same structure and functionality as Item No. 11215-01 (left), but with an epoxy coating up to the cutting edge for easier care and maintenance.









AngledCutting

11.5 cm Cutting edge: 6 mm Jaw Opening: 2.5 mm

Epoxy coated carbon steel

No. 11215-02

\$ 69.50

Tungsten Carbide #15AGHM Cutter

High precision cutting tweezers are suitable for applications which require cutting small material or performing small cuts. The extreme hard Tungsten Carbide blade insert is designed to cut the hardest metals.







AngledCutting

11.5 cm Cutting edge: 10 mm Jaw Opening: 4 mm Anti-Magnetic Anti-Acid Stainless Steel (SA), sandblasted

No. 11515-02

\$89.00

Bone Nipper

Offset Bone Nipper

Strong jaws for cutting tough cartilage.







11 cm Cutting edge: 5 mm

No. 16102-11 \$ 176.50



10 cm Cutting edge: 7 mm

No. 16101-10 \$ 185.50

Malleus Nipper Bone Cutting Spring Delicate Bone Cutting Scissors **Spring Scissors** Slim, strong blades for cutting fine bones and tissues. SERRATED Straight Straight Curved **Blunt/Blunt** Blunt/Blunt 11 cm 13 cm 12 cm Cutting edge: 9 mm Cutting edge: 12 mm Cutting edge: 12 mm No. 16140-11 No. 16144-13 No. 16143-12

\$ 164.00

\$ 206.50

\$ 158.50

Littauer Bone Cutter

Beebee Bone Scissors Very strong jaws with sharp points.

Tungsten Carbide Bone Scissors Strong heavy blades for cutting bone.











No. 16152-11

\$ 155.00



Straight

12.5 cm Cutting edge: 17 mm

No. 16152-12 \$ 158.00



Straight

15 cm Cutting edge: 19 mm

No. 16152-15 \$ 162.00





Straight

10 cm Cutting edge: 15 mm

No. 16044-10 \$66.50



Straight

12.5 cm Cutting edge: 15 mm

No. 16030-12 \$ 169.50



Straight

16 cm Cutting edge: 15 mm

No. 16030-16 \$ 189.50



Boehler

Bone splitting cutter with very fine tips and double action joint to relieve strain on your hand.

Skull Flap Cutter

One tip has a flat and narrow platform which fits between dura and skull. Other tip has sharp cutting edge. The double action joint relieves strain on your hand.






Cleveland Cutter

Listen

Gross anatomy bone cutter.



No. 16105-16

\$ 250.00



20 cm Cutting edge: 30 mm


No. 16104-19

\$ 318.50

Bone Pliers

To peel back skull flaps.

Bone Shears



No. 16025-14

\$ 269.50



Curved

24 cm Cutting edge: 65 mm

No. 16150-24

\$ 101.50

Bone Forceps

Strong cross-serrated tips for bone crushing and removal.





11.5 cm Tip Ø: 1 mm Cross serrated

No. 16060-11

\$ 96.00

Miniature Self-Tapping Bone Screws

Used extensively to anchor dental cement to bone, these self- tapping screws have superior holding strength over ordinary machine screws. Stainless steel with fillister flat head.



4 mm Shaft diameter: 0.86 mm Pkg. of 100 screws

> No. 19010-10 \$ 179.50

Pkg. of 10 screws

No. 19010-11 \$ 24.00

For pre-drilling use our 0.7 mm burrs, see page 187.

4.8 mm Shaft diameter: 1.19 mm Pkg. of 100 screws

> No. 19010-00 \$ 99.50

Pkg. of 10 screws

No. 19010-01 \$ 15.50

For pre-drilling use our 0.9 mm burrs, see page 187.

Bone Wax

A beeswax-based compound for bone hemostasis. Soft, kneadable and ready to use. **Sterile.**



Pkg. of 12 foil packs (2.5 g each)

No. 19009-00 \$ 147.00



Micro Curette Delicate Bone Austin Chisel Dissecting Scraper Chisel Curette tips consist of a scoop with sharp edges and are used for scraping or cleaning. They can also be used for separating For scraping tissue without cutting and transporting, inoculating plates or transferring small amounts of chemicals. into bone. Serrations on cutting edge __1.0 mm 5.0 mm 3.5 mm 3.5 mm 13 cm 13 cm 13 cm 13 cm 16.5 cm 16 cm 12.5 cm No. 10080-05 No. 10081-10 No. 10082-15 No. 10083-20 No. 10075-16 No. 10096-16 No. 10095-12 \$ 121.50 \$ 122.50 \$122.00 \$ 147.50 \$ 133.50 \$ 132.00 \$83.50

Von Graefe Knife

Used for cutting dura.



Cataract Knife

One of the most popular dissecting knives with a microfine point. The cutting edge is lance shaped to provide the ideal cutting angle.



Sichel





13 cm Cutting edge: 1.5 mm

> No. 10059-13 \$ 107.50




12.5 cm Cutting edge: 4 mm

No. 10055-12 \$ 139.00



12.5 cm Cutting edge: 4 mm

No. 10056-12 \$ 159.00



12 cm Cutting edge: 9 mm

No. 10073-14 \$ 119.00



Micro Knife Micro Knife Side Cut **Circle Knife** Sharp cutting edge around tip. 200% 250% F-S-T 10370-13 2.0 mm 28 mm Side cut Straight Round 13 cm 15 cm 16 cm Cutting edge: 28 mm Cutting edge: 2 mm Cutting edge: 2 mm No. 10370-13 No. 10058-15 No. 10059-15

\$ 175.50

\$ 135.00

\$ 141.00

Gross Anatomy Knives

Handles are made of fiberglass reinforced yellow nylon with a slip resistant surface that allows little chance of bacterial accumulation. The blades are made of German Molybdenum Stainless Steel.





Dissection knives

26 cm Cutting edge: 13 cm

No. 10157-13 \$ 20.00 28 cm Cutting edge: 15 cm

No. 10157-15

\$ 24.00

31 cm Cutting edge: 18 cm

No. 10157-18 \$ 28.00 **Brain sectioning knife**

44 cm Cutting edge: 30 cm

No. 10152-30 \$ 48.00



Obsidian Stone Age Scalpels

For applications where extremely fine cuts are required or for studies where trace metals from ordinary scalpel blades cannot be tolerated. These ultra fine cutting edges have been used in human surgical procedures where objectionable scar tissue results from the use of standard scalpels. The blade is made from obsidian—a type of volcanic glass—which allows a much finer blade than is possible with the conventional steel blade. In some cases this makes the relatively inexpensive obsidian scalpel a suitable substitute for an expensive diamond knife. Patterned after "stone age" knives which first made their appearance about 18,000 years ago, these modern versions utilize hard wood and plastic dowels for handles. Plastic dowels are made of polyoxymethylene.



Cautionary note: Obsidian is a very fragile material. Great care should be taken to not exert any lateral pressure on the blade during cutting. Each blade is hand-fashioned, so sizes, shapes and points will vary. While all the blades will have at least one sharp edge, some will have two.



Ceramic Blades

Advantages:

- Ceramic edge stays sharp 100 times longer than steel edge
- Rust and corrosion free
- Chemical and acid resistant
- Withstands up to 2400 °C (4352 °F)
- No electrostatic discharge concerns
- No trace metal contamination
- Fully nonmagnetic

Angled 45°

33 x 6 x 0.5 mm Cutting edge: 4.5 mm Pkg. of 5 blades

No. 10025-44 \$ 170.00

Angled 45°

33 x 6 x 0.5 mm Cutting edge: 2.5 mm Pkg. of 5 blades

No. 10025-43 \$170.00

Angled 23°

33 x 6 x 0.5 mm Cutting edge: 14 mm Pkg. of 5 blades

No. 10025-23 \$ 105.00

Angled 45°

33 x 6 x 0.5 mm Cutting edge: 8 mm Pkg. of 5 blades

No. 10025-45 \$119.50

Diamond Knives

This knife has a gem-quality, neutral diamond blade which is honed to the finest cutting edge possible. The blade is made to an ophthalmic surgical standard and is inspected under 400x magnification. The retractable handle aids in care and storage.



Cautionary note: This blade is extremely fragile and vulnerable to lateral pressure.









Cutting angle: 30°

12 cm Cutting edge: 1 mm Tip thickness: 0.15 mm

> No. 10100-30 \$ 415.50



12 cm Cutting edge: 1 mm Tip thickness: 0.15 mm

> No. 10100-45 \$413.00

Grip slides up the handle to protect the tip for safe storage and packing.

Aluminum Alloyed Handle

12.5 cm

No. 10025-50 \$12.00



Blade Holders and Breakers





11 cm Jaw width: 4 mm

Flat surface

No. 10052-11 \$ 255.00



9 cm Jaw width: 4 mm

Concave / Convex surface Handle diameter: 5.5 mm

> No. 10053-09 \$ 398.50



13 cm Jaw width: 4 mm

Concave / Convex surface Handle diameter: 8 mm

> No. 10053-13 \$ 404.00

Breakable Carbon Steel Blades

These special, high carbon content blades are the only blades that will break cleanly.

Not autoclavable.






Blade thickness: 0.1 mm Pkg. of 10 blades

No. 10050-00 \$ 11.50

Create Your Own Blade

With these blade holders/breakers and our special carbon steel blades, No. 10050-00, you can produce microblades in sizes that meet your own individual needs.



Carbon Steel Scalpel

Cold forged from carbon steel and sharpened to eliminate tissue distortion and blade drag. 12.5 cm plastic handle with slip-proof grip. Sterile.







4.5 mm

13.5 cm Cutting edge: 4.5 mm Tip thickness: 0.15 mm

\$19.00



Crescent blade

14 cm Cutting edge: 11 mm Tip thickness: 0.2 mm

No. 10317-14

\$ 20.00



15° Cutting Angle

13 cm Cutting edge: 5 mm Tip thickness: 0.15 mm

No. 10315-12


\$18.00



Needle blade

14.5 cm Cutting edge: 4 mm Tip thickness: 0.2 mm

> No. 10318-14 \$38.00








Angled Carbon steel

Cutting edge: 10 mm Pkg. of 5 blades

No. 10035-15 \$ 25.00



Cutting edge: 10 mm Pkg. of 5 blades

Curved

No. 10035-20 \$ 25.00



Small / Flat Carbon steel

Cutting edge: 1.5 mm Pkg. of 5 blades

No. 10035-05 \$ 25.50



Large / flat Carbon steel

Cutting edge: 2.75 mm Pkg. of 5 blades

> No. 10035-10 \$ 25.50



Cane Carbon steel

Cutting edge: 12 mm Pkg. of 5 blades

No. 10035-25 \$ 26.50



Arc Carbon steel

Cutting edge: 12 mm Pkg. of 5 blades

No. 10035-30

\$ 57.50



Handle for Inter-

changeable Blades $9.5\,\text{cm}$

No. 10035-00

\$ 62.50

12.5 cm

No. 10035-12

\$67.00

Scalpel Handle #4 with Silicone

For heavy, gross anatomy work.

Molded to fit hand.

Standard Scalpel Handle #4 Solid

Especially suitable for large dissections.

Blades for #4 Scalpel Handle

The alloy used has a high carbon content which provides a longer lasting edge. Blades come individually wrapped. **Non-sterile.**





#20 blades

Box of 100 blades

No. 10020-00 \$ 56.00



#21 blades

Box of 100 blades

No. 10021-00 \$ 56.00



#22 blades

Box of 100 blades

No. 10022-00

\$ 56.00



#23 blades

Box of 100 blades

No. 10023-00 \$ 56.00





13.5 cm

No. 10009-13 \$ 52.00 13 cm
No. 10004-13
\$ 18.50

#3 Standard

#3 Secure

Blades for #3 and #7 Scalpel Handles


A safety lock holds the blade securely, and allows simple and safe blade attachment and removal.


The alloy used has a high carbon content which provides a longer lasting edge. Blades come individually wrapped. Non-sterile.













#10 blades

Box of 100 blades

No. 10010-00 \$ 56.00



#11 blades

Box of 100 blades

No. 10011-00 \$ 56.00



#12 blades

Box of 100 blades

No. 10012-00

\$ 56.00



#15 blades

Box of 100 blades

No. 10015-00

\$ 56.00

12 cm

No. 10003-13 \$ 26.50

12 cm

No. 10003-12 \$ 18.00



Short Scalpel Handle #7

Standard Scalpel Handle #7

Scalpel Blade Remover

For safe removal of scalpel blades, simply insert scalpel with blade into the Scalpel Blade Remover and press the sides together. This will dislodge the blade from handle and hold the blade securely for release.




No. 10002-00

\$ 19.00



This plastic device will remove used scalpel blades safely and retain them for safe disposal. Can be used for blades that fit the #3, #4, #7 and Gross Anatomy handles.









12 cm

No. 10007-12 \$ 28.50


16.5 cm No. 10007-16

\$ 31.50

Gross Anatomy Blade and Handle


Disposable Safety Scalpels

Plastic handle #3 with stainless steel blades. The protective cartridge completely covers the blade for safe, fast and easy disposal. **Single-use and non-sterile.**









#60 blades

13 cm 7.5 cm Box of 100 blades

No. 10060-13 No. 10060-00 \$ 22.00 \$ 74.50

#10 scalpels

14 cm Pkg. of 10 blades

No. 10000-10 \$ 28.00 #11 scalpels

14 cm Pkg. of 10 blades

No. 10000-11 \$ 28.00 #15 scalpels


14 cm Pkg. of 10 blades

No. 10000-15 \$ 28.00



Safety Scalpel Blade Cartridges

The Safety Scalpel Handle #3 is compatible with all Safety Scalpel Blades. The handle is reusable and made of Teflon coated stainless steel which provides a non-stick surface. The Blade Cartridges are color-coded with clear windows for easy identification. The protective cartridge completely covers the blade for safe, fast, and easy disposal. **Handle is reusable and autoclavable. Blades are single-use and non-sterile.**





\$ 26.50

\$ 26.00

\$26.00

\$ 26.00

FORCEPS, TWEEZERS, HEMOSTATS & VASCULAR INSTRUMENTS





Dumont #5SF

The finest tips ever produced by Dumont.





Dumont #5 **Fine Tips**

Finished under magnification and polished on the inside, the tips close flat to 3 mm and are less likely to open under excess pressure.



0.05 mm

Biology

11 cm 0.05 x 0.01 mm Inox

No. 11254-20 \$ 56.00

Dumont #5 Ceramic Coated

These forceps are non-reflective. The scratch and corrosion resistant coating guarantees durability.






Dumont #5CO

These forceps have been honed down to make this the lightest and most precise Dumont forceps available.





11 cm 0.05 x 0.01 mm Ceramic coated Inox

No. 11252-50 \$ 75.50



11 cm 0.05 x 0.01 mm Dumostar

No. 11295-20

\$ 70.00



11 cm 0.025 x 0.005 mm Inox

No. 11252-00 \$86.50





Dumont Medical Micro-Blunted Atraumatic Tipped Forceps

The sides of these forceps are distinctively ribbed to provide a better holding surface for maximum control of the instrument. The shanks are arched toward each other to transmit more holding strength to the points. The smooth inside surfaces at the tips will close flat to 5 mm with gentle pressure, increasing the total holding area considerably. The microscopically matched tips are gently blunted to prevent tissue puncture and are recommended as micro needle holders.





11 cm


0.1 x 0.06 mm

Inox

No. 11253-20

\$ 44.50













Dumont #55


Bevelled, like #5 but with extra light and fine shanks.

Dumont #5 Mirror Finish Forceps

The last 5 mm on the inside of the tips are highly polished to help prevent tissue from

sticking. Ideal for embryos, nerves or any other adhesive tissue.





11 cm 0.05 x 0.02 mm Inox

No. 11255-20

\$ 46.50

11 cm 0.05 x 0.02 mm Dumostar


No. 11295-51

\$62.00



11 cm 0.1 x 0.06 mm Inox

No. 11251-23 \$ 76.50



11 cm 0.05 x 0.02 mm Inox

No. 11252-23 \$ 79.50

Dumont #5

These are the most widely used Dumont forceps. Bevelled, very fine shanks for best visibility.











Standard

11 cm 0.1 x 0.06 mm Inox

No. 11251-20 \$37.00

Dumoxel

No. 11251-30

\$ 38.00

Dumostar

No. 11295-00 \$ 55.50



0.08 mm

Standard

11 cm

0.08 x 0.04 mm

Carbon steel

No. 11251-10

\$36.00

Biology

0.05 mm

11 cm 0.05 x 0.02 mm Inox

No. 11252-20

\$ 44.00

Dumoxel

No. 11252-30 \$ 42.00

Dumostar

No. 11295-10

\$ 64.00

Titanium

No. 11252-40

\$46.00





Dumont WA #5


These specially designed forceps offer improved stability with an ergonomic body that allows the forceps to fit more comfortably in your hand. A domed end with no soldering grooves allows the forceps to be thoroughly and easily cleaned, preventing biofilm residues.







\$ 40.50



0.05 mm

Dumont #5XL





No. 11253-10 \$ 59.00





Dumont #L5

Slide sleeve keeps tips together so specimens may be securely held and retained. Slide may be locked in place so that forceps can be used in regular fashion.



0.10 mm **Standard**

11 cm 0.1 x 0.06 mm

Inox

No. 11253-27

\$ 72.00

Dumont #5 Teflon® Coated

These antimagnetic forceps are ideal for use in cryogenic environments and for EM samples. Teflon® coating provides a non-stick surface.



0.10 mm **Standard**

11 cm 0.1 x 0.06 mm

Teflon coated Inox

No. 11626-11 \$ 49.00

Dumont #5/45

45° tips for improved visibility and control.







Standard

11 cm 0.1 x 0.06 mm

Dumoxel

No. 11251-35 \$ 44.50

Dumont #5/45 Cover Slip Forceps

Designed to pick up cover slips out of multi-well plates. The tip width is squared for a better grip.





1 mm from tip to bend

11.5 cm Upper tip: 0.1 x 0.08 mm, Lower tip: 0.1 x 0.02 mm Dumoxel

No. 11251-33

\$ 62.00



Dumont #3

Tapered and sturdy shanks.




Dumont #6

Sharply angled tips for access to difficult areas.









12 cm 0.17 x 0.1 mm Dumoxel

No. 11231-30 \$ 35.00




Standard

12 cm

0.17 x 0.1 mm

Dumostar

No. 11293-00 \$ 51.50



11 cm 0.17 x 0.1 mm Inox

No. 11231-20 \$ 32.50



Standard

11.5 cm 0.17 x 0.1 mm Inox

No. 11260-20

\$ 44.00





Dumont #7 **Fine Tips**

Finished under magnification and polished on the inside, the tips close flat to 3 mm and therefore less likely to open under excess pressure.







11.5 cm 0.07 x 0.03 mm Inox

No. 11274-20 \$ 50.50



Dumoxel®

0.07 mm

Standard

11.5 cm

0.17 x 0.1 mm Dumoxel

No. 11271-30

\$ 43.00

Dumostar

No. 11297-00

\$ 58.00

0.07 mm

Biology 11.5 cm 0.07 x 0.04 mm

Dumoxel

No. 11272-30

\$ 48.50

Dumostar

No. 11297-10

\$ 64.50

Titanium

No. 11272-40

\$ 54.00











Dumont #7

Ceramic Coated

CERAMIC COATED





Biology 11.5 cm 0.07 x 0.04 mm Ceramic coated Inox



Dumont #7B







Standard


11.5 cm 0.17 x 0.1 mm Inox

No. 11270-20 \$ 52.00

F·S·T by DUMONT 9

Dumont #4

Similar to #5, but with broader shanks.




These forceps can be used to break off delicate bone during mouse laminectomies, as well as fine skull bone removal.

Dumont #2AP Epoxy Coated


Provides good insulation for up to 220 AC voltage work and highly impervious to chemical solutions. Frozen or super cold sections will not adhere to the gripping surfaces.












11 cm 0.13 x 0.08 mm Dumoxel


No. 11241-30 \$ 37.50 Dumostar

No. 11294-00 \$ 53.50




11 cm 0.06 x 0.04 mm Dumoxel

No. 11242-40 \$ 42.00



12 cm 0.4 x 0.02 mm Inox

No. 11223-20 \$ 43.50



12 cm 1.5 x 0.7 mm Epoxy coated Inox

No. 11220-21 \$ 30.00





Dumont AA

Dumont AA Epoxy Coated

Slip-proof acid and electric shock resistant epoxy coating covering 17.5 mm from the tips.



Dumont SS

The tips are smooth on the inside for a gentle grip. Applying full strength will not separate tips and a strong hold on the smallest specimen is ensured.








12.5 cm 0.4 x 0.2 mm Epoxy coated Inox

No. 11210-10 \$ 29.00





Angled 45° 13.5 cm 0.2 x 0.12 mm Inox

No. 11203-25 \$ 45.00



Biology

Straight


13.5 cm

0.1 x 0.06 mm

Dumoxel

No. 11200-33

\$ 40.00



12.5 cm 0.4 x 0.2 mm Inox

No. 11210-20 \$ 30.00



Straight

13.5 cm

0.2 x 0.12 mm

Inox

No. 11203-23

\$ 39.00


M hox - Electronic &


Dumont Mini Forceps





Dumont #2E Components Forceps











Balanced #5 Forceps

These forceps feature an ergonomic design and ultra fine tips for optimal comfort and accuracy. The balanced action of the forceps ensures seamless efficiency during prolonged tasks, providing ease in rotational pivoting with the rounded handle and a counterweight technology providing enhanced control and stability.













15 cm 0.05 x 0.02 mm

No. 11852-20 \$ 374.00

Gold Plated Forceps

Gold-plating gives corrosion resistance to most chemicals, salts and acids. These forceps are perfect for any application where corrosion resistance and toughness are primary requirements.









11 cm 0.1 x 0.06 mm Gold plated Stainless Steel

No. 11915-11 \$ 39.00



12 cm 0.2 x 0.1 mm Gold plated Stainless Steel

No. 11917-12 \$ 39.50



Angled 30°
11 cm
0.1 x 0.06 mm
Gold plated
Stainless Steel


No. 11911-11 \$ 39.00

Diamond Coated Forceps

Diamond coating provides increased corrosion resistance and greater protection from wear and tear, which extends the operational life of the forceps, as well as providing a stronger grip at the tips.

Mirror Finish Broad Shanks

These forceps have long and narrow shanks with thin, highly polished tips to prevent tissue from sticking. Ideal for embryos, nerves, or other adhesive tissues.





Forceps with Replaceable Tips

Stainless steel body with replaceable plastic tips. Tips are made of polyvinylidene fluoride (PVDF) and are electrostatic discharge (ESD) safe. Body and plastic tips are corrosion and abrasion resistant.

Pkg. of 2 tips and 3 screws Replacement plastic tips

Straight / Fine

4 cm 0.6 x 0.6 mm

No. 11988-01

\$ 9.50



Pkg. of 2 tips and 3 screws Replacement plastic tips

Straight / Very fine

4 cm 0.5 x 0.5 mm

No. 11988-02

\$ 9.50



Straight

13 cm Stainless Steel body with plastic tips 0.5 x 0.5 mm

No. 11980-13 \$ 27.50

Replacement plastic tips Curved / Very fine

4 cm

0.5 x 0.5 mm No. 11988-03 \$ 9.50

Fine Forceps Mirror Finish

The last 5 mm on the inside of the tips are highly polished to help prevent tissue from sticking. Ideal for embryos, nerves or other adhesive tissue.



0.10 mm **Straight**

11 cm 0.1 x 0.06 mm

No. 11412-11 \$ 100.50




11 cm 0.05 x 0.02 mm

No. 11413-11 \$110.50

Fine Forceps Broad Shanks

Straight forceps with sturdy coarse tips.





12 cm 0.2 x 0.12 mm

No. 11445-12 \$ 64.00



#2A Forceps

Fine Forceps Self-Closing

Ideal for lifting and holding EM grids. Consistent pressure at tips. Correctly tensioned "cross-over" shanks come to a microscopically matched point.












1.5 x 0.1 mm
No. 11992-20
\$ 24.00



12 cm 1.5 x 0.1 mm

No. 11972-20 \$ 28.00



Straight 11.5 cm 0.08 x 0.04 mm

No. 11480-11 \$ 62.50



Straight 11 cm

0.1 x 0.06 mm

No. 11485-11 \$ 63.50



Curved

11.5 cm 0.2 x 0.12 mm

No. 11487-11 \$ 73.50





Moria Ultra Fine Forceps

These forceps have the most finely executed points available. They are extremely light, superbly balanced and have a gentle spring action. The shanks are specially designed with an arch which ensures maximum force to the tips. The tips close flat for 6 mm from the points to give a large holding area. The tips have been expertly finished under magnification.


Moria Iris Forceps

Balanced with gentle spring action and tips that are perfectly matched.














No. 11370-40 \$ 297.00

0.05 x 0.01 mm

Moria MC40/B



11 cm 0.05 x 0.01mm

No. 11370-42 \$307.00



Moria 9980

13 cm 0.1 x 0.06 mm No. 11399-80 \$235.50



13 cm 0.1 x 0.06 mm No. 11399-87 \$ 246.00

Moria

Moria Bonn Forceps

Moria Paufique Forceps









Moria 7835



Straight Tying platform with 1x2 teeth

7.5 cm Tip width: 0.3 mm Tying platform: 4 mm Stainless Steel

No. 11383-50 \$ 350.00

Moria TI7835



Straight Tying platform with 1x2 teeth

7.5 cm Tip width: 0.3 mm Tying platform: 4 mm Titanium

No. 11383-56 \$ 360.00

Moria 3225



Straight Tying platform with 1x2 teeth

8.5 cm Tip width: 0.12 mm Tying platform: 5 mm Stainless Steel

No. 11390-25

\$ 185.00



Fine Forceps

SuperGrip Forceps


The tips are processed with MicroCrystals®, a method developed by S&T® to infuse Tungsten Carbide on stainless steel. The formation of this ultra-fine coating guarantees atraumatic handling of tissue while improving the grip dramatically. The recommended use is where forceps are utilized as needle holders or when slippery tissues might be encountered.







300% The gripping surface is similar to a match head.



11 cm 0.3 x 0.25 mm

No. 00108-11 \$ 252.50







No. 00632-11 \$ 296.50



No. 00649-11 \$ 329.50

Bonn

The 1x2 teeth forceps No. 11084-07 are the finest of their kind with 0.1 mm wide teeth. The smooth forceps No. 11083-07 have a narrow 5 mm long platform. Both forceps have a pin inside the shanks to limit the applied pressure.



Mirror Finish Bonn Forceps


The fine Bonn forceps features a tying platform and is also available with additional 1x2 teeth. It's designed for tissue manipulation and suturing. The wide handle ensures safe handling. The fine and precise tips make it suitable for work under a high magnification.



Mirror Finish Suture Tying Forceps with Teeth


A unique tip style fusing a suture tying platform and a 1x2 teeth tip for tissue manipulation.





7 cm Tip width: 0.3 mm Tying platform: 5 mm

No. 11083-07 \$ 284.50



7 cm Tip width: 0.3 mm Teeth width: 0.1 mm

No. 11084-07 \$319.00



Straight Tying platform with 1x2 teeth

10.5 cm Tip width: 0.12 mm Tying platform: 5 mm

No. 11090-10 \$ 188.00



Straight Smooth with platform

10.5 cm Tip width: 0.3 mm Tying platform: 5 mm

No. 11093-10 \$ 143.50



Straight Tying platform with 1x2 teeth

9 cm Tip width: 0.3 mm Tying platform: 6 mm

No. 11090-09 \$ 268.00



Moria Suture Tying Forceps

Used to suture after surgery is complete. This requires the manipulation of a calibrated nylon thread and the use of a specific instrument: a tying forceps, straight or curved, without teeth.





Moria 9604



Straight Smooth with platform

 $9.5\,\mathrm{cm}$ Tip Ø: 0.3 mm Tying platform: 8 mm

> No. 11393-04 \$190.00

Moria 9605



Curved Smooth with platform

 $8.5\,\mathrm{cm}$ Tip Ø: 0.3 mm Tying platform: 7.5 mm

No. 11393-05 \$195.00

McPherson Forceps





0.4 mm

Analed 45° Smooth with platform

9 cm Tip Ø: 0.4 mm Tying platform: 6 mm

No. 11063-07 \$174.50

Suture Tying Forceps

The platform tips close flat. This ensures a reliable grip on sutures.





Straight Smooth with platform

13.5 cm Tip Ø: 0.3 mm Tying platform: 6 mm

No. 00272-13

\$ 294.50

Suture Tying Forceps

The platform tips close flat. This ensures a reliable grip on sutures.





Straight Smooth with platform

10 cm Tip Ø: 0.5 mm Tying platform: 5 mm

No. 18025-10

Round Handled Suture Tying Forceps

Round handles allow easy fingertip adjustments.

Vial Forceps

Tips taper for 6 cm allowing easy access to specimens in vials.





Curved Smooth with platform

10.5 cm Tip Ø: 0.35 mm Tying platform: 5.5 mm

No. 18026-10

\$ 262.00







15 cm Tip Ø: 0.5 mm

No. 11006-15 \$ 131.50

Graefe Forceps

Bishop-Harman

Octagon Forceps


The octagon shaped grip provides a particularly secure finger hold.











7 cm 0.6 x 0.5 mm

No. 11064-07 \$81.50



No. 11066-07

\$ 95.50



0.6 mm


Curved

Serrated

7 cm

0.6 x 0.5 mm

No. 11065-07









No. 11042-08

\$ 169.00



No. 11043-08

\$175.00

Extra Fine Graefe Forceps

Graefe Forceps





11650-10 - 11652-10

The length of all forceps is 10 cm



The length of all forceps is 10 cm The dimensions of all tips are 0.5 x 0.5 mm



Straight Serrated

No. 11150-10 \$81.50



Straight Smooth

No. 11158-10 \$ 72.50



Straight 1x2 Teeth

No. 11153-10 \$ 93.00



Slightly curved Serrated

No. 11151-10 \$87.00



Slightly curved Smooth

No. 11159-10 \$ 77.50

1x2 Teeth

Slightly curved No. 11154-10 \$ 99.50



Curved Serrated

No. 11152-10 \$ 90.00




Curved Smooth

No. 11160-10

\$ 78.50 0.5 mm

Curved 1x2 Teeth

No. 11155-10 \$100.50



Serrated

0.8 x 0.7 mm No. 11050-10

\$ 62.50 0.8 mm



Curved Serrated

0.8 x 0.7 mm

No. 11052-10 \$69.00



Straight 1x2 Teeth

0.8 x 0.7 mm

No. 11053-10 \$ 78.50



Serrated 1.2 x 0.9 mm

Titanium No. 11650-10 \$156.00



Slightly curved Serrated

0.8 x 0.7 mm



Angled Serrated

0.8 x 0.7 mm

No. 11049-10 \$ 70.00



Slightly curved 1x2 Teeth

0.8 x 0.7 mm

No. 11054-10 \$83.50 1.2 mm

Slightly curved Serrated

> 1.2 x 0.9 mm Titanium

No. 11651-10 \$ 163.00



Curved 1x2 Teeth

0.8 x 0.7 mm

No. 11055-10 \$85.00



Curved Serrated

1.2 x 0.9 mm Titanium

No. 11652-10 \$ 165.50



Sliding Lock Forceps

Episcleral Forceps

Pierse Fixation Forceps

For exceptional gripping power with no damage to sclera, vascular sheath and epineurium.

The tips of these forceps arch toward each other, closing flat. Exceptional gripping power is possible with minimal damage to tissue. A limit pin prevents excessive applied pressure.







1800%

Tissue retention hole of 0.3 mm behind tips.



11 cm 1 x 0.75 mm

No. 11062-10 \$ 122.50

\$ 155.50



Plastic Forceps

These forceps are non-magnetic, acid resistant and able to withstand temperatures up to 240 °C (464 °F). Tips do not spread under pressure. Plastic forceps are made of Acetyl and will be sold in packages of 10 pieces.

Cross Action Forceps

These tissue transport forceps have a gentle action.

Cover Glass Forceps



Angled 45°

Sharp

11.5 cm

0.3 x 0.2 mm

No. 11700-02

\$ 26.50









Sharp

11.5 cm 0.4 x 0.25 mm

No. 11700-00 \$ 26.50



Curved Sharp

11.5 cm 0.3 x 0.2 mm

No. 11700-01 \$ 26.50



Straight **Blunt**

11.5 cm 1.5 x 0.4 mm

No. 11700-03 \$ 26.50



Curved **Blunt**

11.5 cm 1.5 x 0.4 mm


No. 11700-04 \$ 26.50



Angled Cross serrated

10 cm 4 x 8 mm


No. 11075-00 \$ 69.00



Straight Smooth

10.5 cm 4 x 10 x 0.6 mm

No. 11074-02 \$ 32.50



Angled Smooth

10.5 cm 4 x 10 x 0.6 mm

No. 11073-10

\$ 39.50



Ring Forceps

For transport of tissue and organs. With limit screw to prevent excessive applied pressure.



Cupped forceps for atraumatic gripping of organs and tissues.

Live Insect Handling Forceps

Very delicate.















Straight Ring

8.5 cm ID: 1 mm OD: 1.5 mm x 0.5 mm

No. 11101-09 \$ 73.50



Straight Ring

9 cm ID: 2.2 mm OD: 3 mm x 1.3 mm

> No. 11103-09 \$ 66.50



Straight Ring

9 cm ID: 4.8 mm - OD: 6 mm x 1.5 mm

> No. 11106-09 \$ 65.50



Straight Circle

11.5 cm 7 x 0.5 mm

No. 11072-11 \$ 31.50



Straight Narrow

10 cm 0.9 x 0.15 mm

No. 26029-10 \$ 36.00



Straight Wide

10 cm 2.3 x 0.3 mm

No. 26030-10 \$ 31.50

Micro-Adson

Our most delicate version of the popular Adson forceps.

Micro-Adson with Fenestrated Handle

Our delicate Micro-Adson forceps, with five windows to aid in stability and easy finger adjustments.

Adson

Wide, strong grip with narrow tips.















Straight 1x2 Teeth

12 cm 1.5 x 2 mm

No. 11027-12

\$ 39.50



12 cm 1.5 x 1.3 mm

No. 11506-12 \$ 148.00

Straight Serrated

12 cm 0.8 x 0.9 mm

No. 11018-12 \$ 62.00



12 cm 0.8 x 1.3 mm

No. 11019-12 \$ 68.00



\$ 65.00

Straight 1x2 Teeth

12 cm 0.5 x 0.6 mm

No. 11032-12 \$ 76.00



Straight Tying platform with 1x2 teeth

12 cm 0.8 x 2 mm Tying platform: 6 mm

> No. 11022-12 \$ 63.00

Adson-Brown

Adson DeBakey

Ideal for gentle, atraumatic gripping of vessels, tissue and other delicate structures. Two rows of atraumatic teeth interfit with one opposite row of atraumatic teeth.

F.S.T





Atraumatic DeBakey Serrations

This tooth pattern, as shown, consists of one row of atraumatic teeth meshed with two opposite rows of atraumatic teeth.

These two forceps are ideal for gentle, atraumatic gripping of vessels, tissue and other delicate structures.



Adson-Graefe



Straight
Fine teeth

12.5 cm 4.5 x 1.25 mm

No. 11030-12 \$ 135.50





Straight Shark teeth

12 cm 2 x 1.4 mm

No. 11627-12 \$ 76.50



Straight DeBakey serrations

12.5 cm 1.75 x 1.5 mm

No. 11617-12 \$ 160.00



Straight

DeBakey

serrations

15 cm

1.75 x 1.5 mm

\$ 166.00

Standard Pattern

Broad pattern with strong spring action.

F-S-T



Straight Serrated

Length (cm)	(mm)	Item	Price
12	2.5	No. 11000-12	\$ 22.00
13	2.8	No. 11000-13	\$ 25.00
14.5	3.25	No. 11000-14	\$ 28.00
16	3.3	No. 11000-16	\$ 31.00
18	3.7	No. 11000-18	\$ 34.00
20	3.75	No. 11000-20	\$ 37.00
25	3.9	No. 11000-25	\$ 42.00
30	4	No. 11000-30	\$ 48.50



Curved Serrated

Length (cm)	Tip width	Item	Price
12	2.5	No. 11001-12	\$ 29.00
13	2.8	No. 11001-13	\$ 32.50
14.5	3.25	No. 11001-14	\$ 35.00
16	3.3	No. 11001-16	\$ 37.50
18	3.7	No. 11001-18	\$ 39.00
20	3.75	No. 11001-20	\$ 41.00

Narrow Pattern

Lighter spring action than standard pattern for grasping more delicate tissue.









Straight Serrated

	Price	Item	Tip width	Length (cm)
	\$ 27.50	No. 11002-12	2	12
	\$ 30.50	No. 11002-13	2.15	13
	\$ 33.50	No. 11002-14	2.25	14.5
TITANIUM	\$ 105.00	No. 11602-14	2.25	14.5
	\$ 36.50	No. 11002-16	2.35	16
	\$ 42.50	No. 11002-18	2.4	18
	\$ 43.50	No. 11002-20	2.75	20
	\$ 46.50	No. 11002-25	3.2	25



Curved Serrated

Length (cm)	Tip width	Item	Price
12	2	No. 11003-12	\$ 33.50
13	2.15	No. 11003-13	\$ 35.50
14.5	2.25	No. 11003-14	\$ 41.00
16	2.35	No. 11003-16	\$ 41.50
18	2.4	No. 11003-18	\$ 44.00
20	2.75	No. 11003-20	\$ 47.00

Semken

The Semken tweezers are characterized by their slim shape and fine tips. Their anatomical (toothing) or surgical (1x2 teeth) tips make them ideal for grasping tissue. The serrated grip surface ensures a secure hold during use.





Straight Serrated

13 cm Tip width: 1.3 mm

No. 11008-13 \$ 40.00

15 cm Tip width: 1.5 mm

No. 11008-15 \$ 43.00

15 cm Tip width: 1.5 mm Titanium

No. 11608-15

\$ 167.00



13 cm Tip width: 1.3 mm

Curved

Serrated

No. 11009-13

No. 11009-13 \$ 45.00

15 cm Tip width: 1.5 mm

No. 11009-15

\$ 48.50

DeBakey Round Handle Forceps

Ideal for gentle, atraumatic gripping of vessels, tissue and other delicate structures. Two rows of atraumatic teeth interfit with one opposite row of atraumatic teeth. The round handles allow easy fingertip adjustments.






Straight
DeBakey serrations

15 cm Tip width: 1.2 mm

No. 11076-15 \$ 225.00



12.5 cm Tip width: 1.3 mm

No. 11024-12 \$ 40.50

Multipurpose Forceps

Balanced instruments are designed to put the center of gravity between the thumb and index finger. This is accomplished by adding a slight counter weight to the proximal end of the instruments. The design enhances tactile feel, aiding in better control and precision.

The tips of these multipurpose forceps are configured to enable their use as dilators at the front, as well as needle holders and tying forceps further in the back. The platform at the tips close parallel ensuring a reliable grip.





14.5 cm Tip Ø: 0.1 mm

No. 18601-15 \$ 309.50



Straight
For Dilating and Suture tying

15 cm Tip Ø: 0.3 mm

No. 18602-15 \$ 292.00





14.5 cm Tip Ø: 0.2 mm

No. 18603-14 \$ 274.50



Tissue Forceps





Tissue Forceps

Used with rongeur No. 16021-14 in laminectomy to securely hold spinal column.



Straight 1x2 Teeth / Narrow

10 cm

No. 11023-10 \$37.50

Straight 1x2 Teeth / Standard

12 cm

12 cm

\$ 37.00

No. 11021-12 \$ 25.50

Straight 2x3 Teeth / Standard

14.5 cm

14.5 cm

14.5 cm No. 11022-14

No. 11023-14 \$ 39.00

No. 11021-14 \$ 27.50


\$ 39.00

15.5 cm

15.5 cm 15.5 cm

No. 11023-15 \$41.00

No. 11021-15 No. 11022-15 \$ 29.50 \$ 41.50



1x2 Teeth / Narrow

14 cm

No. 11029-14 \$ 39.50

Gillies

C



F.S.T 11028-15

Straight 1x2 Teeth & cross serrated

> 15 cm 1.5 x 2 mm

No. 11028-15 \$ 48.00

Russian

Special cupped pattern for superior grip.





Straight **Cupped teeth**


> 15 cm 6 x 11 mm

No. 11026-15 \$ 62.00

Organ Holding Forceps

With limit screw to prevent excessive applied pressure.





Serrated

14.5 cm 8 x 11 mm

No. 11031-15 \$ 140.50



Gerald Forceps London Forceps Titanium Forceps ·TITANIUM · **У** 16 mm **Angled Straight Straight** Curved Serrated Serrated **Serrated Serrated** 16 cm 16 cm 18 cm 18 cm 1 x 0.9 mm $0.3 \times 0.5 \text{ mm}$ 1.4 x 1 mm 1.4 x 1 mm No. 11080-02 No. 11014-18 No. 11602-16 No. 11015-18 \$ 61.50 \$ 30.00 \$ 153.50 \$ 67.50

Taylor Forceps Potts-Smith Forceps Mouse Handling Forceps Serrated and smooth versions available. Long handles make picking up small rodents easy and help prevent bites. Straight Serrated Straight 18 cm Serrated 1.25 x 1 mm 17 cm No. 11012-18 1.5 x 1 mm \$ 56.50 No. 11010-17 21 cm \$60.00 1.8 x 1.5 mm No. 11012-21 \$ 59.00 25 cm 2 x 1.6 mm Straight Smooth No. 11012-25 \$65.00 17 cm 1.5 x 1 mm No. 11016-17 \$ 51.50 Curved Serrated 18 cm 1.25 x 1 mm Curved No. 11013-18 21 cm Serrated Forceps with serrated \$61.00 silicone tips 17 cm 21 cm 15 x 20 mm F-S-T 11010-1.5 x 1 mm 1.8 x 1.5 mm No. 11036-20 No. 11011-17 No. 11013-21 \$ 38.00 \$ 68.00 \$65.00 F.S.T 11024-18 (Q) [H] Curved **Straight** Curved Smooth 1x2 Teeth 1x2 Teeth 17 cm 18 cm 18 cm Replacement silicone tips 1.5 x 1 mm 1.25 x 1 mm 1.25 x 1 mm Pkg. of 2 tips No. 11017-17 No. 11024-18 No. 11025-18 No. 11036-90 \$61.50 \$ 63.00 \$ 16.50 \$60.00


Ultra Fine Hemostat

These are the finest hemostats in our product line.



Fine Hemostat






No. 13020-12 \$ 98.50



12 cm Tip width: 0.6 mm

No. 13021-12 \$ 104.00



No. 13006-12 \$ 97.00



No. 13007-12 \$ 101.50

Micro-Mosquito **Halsted-Mosquito** MOST Popular LEFT-HANDED 13108-12 13108-12 Straight Curved Serrated Serrated 12.5 cm 12.5 cm Tip width: 1.1 mm Tip width: 1.1 mm Straight Curved Angled 90° No. 13008-12 No. 13009-12 **Serrated** Serrated Serrated \$ 50.50 \$ 55.50 12 cm 12 cm 12 cm Tip width: 1 mm Left handed Left handed Tip width: 1 mm Tip width: 1 mm No. 13011-12 No. 13010-12 No. 13012-12 No. 13108-12 No. 13109-12

\$ 86.50

\$ 90.00

\$ 82.50

\$ 87.50

\$ 92.00

Crile Kelly



Curved Serrated

14 cm Tip width: 1.5 mm

No. 13005-14 \$ 57.00



Straight Serrated

14 cm Tip width: 1.5 mm

No. 13018-14 \$ 50.00



Curved Serrated

14 cm Tip width: 1.5 mm

No. 13019-14 \$ 55.00

Straight

Serrated

14 cm

Tip width: 1.5 mm

No. 13004-14

Baby-Mixter

Providence-Hospital





Curved Serrated

14 cm Tip width: 1.3 mm

No. 13013-14 \$ 78.50 Tip width: 1.5 mm

No. 13014-14

Straight

Serrated

14 cm

\$ 57.50



Curved Serrated

14 cm Tip width: 1.5 mm

No. 13015-14 \$ 62.00

Hartmann





Backhaus Towel Clamp





10 cm Tip width: 1 mm

No. 13002-10 \$ 56.00



10 cm Tip width: 1 mm

No. 13003-10 \$ 61.00



Round tips

9 cm

No. 11095-09 \$ 50.50



Curved **Round tips**

13 cm


No. 11095-13 \$ 54.00


Allis Clamp

Tissue and organ holding forceps.




Lorna Towel Clamp





15 cm Tip width: 4 mm

No. 11091-15 \$ 93.50



12 cm Tip width: 3 mm

No. 11092-12 \$ 85.50



Tip width: 7 mm No. 11096-10 \$ 45.50



Serrated

13 cm Tip width: 7 mm

No. 11096-13 \$ 46.50




Clamp Size and Clamp Pressure

Clamp pressure is determined by the closing force of the clamp (in grams), divided by the area of the vessel wall that is compressed between the jaws (in square millimeters). Thus, the smaller the vessel, the higher the pressure exerted.

Despite the wide range of closing forces, the pressure exerted by each clamp, big or small, remains consistent throughout the series. Each size of clamp exerts a pressure of 5 g/mm2 when used on the largest vessel in its range, and 15 g/mm2 when used on the smallest vessel. Even at the higher range, S&T's micro clamps have the gentlest working pressure of any small vessel clamp available.

Clamp (ea)	L x W (mm)	Vessel Diameter Range (mm)
00396-01 & 18040-11	3.5 × 1.0	0.4 - 1.0
00398-02 & 18040-22	5.5 x 1.5	0.6 - 1.5
00400-03 & 18040-33	7.5 × 1.75	1.0 - 2,25 0
00325-00	10 x 2.15	2.0 - 5.0











\$ 159.00





No. 00400-03 \$ 155.50



No. 00325-00 \$ 265.50

Double Micro Clamps

For vascular approximation at anastomosis. These clamps are mounted on a 10 mm sliding bar and can easily be moved by applying gentle force. The distance between the jaws of the clamps is adjustable from 3 to 16 mm.



No. 18040-11 \$ 299.00



No. 18040-22 \$ 294.00



No. 18040-33 \$ 289.00

Micro Clamp Applying Forceps

For use with S&T vascular clamps.





14 cm Lock: Yes

No. 00071-14 \$ 207.00

Lock: No

No. 00072-14 \$ 155.50

Micro Clamp Applying Forceps

Compatible with S&T Clamps and Double Micro Clamps. For clamp sizes B-1, B-2, B-3, and HD-S, as well as Item Nos. 18040-11, 18040-22, and 18040-33.







14.5 cm Lock: No

No. 18040-14 \$142.00



Micro Clip Applicator with Lock

Forceps Style Clip Applicator

Biemer Clip Applicator (Forceps Style)

This applicator features special U-shaped side supports for improved seating of the clips.

Application forceps for Biemer clamps made of surgical stainless steel.







14 cm For use with FST 18055 and 18555 series micro serrefines.

Lock: Yes

No. 18056-14 \$ 344.50





14 cm For use with FST 18055 and 18555 series micro serrefines.

Lock: No

\$ 103.50





14 cm For use with FST 18058 (Biemer Clip) series

Lock: No

No. 18059-14 \$ 93.50



Stainless Steel Micro Serrefines

Used to obtain a clear surgical field for extended arterial cross-clamping.



Micro Serrefines should never be compressed with fingers; use only the appropriate applicator No. 18056-14 or No. 18057-14.

Delicate atraumatic serration \$ 76.50



Jaw dimesions (mm)	Total length (mm)	Jaw pressure (g)	Item	
10 x 2	19	60	No. 18055-01	
8 x 2	16	85	No. 18055-02	
6 x 1	15	100	No. 18055-03	
4 x 0.75	13	125	No. 18055-04	

\$ 91.50

Jaw dimesions (mm)	Total length (mm)	Jaw pressure (g)	Item	
6 x 1	17	85	No. 18055-05	
4 x 0.75	16	85	No. 18055-06	0

Titanium Micro Serrefines

Lightweight with strong clamping pressure.

Delicate atraumatic serration \$ 160.00



Jaw dimesions (mm)	Total length (mm)	Jaw pressure (g)	Item	
10 x 2	19	60	No. 18555-01	
8 x 2	16	85	No. 18555-02	
6 x 1	15	100	No. 18555-03	
4 x 0.75	13	125	No. 18555-04	

Biemer Clip

Serrated: Yes Straight

Closing pressure: 0.29 - 0.39 N / 30 - 40 g

15 mm 18 mm Clamping Length: 6 mm Clamping Length: 9 mm





No. 18058-15 \$82.00





Biemer clips should never be compressed with fingers; use only the appropriate applicator No. 18059-14.

Bulldog Artery Spring Clamp

Can be used with a minimum of distortion for MRI investigations.



No. 18144-30 \$270.50

Straight

30 mm Serrated: Yes Light pressure

Moria

Moria Vessel Clamp

Straight

33 mm Serrated: Yes Light pressure

Jaw dimensions: 13 x 1.6 mm

Moria 201/A

No. 18320-11 \$ 55.00

Straight

Moria Bulldog Type Clamps

53 mm

Serrated: No Strong pressure

Jaw dimensions: 16 x 2.5 mm



\$ 144.50 Curved

Moria MC44



\$ 146.00

Dietrich Bulldog Clamps

Serrated: Yes Closing pressure: 50 g



Straight

No. 18038-45 \$ 209.00

Angled 50 mm

\$ 222.50

Bulldog Type Serrefines

Serrated: Yes



Straight

28 mm Medium pressure



No. 18050-28 \$ 79.00

Curved

28 mm Medium pressure



No. 18051-28 \$ 77.50



Straight 35 mm

Strong pressure

No. 18050-35

\$ 63.00

Straight

50 mm Strong pressure

No. 18050-50

\$ 48.00

Curved

35 mm Strong pressure

No. 18051-35

\$ 63.00

Curved

50 mm Strong pressure

No. 18051-50

\$ 57.50

Schwartz Micro Serrefines



Serrated: No Strong pressure 26 mm

Straight



No. 18052-01

\$ 19.00

Light bend



No. 18052-02

\$ 20.00

Sharp bend



No. 18052-03

\$ 19.50

Mini Serrefines

28 mm

Medium pressure

Serrated: Yes

Jaw dimensions: 6 x 2 mm

Straight



No. 18054-28

\$ 97.00

Curved



No. 18053-28

\$ 98.00

Horizon™ Metal Ligation System

The Horizon™ System provides surgeons with a strong, secure clip coupled with an efficient, convenient easy-load cartridge system. The preformed chevron shape of the Horizon™ Clip engulfs tissue with precise tip-to-tip closure. Heart-shaped wire is designed to give each clip a firm grip on vessels, while the triangulated cross-section of the clip leg maximizes surface-to-surface contact between clip and jaw, practically eliminating clip fallout.



128

Clip Remover

Straight

16.5 cm

No. 18073-00

\$ 399.00

Ligation Applicator

Curved

20 cm

No. 18070-00

\$ 245.00

Vascular Occluders

Applications

- Fast, dependable zero-flow baseline determination in blood flow studies.
- Partial to full occlusion of vessels for circulation research studies.
- Prolonged implantations, such as chronic blood flow studies.
- Constriction of soft organs in acute or chronic applications.

Operation instruction

- 1. Apply the occluder cuff around the exposed blood vessel. Secure it in place with suture material through the eyelets.
- 2. Occlude the vessel to the desired degree by inflating the diaphragm with air or liquid injected into the actuating tube using a syringe and blunt needle. Clamp the tubing to maintain occlusion of the vessel over time.
- 3. To deflate, simply withdraw the air or liquid.

Benefits


- Occlusion is accomplished without traction on vessels or surrounding tissues
- The actuating tube may be exteriorized from the occlusion site for remote actuation.
- Performance during implantations is reliable and consistent.
- · Easily maintained: can be autoclaved or cold sterilized.
- Made from soft, flexible 100% silicone rubber.
- Fully operational with instant response using air, liquids, or inert gases.

Selection

The lumen diameter when deflated is usually the determining factor in the selection of the proper device. Select the occluder size that provides a slightly loose fit around the subject vessel. The cuff width and thickness will vary, depending on models and sizes.



The actuating tube length is 90 cm and measures 0.76 mm $\,$ ID x 1.6 mm $\,$ OD. Detailed instructions are included.



A: Lumen diameter

B: Cuff width

C: Cuff thickness

VO-1.5 N

A: 1.5 mm - B: < 3.5 mm - C: 1.5 mm

No. 18080-01 \$ 179.00 **V0-2** A: 2 mm - B: 5 mm - C: 1.5 mm

> No. 18080-02 \$ 179.00

V0-3 A: 3 mm - B: 5 mm - C: 1.5 mm

> No. 18080-03 \$ 179.00


V-Hook

Aids in feeding fine suture around blood vessels, works very similar to ligation aids.

Ligation Aids

A handy instrument for leading a fine suture under and around a blood vessel for tying-off purposes. Also useful for ligating peripheral nerves. Grooves toward hole help threading.









11 cm Tip Dimensions: 0.4 x 0.2 mm

> No. 18052-12 \$ 107.00



10.5 cm Hole Ø: 0.4 mm

No. 18062-12 \$ 144.00



13.5 cm Hole Ø: 1 mm

No. 18062-13 \$ 96.00



13.5 cm Hole Ø: 1 mm

No. 18063-13

\$ 101.50



Vessel Dilators

Highly modified forceps with elongated, parallel tips which are highly polished. Designed for controlled intraluminal vessel dilation.









Angled 10°

11 cm Tip Ø: 0.1 mm

No. 00126-11

\$ 378.00

Tip Ø: 0.2 mm

No. 00125-11 \$ 371.00





Angled 45°

13.5 cm Tip Ø: 0.2 mm

No. 00276-13 \$ 360.00





Angled 10°

12 cm Tip Ø: 0.1 mm

No. 18131-12 \$ 224.50

Tip Ø: 0.2 mm

No. 18132-12



Micro Cannulation System

This micro cannula is most helpful for quick and easy insertion in arteries and veins. It can be used as an "indwelling" catheter during long term experiments. With care, thorough rinsing and sterilization, it can be reused several times. Detailed instructions are included.



Features

- · Biocompatible Teflon® tubing.
- Cannula size 0.33 mm OD 0.16 mm ID
- A pointed stainless steel stylus (trocar), to aid in vascular penetration and allow a maximum range of cannula manipulation during insertion.
- Contoured tip for easy insertion, fitted with shoulder for "tie-in" to prevent accidental removal.
- Female luer connection for linkage to infusion lines.



Approach

Cannulation Forceps (Item No. 18403-11) and Spinal Cord Hook (Item No. 10162-12) aid in the insertion process.





Insertion

Remove trocar and advance cannula.





Secure

Use shoulder hub and suture to "tie in" cannula to prevent accidental removal.



Instruments sold separately.

8 cm Cannula size: 0.33 mm OD - 0.16 mm ID

No. 18000-10

\$ 47.00

Vessel Cannulation Forceps

These vessel cannulation forceps are useful whenever a fine plastic tube has to be introduced into a small blood vessel of almost equal size. The hollowed jaws hold the tubing securely without deforming it. The tip of the tubing is directed exactly into the vessel opening without damage to the vessel from unwanted movement.













No. 11280-11 \$ 293.00

For tubing of 0.5 mm OD 11 cm

No. 11281-11 \$ 224.00

For tubing of 1 mm OD 11 cm

No. 11282-11 \$ 201.00



For tubing of 0.35 mm OD 11.5 cm

No. 18403-11 \$ 201.00

For tubing of 0.6 mm OD 11.5 cm

> No. 18406-11 \$ 193.00

For tubing of 0.6 mm OD 13.5 cm

No. 18406-13 \$ 186.50

For tubing of 0.35 mm OD 11 cm

No. 00608-11 \$ 285.50

For tubing of 0.5-1 mm OD 11 cm

No. 00574-11 \$ 282.50




PROBES, NEEDLE HOLDERS, WOUND CLOSURE, RETRACTORS

	Probes & Hooks	135 – 139
	Spatulae	140 — 144
	Spoons	145
	Pins & Holders	146 — 147
	Wound Closure	148 — 159
40	Retractors	160 — 167


Double Pronged Pick


For peritoneum, pleura, endocardium, organ capsules and skin. Grasps lifts skin, tissue and dura etc.




The tip consists of two very sharp, nearly horizontally opposed points. By applying gentle downward pressure and twisting slightly in a clockwise fashion, the points will embed themselves horizontally into fine membranes or skin etc., so that it may be lifted upward. This instrument also has been used successfully when separating fine tissue from an underlying area that is not to be cut.








Shaped like a ligation aid and sized to isolate the spinal cord from the dura of adult mice and neonatal rats. The cord can then be cut with minimal damage to the dura.



No. 18067-11 \$ 123.00



F-S-T 18067-11 stainless germany

Bonn Micro Probes Micro Points 300% Actual size Actual size Angled 45° Straight **Angled 90° Short** 13.5 cm 13.5 cm 15.5 cm Tip Ø: 0.025 mm Tip Ø: 0.025 mm Tip Ø: 0.05 mm No. 10032-13 No. 10030-13 No. 10063-15 \$ 82.50 \$83.00 \$ 91.00 300% 300% Actual size Actual size Angled 45° **Wide Hook Narrow Hook** Angled 90° Long 13.5 cm 13.5 cm 15.5 cm 15.5 cm Tip Ø: 0.038 mm Tip Ø: 0.025 mm Tip Ø: 0.038 mm Tip Ø: 0.02 mm No. 10033-13 No. 10031-13 No. 10066-15 No. 10065-15 \$81.50 \$87.00 \$ 85.50 \$89.50

Probes and Explorers Micro Hooks MOST Popular Actual size Actual size 175% **Angled 80° Short** Straight Micro hook 15.5 cm 15.5 cm 13 cm Tip Ø: 0.12 mm Tip Ø: 0.25 mm Tip Ø: 0.05 mm No. 10140-04 No. 10140-01 No. 10064-14 \$ 20.50 \$ 16.50 \$ 91.00 175% 175% Actual size Actual size Angled 80° Long Angled 80° **Blunt hook Sharp hook** 15.5 cm 15.5 cm 12 cm 12 cm Tip Ø: 0.15 mm Tip Ø: 0.15 mm Tip Ø: 0.3 mm Tip Ø: 0.075 mm No. 10140-03 No. 10140-02 No. 10062-12 No. 10061-12

\$ 18.00


\$ 18.50

\$ 75.50

\$ 77.50

Titanium Micro Point, Y-Hook, and Spatula

These instruments are lightweight, color coded for easy identification, have an ergonomic design and a non-reflective surface.



Grooved Director Vessel Dilating Probe Gross Anatomy Probe The Grooved Director is a specialized multipurpose device which is used by surgeons in different areas to probe cavities and wounds for example. MOST Popular **NEW ITEM** 200% Angled 45° Angled 12.5 cm 15 cm 13 cm Tip Ø: 0.6 mm Tip Ø: 1.2 mm with Tongue Tie No. 10160-13 No. 10088-15 No. 10290-13

\$ 19.50

\$ 182.50


\$ 17.50

Combination Spoon and Spatula

Combination Probe and Spatula








13 x 7 x 0.6 mm

Tip Ø: 0.1 mm

No. 10090-13

\$ 155.50



Iris Spatula







12.5 cm 20 x 1.8 x 0.3 mm

No. 10092-12 \$ 102.50



Slightly curved

12.5 cm 23 x 1.8 x 0.3 mm

No. 10093-13 \$ 100.50



Straight

12.5 cm 33 x 3 x 0.3 mm

No. 10094-13

\$ 98.50

Micro Spatula Kit

Kit with 4 pieces.







6 cm

Tip width: Black: 0.2 mm, Blue: 0.3 mm, Green: 0.5 mm, Red: 0.7 mm

No. 10098-06 \$ 26.00

Mini Hippocampal Dissecting Tool


The instrument ends are malleable to allow you to adjust their shape to the correct angle for optimal positioning.

Hippocampal Dissecting Tool

The instrument ends are malleable to allow you to adjust their shape to the correct angle for optimal positioning.







27 x 14 mm & 27 x 6 mm Tip thickness: 0.5 mm

> No. 10099-15 \$ 98.50

\$ 200.00



Spoon

Moria

Mini Perforated Spoon

Most commonly used to take embryos out of solution and handling very small organs.

Perforated Spoon

Mirror Finish Cutting Spoon

Non stick cutting spoon.

Most commonly used to take embryos out of solution and handling very small organs.













Moria MC 17



Moria 1121B



12.5 cm Tip Ø: 8 mm Depth: 2 mm

No. 10321-08 \$ 248.50

10 cm
Tip Ø: 8 mm
Depth: 1 mm
Hole Ø: 0.8 mm

Moria MC 17C





14.5 cm Tip Ø: 15 mm Depth: 3 mm Hole Ø: 0.9 mm

No. 10370-18 \$ 261.50



14.5 cm Tip Ø: 20 mm Depth: 5 mm Hole Ø: 0.9 mm

No. 10370-17 \$ 235.50



13 cm Tip Ø: 4.5 mm Depth: 0.15 mm

No. 10360-13 \$ 130.00

Pin Holder

Light weight.







No. 26018-17 \$ 27.00









Moria MC1

12 cm Nickel-plated Jaw opening: 0 to 1 mm


No. 26016-12

\$ 47.50

Insert Pins

All insert pins fit any of our pin holders. Pins are antimagnetic and acid resistant.

5 cm Stainless Steel



Black Anodized Minutien Pins

These high quality pins are black for best visibility under high magnification and bright light.

Tip Ø: 0.0175 mm Rod Ø:0.15 mm 1.2 cm

Box of 500 pins

No. 26002-15 \$ 32.00



Stainless Steel Minutien Pins

The thinnest and finest pins available.

Tip Ø: 0.0125 mm Rod Ø: 0.1 mm 1.2 cm

Box of 500 pins

No. 26002-10 \$ 32.00

MOST

POPULAR

Tip Ø: 0.0175 mm Rod Ø: 0.15 mm 1.2 cm Box of 500 pins

No. 26003-15 \$ 32.00 M 1

Tip Ø: 0.02 mm Rod Ø: 0.2 mm 1.2 cm

Box of 500 pins

No. 26002-20 \$ 32.00

Black Anodized Insect Pins 5.5 cm Nvlon heads Tip Ø: 0.03 mm 4 cm Pkg. of 100 pins \$ 9.50 Size 000 00 0 2 3 4 5 6 7 Rod Ø (mm) 0.25 0.3 0.35 0.4 0.45 0.5 0.55 0.6 0.7 0.65 No. 26000 -25 -30 -35 -40 -45 -50 -55 -60 -65 -70

Stainless Steel Insect Pins

Nylon heads Tip Ø: 0.03 mm

Pkg. of 100 pins

\$12.00

Size 000 00 0 2 3 5 6 7 4 Rod Ø (mm) 0.25 0.3 0.35 0.4 0.45 0.5 0.55 0.6 0.65 0.7 No. 26001 -30 -40 -25 -35 -45 -50 -55 -60 -65

Etched Tungsten Micro Needles

These Tungsten micro needles are drawn to an approximate 1 micron tip and three different rod diameters are offered. Each provides lateral stability as well as minimal spring action during manipulation. The micro needles can be used with our pin holders shown on page 146.



Rod Ø	Item	Price	
0.125	No. 10130-05	\$ 97.50	
0.25	No. 10130-10	\$ 97.50	
0.5	No. 10130-20	\$ 97.50	

Tip Ø: 1 μm

Box of 10 needles

MOST

POPULAR

Castroviejo

Micro pattern, with slightly blunted tips.







Never use a micro needle holder with needles that are too thick, as this can easily damage the fine jaws. Use only micro needles of less than 0.2 mm diameter (see page 154).



9 cm Tip width: 0.6 mm Lock: Yes



Tip width: 0.6 mm Lock: No

No. 12060-02 \$ 354.00



Curved

9 cm Tip width: 0.6 mm Lock: Yes

No. 12061-01

\$391.50

Tip width: 0.6 mm Lock: No

No. 12061-02 \$ 371.00

Round-Handled Micro/Macro Needle Holder

These Round-Handled Needle Holders have a dual-purpose and can be used for microscopic and macroscopic applications. The fine tapered tips can be used to handle small needles up to 0.2 mm in diameter. While the remaining portion of the tip ensures a secure hold for larger needles. The balanced design improves control and stability, while the ergonomic handle enhances grip and reduces hand strain.









13.5 cm

Lock: Yes

No. 12875-13 \$ 435.00



Round Handled Needle Holder

Round handles allow easy fingertip adjustments.

Round Handled Needle Holder with Suture Cutter

Round handles allow easy fingertip adjustments.

Actual size


Kalt

The Kalt needle holder is characterized by its extraordinary design and good handling. The closure system closes softly and securely and can be easily opened again with your thumb.
















No. 12080-14

Straight

12.5 cm

Lock: Yes

Castroviejo with Tungsten Carbide Jaws







14 cm Tungsten Carbide jaws Lock: Yes

> No. 12565-14 \$ 407.00

Mathieu

Extra slim and narrow profile, with squeeze-lock. Facilitates excellent wrist motion for suturing.



12510-14





14 cm Extra narrow profile Lock: Yes

No. 12010-14 \$ 150.00



14 cm Tungsten Carbide jaws Lock: Yes

No. 12510-14 \$ 241.50



Halsey

TUNGSTEN CARBIDE 12501-13



Halsey with Tungsten Carbide Jaws









13 cm Smooth Lock: Yes

No. 12001-13 \$ 72.50



13 cm Tungsten Carbide jaws Lock: Yes

> No. 12501-13 \$ 186.00



13 cm Tungsten Carbide jaws Lock: Yes

> No. 12500-12 \$ 218.00

Olsen-Hegar with Suture Cutter





Cutting edge: 10 mm Lock: Yes

> No. 12002-12 \$ 163.00

No. 12102-12 \$ 181.00



14 cm

Cutting edge: 15 mm Lock: Yes

No. 12002-14 \$ 169.00

Olsen-Hegar with Suture Cutter and Tungsten Carbide Jaws





12502-12 12512-12



Tungsten Carbide jaws
Cutting edge: 10 mm
Lock: Yes

No. 12502-12 \$ 237.50


No. 12512-12 \$ 264.50



14 cm Tungsten Carbide jaws Cutting edge: 15 mm Lock: Yes

> No. 12502-14 \$ 248.50







16 cm



Lock: Yes

No. 12004-16 \$ 86.50



Lock: Yes

No. 12004-18 \$ 92.50



Crile-Wood

Slim Elongated Needle Holder with Tungsten Carbide Jaws





12503-15 12504-15









15 cm

15 cm Tungsten Carbide jaws

> Lock: Yes No. 12503-15 \$ 179.00



15 cm Lefthanded & Tungsten Carbide jaws Lock: Yes

> No. 12504-15 \$ 204.50



15 cm Tungsten Carbide jaws

Lock: Yes

No. 12005-15 \$ 246.50

Lock: Yes



Microsurgical Needles with Suture Thread Attached

The combination of proprietary needle design technology and state-of-the-art manufacturing techniques has enabled FST to provide a microsurgical needle that is unmatched in the industry. FST microsurgical needles provide frictionless tissue penetration. They are inspected under the microscope at critical stages during the manufacturing process, and a multi-point final inspection of each suture and needle combination ensures a high quality product.

The suture-to-needle attachment is tested to higher standards than the USP specifications.

Features:

- Needle and thread combination comprising of nonabsorbable black nylon polyamide monofilament thread and stainless steel 3/8 circle needle. Nylon is suitable for closing ophthalmic, neurological and microvascular wounds.
- 3/8 circle precision taper point. Stainless steel needle honed under microscope by hand. Superfine round tip with flattened body to improve stability in needle holder. Easy penetration. Precise stitch placement.
- Grinding geometry and suture needle attachment are directed toward frictionless tissue penetration.
- Each needle suture combination is individually packed and sealed in a peel-open blister pack.




400% of actual size




No. 12052-10

Sterile

Pkg. of 12 disposable units





Suture size	Suture length (cm)	Needle Ø (micron)	Needle Ø	Needle chord length (mm)	Circle	Item	Price
8/0	15	140	0.14	29	3/8	No. 12052-08	\$ 80.50
9/0	15	100	0.1	24	3/8	No. 12052-09	\$ 107.00
10/0	10	70	0.07	18	3/8	No. 12052-10	\$ 169.00
11/0	10	50	0.05	16	3/8	No. 12052-11	\$ 220.00


Suture Needles

- Polished stainless steel
- 3/8 curved
- Round with standard eye
- Suitable for sutures up to 0.32 mm diameter

Ø: 0.35 mm

Sterile: No

Pkg. of 12 needles



MOST POPULAR

Size	Needle Chord Length (mm)	Item	Price
3	12 mm	No. 12050-03	\$ 27.50
2	16 mm	No. 12050-02	\$ 27.50
1	20 mm	No. 12050-01	\$ 27.50
0	23 mm	No. 12050-10	\$ 27.50
00	26 mm	No. 12050-20	\$ 27.50

Silk Suture

Silk suture has a smooth flow through tissue while maintaining knot security.

Braided Silk **Sterile: No**Can be ETO sterilized





Size	Suture Ø	Spool length	ltem	Price
7/0	0.05	91	No. 18020-70	\$ 78.50
6/0	0.08	23	No. 18020-60	\$ 34.50
5/0	0.12	23	No. 18020-50	\$ 35.00
4/0	0.17	23	No. 18020-40	\$ 35.50
3/0	0.22	23	No. 18020-30	\$ 36.50
2/0	0.32	23	No. 18020-20	\$ 45.00
0	0.37	23	No. 18020-00	\$ 47.50
1	0.45	23	No. 18020-01	\$ 51.50
2	0.55	23	No. 18020-02	\$ 69.50
3	0.65	23	No. 18020-03	\$ 60.00

For Suture Tying Forceps, see pages 100 - 102.

Nylon Monofilament Suture

Nylon is known for its uniform diameter flexibility and outstanding consistent knot security.

Nylon monofilament **Sterile: No**

Can be ETO sterilized




Size	Suture Ø (mm)	Spool length Item		Price
8/0	0.04	91	No. 18030-80	\$ 94.50
7/0	0.05	91	No. 18030-70	\$ 76.50
6/0	0.07	91	No. 18030-60	\$ 88.50
5/0	0.1	91	No. 18030-50	\$ 90.50
4/0	0.15	91	No. 18030-40	\$ 91.50
3/0	0.2	91	No. 18030-30	\$ 93.50

Suturing Principles and Techniques in Laboratory Animal Surgery

This manual introduces the reader into the basic principles, materials and surgical instruments required for suturing and wound closure used on laboratory animals. It provides descriptions and pictures portraying proper tissue handling and aseptic technique, correct hand placement and use of surgical instruments, proper needle placement on needle holders, and provides an in-depth explanation of various suture patterns and associated principles for proper knot tying during wound

The included DVD provides descriptive narrative and step-by-step video demonstrations for each of the suturing techniques.

For your convenience all instruments which are used for the demonstrations are listed with their FST item numbers.



No. 23005-10 \$ 76.50

Michel Suture Clips

- Anti-magnetic
- Acid-resistant stainless steel
- Pkg. of 1,000 clips

Size (mm)	Item	Price
7.5 x 1.75	No. 12040-01	\$ 112.00
11 x 2	No. 12040-02	\$ 110.00
12 x 2.5	No. 12040-03	\$ 105.50



Applying Forceps



12.5 cm For clip sizes 12040-02 and 12040-03

> No. 12018-12 \$ 41.00

Applying and Removing Instruments Angled Curved 13 cm 13 cm For clip size 12040-01 For clip sizes 12040-02 and 12040-03 No. 12029-12 No. 12028-12


\$ 116.00

\$ 158.50

Reloadable Skin Stapler with Rotating Head

The 360° swivel nose and unique design offers maximum visibility at the delivery point. The stainless steel staples are non-sterile and feature a patented staple design which make for quick and easy removal. The disposable staple cartridge includes a printed staple counter.

The handle is reusable and autoclavable. Staples are non-sterile. Components sold separately or as a kit.



3,6

4,8 mm

Surgical staple kit

- 1 Handle
- 1 Remover
- 12 Disposable staple cartridges

No. 12030-20

\$ 232.00

Single disposable cartridge 35 staples per cartridge

No. 12030-22

\$ 24.00

12 disposable cartridges 35 staples per cartridge

No. 12030-23

\$ 207.50

Handle

No. 12030-01

\$ 25.00

Surgical Staple Remover

Compatible with Reloadable Skin Stapler with Rotating Head and Manipler® Skin Stapler.



10 cm

No. 12030-04 \$ 9.00

Manipler® Skin Stapler

Quality, slim, lightweight design with consistent actuation and staple count indicator.

Disposable, sterile and not autoclavable.



AutoClip® System

The AutoClip® System is a safe, secure method of wound closure. Faster and easier than suture, this system is perfect when staples may be too thin to provide adequate closure. **Non-sterile. Components sold separately or as a kit.** We recommend using wet steam sterilization at 120-125 °C for at least 30 minutes in an autoclave to sterilize the device.











Remover

AutoClip® Kit

- 1 Applier
- 9 mm clips (100)
- 1 Remover
- Storage case

• Storage case

No. 12020-00

RESEARCH

AutoClip® applier

Applier

11.5 cm

No. 12020-09

\$ 209.50

ONLY

AutoClip® clips

9 mm Pkg. of 100 clips


No. 12022-09 \$ 30.00 AutoClip® clips

9 mm Pkg. of 1,000 clips

No. 12022-19 \$ 258.00 AutoClip® remover

12.5 cm

No. 12023-00 \$ 122.50



Slide Retractor with Blades



4 mm 2 mm

2 cm Max. spread: 1 cm

No. 17004-03 \$ 173.50

Mini-Goldstein



4 mm 2 mm

2 cm Max. spread: 0.5 cm 3 x 3 Sharp teeth

No. 17002-02 \$ 182.50

Mini-Colibri





4 mm

2 cm Max. spread: 1 cm

No. 17000-01 \$ 46.00

Slide Retractor with Teeth



4 mm 2 mm

2 cm Max. spread: 1 cm 2 x 2 Blunt teeth

No. 17005-03 \$ 173.50

Goldstein






3 cm Max. spread: 1.8 cm 3 x 3 Sharp teeth

No. 17003-03 \$ 148.00

Colibri





3 cm Max. spread: 1.5 cm

No. 17000-03 \$ 43.00

4 cm Max. spread: 1.5 cm

No. 17000-04 \$ 42.50



3 cm Max. spread: 1.2 cm

No. 17000-02 \$ 42.00

Speculum





2 mm 6 mm 6 mm

Moria 7699

4.5 cm Max. spread: 3.5 cm Curved

No. 17370-53 \$ 95.00

Colibri

Moria



Moria 6346D

3.4 cm Max. spread: 1.5 cm

No. 17300-02 \$ 47.00



Moria 6346C

3.3 cm Max. spread: 1.5 cm

No. 17300-03 \$ 46.00



Moria 6346B

3.5 cm Max. spread: 2 cm

No. 17300-04 \$ 48.00

Fine Adjustable Wire Retractor





5 cm Max. spread: 3.5 cm Curved

No. 17004-05 \$ 208.50

Agricola





4 cm Max. spread: 3.5 cm 3 x 3 Sharp teeth

No. 17005-04 \$ 168.50





Alm Retractor with Blunt Teeth





7 cm Max. spread: 4 cm WireSlightly curved down

No. 17010-07

\$ 165.00



7 cm Max. spread: 4 cm Slightly curved 4 x 4 Blunt

No. 17008-07 \$ 155.50



7 cm Max. spread: 4 cm Blunt teeth 4 x 4 Blunt

No. 17009-07 \$ 173.00



7.5 cm Max. spread: 4.5 cm Blades

No. 17009-08 \$ 187.50

Spring-Loaded Retractor

Curved atraumatic blades





5.5 cm Max. spread: 3 cm

14 x 10 mm

No. 17006-05 \$ 60.50



8 cm Max. spread: 4 cm

22 x 16 mm

No. 17007-08 \$ 60.50



Heiss









10 cm Max. spread: 2.3 cm 4 x 4 Blunt teeth

No. 17011-10 \$ 157.00



10 cm Angled down Max. spread: 3 cm 1 x 1 Sharp teeth

No. 17017-10 \$ 262.50







Straight 2 x 3 Blunt teeth

Straight 3 x 4 Blunt teeth

11 cm Max. spread: 4 cm 13 cm Max. spread: 4 cm

No. 17012-11 \$ 222.00 No. 17012-13 \$ 226.50



Angled down 3 x 3 Blunt teeth

11 cm Max. spread: 3 cm

No. 17018-11 \$ 284.00



Magnetic Fixator Retraction System

This Small Animal Retraction System simplifies set-up procedure and provides the examiner with an excellent overview of the operative site. It consists of three components: Base Plate (Nos. 18200-03 & 18200-04); Fixators (Nos. 18200-01 & 18200-02); and Retractors (Nos. 18200-05 through 18200-12).

The Base Plates are made from magnetic stainless steel and are available in two sizes. The surface is nonreflective and both plates have a window in the center which allows the animal contact with body temperature control systems. The window sizes are $10 \times 13 \text{ cm}$ for the small base plate and $15 \times 25 \text{ cm}$ for the large.

The Fixators are movable anchors made from anodized aluminum with a surgical grade rare earth magnet in the base for attachment anywhere on the Base Plate. The magnets do not interfere with lab electronics and can be used in close proximity (3 cm) to ferro-magnetic items. They incorporate pushbutton-activated spring locks that grip either the Wire or Elastomer Retractors.

The Retractors are interchangeable Retractor Tips (Nos. 18200-08 through 18200-12) which attach to either Retractor Wire (Nos. 18200-05 & 18200-06) for static retraction or to Elastomer (No. 18200-07) for dynamic retraction. The Retractor Tips are light and atraumatic to delicate tissue or membrane.

All system components are autoclavable.

Kit for animals up to 200 g

Includes:

- 1 Small base plate (No. 18200-03)
- 2 Short fixators (No. 18200-01)
- 1 Tall fixator (No. 18200-02)
- 1 Elastomer, 2 m roll (No. 18200-07)
- 1 Package of retractors, blunt, 1 mm wide (No. 18200-09)
- 1 Package of retractors, blunt, 2.5 mm wide (No. 18200-10)

No substitutions



No. 18200-20

\$ 451.00

Kit for animals from 200 g up to 5 kg

Includes:

- 1 Large base plate (No. 18200-04)
- 2 Short fixators (No. 18200-01)
- 2 Tall fixators (No. 18200-02)
- 1 Elastomer, 2 m roll (No. 18200-07)
- 1 Package of retractors, blunt, 2.5 mm wide (No. 18200-10)
- 1 Package of retractors, blunt, 5 mm wide (No. 18200-11)

No substitutions

No. 18200-50

\$ 536.00

Individual parts:

Short fixator, 3 cm high Fach

No. 18200-01

\$ 109.50

Tall fixator, 6 cm high Each

No. 18200-02

\$ 115.50

Small base plate, 20 x 30 cm Each

No. 18200-03

\$84.00

Large base plate, 25 x 35 cm Each

No. 18200-04

\$ 98.50

Wire handles, 10 cm long Pkg. of 10

No. 18200-05

\$ 57.00

Wire handles, 14 cm long Pkg. of 10

No. 18200-06

\$60.00

Elastomer, 2 m roll

No. 18200-07

\$ 26.50

Sharp retractors, 1 mm wide Pkg. of 10

No. 18200-08

\$ 86.50

Blunt retractors, 1 mm wide Pkg. of 10

No. 18200-09

\$86.00

Blunt retractors, 2.5 mm wide Pkg. of 10

No. 18200-10

\$86.50

Blunt retractors, 5 mm wide Pkg. of 10

No. 18200-11

\$ 87.00

Blunt retractors, 7.5 mm wide Pkg. of 10

No. 18200-12

\$ 87.50


ACCESSORIES & INSTRUMENT CARE

Animal Accessories	169 – 174
Instrument Care & Accessories	175 – 186
Surgical Accessories	187 — 190
Laboratory Accessories	191 – 203



Reusable Gavage Feeding Needles

Stainless steel feeding needles with luer lock hub. Also ideal for transcardiac perfusions with a fixative. The needles come with a round tip.





These needles come with a barrel tip.



No. 18060-20

Gauge	Length (mm)	Tip Ø	Shape	Mice (g)	Rats (g)	Guinea pigs	Item	Price
24	25	1.7	Straight	>14			No. 18060-24	\$ 36.00
22	25	1.7	Straight	15-20			No. 18060-22	\$ 36.00
20	30	1.7	Straight	20-25	50-75		No. 18060-20	\$ 36.00
20	38	1.7	Straight	20-25	50-75		No. 18063-20	\$ 36.00
20	38	1.7	Curved	20-25	50-75		No. 18067-20	\$ 38.50
18	38	1.7	Straight	20-30	100-200	250-300	No. 18060-18	\$ 36.00
18	50	2	Curved	25-30	100-200	250-300	No. 18067-50	\$ 38.50
16	75	2.4	Curved		150-300	350-450	No. 18067-75	\$ 38.50
16	100	2.4	Curved		150-300	350-450	No. 18067-10	\$ 38.50

Single Use Gavage Feeding Needles

These economical feeding needles feature plastic luer hubs with silicone tips. They are nontoxic and nonpyrogenic. Needles can be easily formed to any desired shape. **Sterile.**



Gau	ge	Length (mm)	Tip Ø	Mice (g)	Rats (g)	Guinea pigs	Item	Price
	20	38	1.75	20-25	50-75		No. 18061-20	\$ 32.00
	18	50	2.5	25-30	100-200		No. 18061-18	\$ 32.00
	15	75	3		200-350	400-600	No. 18061-15	\$ 32.00

Disposable Flexible PTFE Feeding Needles

These affordable needles feature flexible PTFE tube with silicone tip and plastic luer hub, delivered in sterile pouches. They are very flexible, and translucent for easy confirmation of reagent delivery. The soft silicone tips are non-toxic and non-pyrogenic and ensure that no damage occurs during the insertion. **Sterile.**

Pkg. of 5 needles



Price	Item	Guinea pigs	Rats (g)	Mice (g)	Tip Ø	Length (mm)	Gauge
\$ 32.00	No. 18961-20		50-75	20-25	1.8	38	20
\$ 32.00	No. 18961-18	250-300	100-200	20-30	2	38	18
\$ 32.00	No. 18961-17	250-300	100-200	25-30	2.4	52	17
\$ 32.00	No. 18961-15	400-600	200-350		2.6	78	15
\$ 32.00	No. 18961-75	250-300	150-250	25-30	2	75	18
\$ 24.00	No. 18961-85	250-300	150-250	25-30	2.4	85	17

GenoPunch

The interchangeable GenoPunch aids in the fast and simple collection of the 2 mm tissue sample for DNA analysis and/or genotyping. FST Exclusive Item. Autoclavable.







not included.

GenoPunch includes

- 1 GenoPunch
- 1 0.5 ml tube holder
- 1 1.6 ml tube holder
- 1 Screwdriver
- 4 Screws

FST does not supply microtubes.



11.5 cm Stainless Steel and anodized aluminum Punch Ø: 2 mm

No. 24215-02 \$130.00

Blue Ear Punch

The Ear Puncher relieves stress on the wrist during ID marking as it requires only a very gentle pressure to cut a hole. The stainless steel puncher has a sloped edge that provides a cut rather than a punch, which minimizes discomfort. The ear puncher should be lubricated to improve longevity. Autoclavable.



14 cm Punch Ø: 1 mm

No. 24916-01 \$ 265.00

14 cm Punch Ø: 2 mm

No. 24916-02 \$ 240.00



Ear Punch with Replaceable Tip

Designed to ensure a fast and clean punch, this ear punch is lightweight and fits comfortably in the palm of your hand. The tip is replaceable. Autoclavable.



Handle and Tip

11.5 cm Anodized aluminum handle and stainless steel tip Punch Ø: 2 mm

No. 24213-02

\$109.00

Replacement Tip

Punch Ø: 2 mm

No. 24213-12 \$ 64.00

Ear Punch

Designed to ensure a fast and clean punch, this ear punch is lightweight and fits comfortably in the palm of your hand.

Autoclavable.





11.5 cm Stainless Steel and Anodized Aluminum Punch Ø: 2 mm

No. 24214-02

Finger Loop Ear Punch

This ear punch provides stability and control for researchers using the numbering system. The 1 mm ear punch offers greater numbering variations and/or patterns.



10.5 cm Punch Ø: 2 mm

No. 24212-02 \$ 41.50

Punch Ø: 1 mm

No. 24212-01

\$ 43.00

\$ 99.50



Marking Pen



The Marking Pen was developed for easy, long lasting identification of laboratory animals. The markers contain no harmful chemicals and instead nontoxic pigment approved by the Japanese Ministry of Health for use in food, drugs and cosmetics. It is intended for use on the fur and not the skin and will last for 6-12 weeks.

CAUTION: Color can stain skin and clothing. The use of gloves and lab coats is recommended. These colors will not work on black fur.



Black
Fine Tip
4.5 x 7.5 mm
10 ml

No. 24202-06

\$ 72.00



Blue



No. 24202-01

\$ 72.00



Red



\$72.00



Orange









\$72.00



Standard Tip 15 x 10 x 10 mm 15 ml

No. 24202-12 \$ 72.00



Standard Tip 15 x 10 x 10 mm 15 ml

No. 24202-11 \$ 72.00



Standard Tip 15 x 10 x 10 mm 15 ml

No. 24202-14 \$ 72.00



Standard Tip 15 x 10 x 10 mm 15 ml

No. 24202-13 \$ 72.00



Standard Tip 15 x 10 x 10 mm 15 ml

No. 24202-15 \$ 72.00

Surgical Skin Marker

This marker features a versatile tip for precise fine (0.2 mm) line marking, or when held at an angle, a broad (2 mm) line marking. The marker's violet ink is nontoxic, non-tattooing and surgical prep-resistant.

Markings can be removed from the skin with isopropyl alcohol. A six-inch ruler calibrated in both centimeters and inches is included



50% of actual size

No. 18000-30 \$3.00

Self Piercing Ear Tags

Ideal for use in small animals such as mice and rats, these ear tags come numbered from 1-100 or 1-500. Silver colored tags with black numbers provide high visibility making them easy to read. Once applied, tags seal and cannot be removed, providing an easy to use, permanent identification method. These ear tags are safe for use in salt water.





Custom alphanumeric sequences and numbers above 1000 are available by special order.

Customized ear tags available in packages of 100 or 500. The following markings are possible: 1 to 6 numbers only or 1 to 6 letters and numbers.

For special order, use item No. 70000-10 and indicate sequence. Please allow 4 to 5 weeks for delivery.





Picture similar

Alloy: Monel 0.8 cm No. 1-100 Ear tags - #s 1 to 100

> No. 24221-10 \$ 34.50

Alloy: Monel 0.8 cm No. 1-500 Ear tags - #s 1 to 500

No. 24221-50 \$ 138.00

Alloy: Monel 0.8 cm No. 501-1000 Ear tags - #s 501 to 1000


> No. 24221-90 \$ 138.00

Fine Forceps Repair Kit

Realign and repair fine forceps with this convenient kit. Bent forcep tips can be restraightened with the chain nose pliers. The sharpening stone has two grooves, 1.6 mm and 0.8 mm, to assist in resharpening the forcep tips. O-rings clamp the forceps shut to ensure that both shanks are equally aligned and sharpened. Instrument oil assists in producing a smooth sharp edge. Detailed instructions are included.







No. 29000-00

\$105.00







O-Rings for Forceps

These rubber O-rings fit our forceps and keep them closed with variable degrees of pressure on the tips.

Pkg. of 10

No. 11200-00 \$ 2.00




Instrument Oil

Physiologically inert oil for lubricating surgical instruments, box locks, ratchets and any overlapping joints.

50 ml bottle

No. 29055-00 \$ 16.50



Sharpening Stone for Fine Forceps

This natural Arkansas stone assists in resharpening the tips of fine forceps. The stone has two grooves, 0.8 mm and 1.6 mm and comes in a cedar box with ten 0-rings.

12.5 x 6.5 x 3 cm

No. 29008-22 \$ 61.50

Instrument Marking Tape

Organize instruments quickly and easily with this economical, non-toxic, pressure sensitive tape. Color is unaffected by boiling, cold sterilization or autoclaving. 8 colors available. Autoclavable.



Color	Roll length (cm)	Tape width	Material	Item	Price
Green	290	0.6	Vinyl	No. 29071-01	\$ 11.00
Blue	290	0.6	Vinyl	No. 29071-02	\$ 11.00
Yellow	290	0.6	Vinyl	No. 29071-03	\$ 11.00
Red	290	0.6	Vinyl	No. 29071-04	\$ 11.00
White	290	0.6	Vinyl	No. 29071-05	\$ 11.00
Black	290	0.6	Vinyl	No. 29071-06	\$ 11.00
Orange	290	0.6	Vinyl	No. 29071-08	\$ 11.00
Purple	290	0.6	Vinyl	No. 29071-09	\$ 11.00

Instrument Marking Tape 7 assorted colors

Organize instruments quickly and easily with this economical, non-toxic, pressure sensitive tape. Color is unaffected by boiling, cold sterilization or autoclaving. Includes 7 assorted color rolls: Yellow, Red, Black, White, Green, Blue and Orange. Autoclavable.



	107	0.6	Vinyl	No. 29080-02	\$ 28.00
--	-----	-----	-------	--------------	----------

Instrument Marking Tape

Organize instruments quickly and easily with this economical, non-toxic, pressure sensitive tape. Color is unaffected by boiling, cold sterilization or autoclaving. 9 colors available. Autoclavable.



Color	Roll length	Tape width	Material	Item	Price
Green	510	0.6	Vinyl	No. 29070-01	\$ 11.50
Blue	510	0.6	Vinyl	No. 29070-02	\$ 11.50
Yellow	510	0.6	Vinyl	No. 29070-03	\$ 11.50
Red	510	0.6	Vinyl	No. 29070-04	\$ 11.50
White	510	0.6	Vinyl	No. 29070-05	\$ 11.50
Black	510	0.6	Vinyl	No. 29070-06	\$ 11.50
Brown	510	0.6	Vinyl	No. 29070-07	\$ 11.50
Orange	510	0.6	Vinyl	No. 29070-08	\$ 11.50
Purple	510	0.6	Vinyl	No. 29070-09	\$ 11.50

Self Sealing Sterilization Pouches

Preformed pouches with self adhering tape are blue tinted on one side for visualization of contents and paper-backed on the other side. Pouches will work with either steam autoclave or ethylene oxide sterilization.

Material properties:

- Protects instruments during sterilization.
- Provides sterile storage until use.
- Write on pouches for easier identification during sterilization.



 $$10\ x\ 18\ cm$$ For instruments up to 13 cm long

Pkg. of 100 pouches

No. 28000-07 \$ 46.00 $$13\ x\ 26\ cm$$ For instruments up to 23 cm long

Pkg. of 100 pouches

No. 28000-10 \$ 58.00 $$18\,x\,30\mbox{ cm}$$ For instruments up to 26 cm long

Pkg. of 100 pouches

No. 28000-12 \$ 68.00



Hot Bead Sterilizer with Glass Beads

The sterilizer provides a safe, effective and convenient method for sterilizing your surgical instruments prior to and during surgery or tissue culture. Without using potentially dangerous gases flames or chemicals, you can ensure that your instruments will be free of pathogens and microbial contaminants.

The beads take 15-20 minutes to reach 240 °C to 270 °C (464 °F to 518 °F), then the sterilizer is ready for use. The temperature is thermostatically maintained and the unit can be left on all day. Instruments require approximately 20 seconds of contact with the beads for complete sterilization. The sterilizer is safe to use even in laminar flow hoods.

Sterilization test results conducted by the Pasteur Institute in Lille, France, are available upon request. Available in 110 V and 220 V. CE Certified and UL Approved.

Sterilizer includes:

- Sterilizer unit
- 1 Bag of glass beads
- 1 Dust cover for well
- 1 Small heat-tempered glass dish for small objects (only with FST 250)



FST 250 shown.

60 % of actual size

Instruments not included.

FST 250 Sterilizer

Well Ø: 4 cm Well depth: 8 cm Well volume: 100 ml Total unit size: 14.5 x 12.5 x 13.5

No. 18000-45

\$ 601.00

Replacement glass beads for FST 250

Weight: 150 g

No. 18000-46 \$ 38.50

FST 350 Sterilizer

Well Ø: 4 cm Well depth: 14 cm Well volume: 175 ml Total unit size: 20.5 x 12.5 x 13.5

No. 18000-50

\$ 789.00

Replacement glass beads for FST 350

Weight: 300 g

No. 18000-51

\$51.50



Micro Bead Sterilizer with Glass Beads

Micro Bead Sterilizer is ideal for the sterilization of small and large research tools (forceps, scissors, etc.). When the chamber is filled with the included glass beads, high temperatures (up to 300 °C / 572 °F) can be used to eliminate the presence of bacteria, spores and other micro-organisms.

Small Sterilizer 110 V

Well Ø: 4 cm Well depth: 8 cm Well volume: 100 ml Total unit size: 14.5 x 15.5 cm

No. 18090-45

\$ 549.00

Small Sterilizer 220 V

Well Ø: 4 cm Well depth: 8 cm Well volume: 100 ml Total unit size: 14.5 x 15.5 x 15.5 cm

No. 18090-46

\$ 549.00

Replacement glass beads for small sterilizer

Weight: 150 g

No. 18000-47

\$ 25.00



Tall Sterilizer 220 V

Well Ø: 4 cm Well depth: 14 cm Well volume: 175 ml Total unit size: 14.5 x 15.5 x 21.5 cm

No. 18090-51

\$ 599.00

Replacement glass beads for tall sterilizer

Weight: 300 g

No. 18000-52

\$ 51.50

Tall Sterilizer 110 V

Well Ø: 4 cm Well depth: 14 cm Well volume: 175 ml Total unit size: 14.5 x 15.5 x 21.5 cm

No. 18090-50

\$ 614.00


Autoclave Tape

Tape will permanently indicate diagonal stripes after exposure to steam autoclave temperature between 121 °C and 130 °C during a 40-60 minute time period. Use with sterilization pouches, sterilization wraps and sterilization cases.

The tape can be used in:

- Gravity sterilizers operating at 121 °C (+3 °C) for 30 minutes or
- Pre-vacuum sterilizers operating at 132 °C (+3 °C) for 4 minutes and 135 °C (+3 °C) for 3 minutes
- Shelf life/durability is 36 months






1,90 cm x 55 m

No. 28001-02 \$12.00

Disposable Sterilization Wraps

These biodegradable cellulose fiber wraps are resistant to tears and conform easily to maintain a breathable yet impervious barrier to airborne bacteria, saline, blood and water. Wrapping your instrument case securely will ensure the sterility of your instruments until ready for use. Available in two sizes.



Cases not included.

38 x 38 cm Pkg. of 25 wraps

No. 28015-15 \$8.00

51 x 51 cm Pkg. of 25 wraps

No. 28020-20

\$11.50



Silicone Mat

High quality, extra soft mat for safe and secure placement of delicate instruments. This mat can easily be cut along the premarked grooves to fit in various sized instrument cases. **Autoclavable.**



30 x 20 cm

No. 20325-00 \$ 129.50

Magnetic Sterilization Mat

Used during sterilization and for safe anti-slip placement around surgical settings. **Autoclavable.**




Instruments not included.

30 x 20 cm

No. 20350-00 \$ 161.00

Silicone Mat

Large, economical silicone mat. Autoclavable.




46 x 25 cm

No. 20325-10 \$ 89.00



Sterilization Container

This plastic sterilization container includes a silicone mat for safe placement of instruments. Perforated top is clear for visual identification of instruments. Suitable for autoclave or ethylene oxide sterilization.



Dual Clasping Stainless Steel Sterilization Container

This container will assist in the sterilization and storage of your fine surgical instruments. It comes with a custom fit silicone mat to keep instruments in place while the sterilizing process and storage. The textile filters are necessary for keeping instruments sterile while they remain in the container. Suitable for autoclave or ethylene oxide sterilization.



30 x 14 x 4 cm

5 Long-term textile filters

1 Long-term textile filter

No. 20850-00 \$313.00

No. 20850-10 \$ 46.00

No. 20850-11 \$10.00

Sterilization Container

This sterilization container is made from Ultem® polymer to ensure strength and long lasting durability. The transparent perforated lid provides easy identification of your surgical instruments. Silicone mat is included for a safe and secure hold. Trays are also stackable for convenience. **Suitable for autoclave or ethylene oxide sterilization.**







19 x 7 x 2 cm Single tier

No. 20840-01 \$ 52.50 17 x 10 x 2 cm Single tier

No. 20840-02 \$ 75.00





25 x 15 x 4 cm Double tier

No. 20842-03 \$ 189.00 25 x 15 x 2 cm Single tier

No. 20840-03

\$ 104.00

Colored Aluminum Cases

This instrument case comes with a spiked silicone mat for secure storage of surgical instruments. Five colors available but may vary due to lot to lot variations.

The case and silicone insert are autoclavable but should not be used for sterilization of surgical instruments.



Utility Instrument Case

Comes with a silicone mat for safe placement of instruments. Case and silicone insert are autoclavable but should not be used for sterilizing surgical instruments.





Silver 18 x 9 x 3 cm

No. 20311-21 \$ 144.50

Instrument Case

This plastic case is compact, safe, secure, and slotted for placement of individual surgical instruments, aiding in the prevention of tip damage. Seven colors available. **Case is autoclavable but should not be used for sterilizing surgical instruments.**



Roll Up Travel Case

Vinyl dissection roll up case with Velcro strap to hold the case closed. Holds up to ten tools, one ruler holder, and one Velcro sealed pouch. **Instruments not included.**

36 x 23 cm (unfolded) Black Vinyl

No. 20831-10

\$ 14.50



Instrument Tip Protectors

These tip protectors are a convenient, color-coded way to protect surgical instrument tips and edges. They provide exceptional protection and are vented to prevent rusting from condensation. Instrument tip protectors are recommended during handling, storage and sterilization. **Autoclavable.**





1.6 x 19.1 mm Pkg. of 25 Material: Plastisol

No. 29060-01 \$ 11.50



4.8 x 25.4 mm Pkg. of 25 Material: Plastisol

No. 29060-05 \$ 11.50



2 x 19 mm Pkg. of 25 Material: Plastisol

No. 29060-02 \$ 11.50



9.5 x 25.4 mm Pkg. of 25 Material: Plastisol

No. 29060-06 \$ 11.50



2.8 x 19.1 mm Pkg. of 25 Material: Plastisol

No. 29060-03 \$ 11.50



3.2 x 25.4 mm Pkg. of 25 Material: Plastisol

No. 29060-04 \$ 11.50







Assorted pack, five of each size Pkg. of 30 Material: Plastisol

> No. 29060-00 \$ 14.00

Double Tip Protectors

These vented tip protectors are designed to hold hemostats and rongeurs firmly while allowing the jaws, box hinge and tips to stay open for through sterilization. **Autoclavable.**



12.7 x 2 mm Pkg. of 10 Material: Plastisol

No. 29066-01 \$ 9.50



9 x 25.5 mm Pkg. of 10 Material: Plastisol

No. 29066-02 \$ 9.50



15 x 25 mm Pkg. of 10 Material: Plastisol

No. 29066-03 \$ 9.50



25 x 26 mm Pkg. of 10 Material: Plastisol

No. 29066-04 \$ 9.50



Assorted pack, three of each size Pkg. of 12 Material: Plastisol

No. 29066-00 \$ 12.00



Stainless Steel Burrs

Length: 44 mm Shaft Ø: 2.3 mm Pkg. of 10 burrs

Tip Ø	Item	Price	
0.7 *	No. 19008-07	\$ 21.00	
0.9 **	No. 19008-09	\$ 21.00	
1.4	No. 19008-14	\$ 20.50	

^{*} Use this size for screws No. 19010-10 (page 68).

Carbon Steel Burrs

Length: 44 mm Shaft Ø: 2.3 mm Pkg. of 10 burrs





Tip Ø	Item	Price
0.5	No. 19007-05	\$ 18.00
0.7 *	No. 19007-07	\$ 16.00
0.9 **	No. 19007-09	\$ 16.00
1.4	No. 19007-14	\$ 16.00
2.1	No. 19007-21	\$ 16.00
2.9	No. 19007-29	\$ 26.00

^{*} Use this size for screws No. 19010-10 (page 68).

Tungsten Carbide Burrs

Length: 44 mm Shaft Ø: 2.3 mm Pkg. of 5 burrs



Tip Ø	Item	Price
0.5	No. 19009-05	\$ 26.50
0.7 *	No. 19009-07	\$ 26.50
0.9 **	No. 19009-09	\$ 26.50

^{*} Use this size for screws No. 19010-10 (page 68).

Stainless Steel Trephines

Side opening for clearing of material.



Stainless Steel Circular Saw

For cutting bone and other hard substances. Attaches to mandrel (No. 18000-18), on the right side.



Ø: 16 mm Thickness: 0.1 mm Pkg. of 10 saws

No. 18000-20

\$ 33.50

Stainless Steel Mandrel

Screw allows attachment of discs and circular saws for use with high speed drills.



Length: 45 mm Shaft Ø: 2.3 mm

No. 18000-18 \$ 5.50



^{**} Use this size for screws No. 19010-00 (page 68).

^{**} Use this size for screws No. 19010-00 (page 68).

^{**} Use this size for screws No. 19010-00 (page 68)

High Temperature Cautery Kit

This high temperature cauterizer is a great alternative to disposable cautery units. Temperature at tips is approximately 1000 °C (1832 °F). Replacement cautery tips are available. Not autoclavable.







Plastic body

Stainless steel tips: 0.2 mm Ø

Operation temperature: 1000 °C (1832 °F)

Total weight: 70 g

Length: 16 cm (without tip)

Cautery Kit

No. 18010-00

\$82.00

Cautery kit includes:

- 1 Cautery handle
- 2 AA batteries
- 2 Standard tips
- 2 Fine tips
- 1 Storage case



Replacement tips Single use

Straight / Standard Sterile: Yes

Box of 10 tips

No. 18010-01 \$77.00



Replacement tips

Single use

Straight / Fine Sterile: Yes

Box of 10 tips

No. 18010-02

\$81.00

Low Temperature Cautery Kit

This low temperature cautery kit is a great alternative to disposable cautery units. Temperature at the tips is approximately 649 °C (1200 °F). Replacement cautery tips are available. Not autoclavable.





Plastic body Stainless steel tips: 0.2 mm Ø Operation temperature: 649 °C (1200 °F) Total weight: 60 g Length: 12 cm (without tip)

Cautery Kit

No. 18019-00 \$ 78.00

Cautery kit includes:

- 1 Cautery handle
- 1 AA battery
- 2 Fine tips
- 2 Elongated fine tips
- 1 Storage case



Replacement tips

Single use Straight / Fine

Sterile: Yes Box of 10 tips

No. 18019-01 \$74.50



Replacement tips Single use

Elongated Straight / Fine Sterile: Yes

Box of 10 tips

No. 18019-02

\$81.00

Small Vessel Cauterizer

This small hand-held unit keeps bleeding to a minimum and therefore provides a surgical field clear of clamps and hemostats. The cauterizer should be activated momentarily so the delicate tips do not burn out. Temperature at tips is approximately 1000 °C (1832 °F). Replacement cautery tips are available. **Autoclavable.**



Heavy gauge stainless steel body Platinum-iridium tips: 0.3 mm \emptyset Total weight: 100 g

Length: 13.5 cm (without tip)

Cautery Kit

No. 18000-00 \$ 429.50

Cautery kit includes:

- 1 Cautery handle
- 2 AA Batteries
- 1 Straight fine tip
- 1 Angled fine tip
- 1 Storage case



Remove batteries before autoclaving.



Replacement tips **Reusable**Straight / Fine

No. 18000-01 \$ 84.00



Replacement tips
Reusable
Angled / Fine

No. 18000-02 \$ 84.00



Replacement tips
Reusable
Straight / Fine

No. 18000-03 \$ 84.00



Replacement tips
Reusable
Straight knob

No. 18000-04 \$ 84.00

Neuro Punches

N.I.H. style neuro punches for punch removal of frozen brain microregions.



Price	Item	Length (cm)	Gauge	OD (mm)	ID (mm)
\$ 44.00	No. 18036-24	4.2	24	0.61	0.31
\$ 39.00	No. 18036-22	4.5	22	0.7	0.41
\$ 43.50	No. 18036-19	4.5	19	1	0.69

Sample Corers

For quantitative analysis. Comes with plunger.

8.5 cm



ID (mm)	OD (mm)	Gauge	ltem	Price
0.35	0.8	21	No. 18035-3	\$ 89.50
0.5	1	19	No. 18035-50	\$ 74.00
0.8	1.45	17	No. 18035-80	\$ 74.00
1	1.8	15	No. 18035-01	\$ 68.50
2	3	11	No. 18035-02	\$ 68.50
3	4	8	No. 18035-03	\$ 68.50
5	6	4	No. 18035-0	\$ 78.50

Absorption Spears and Triangles

These synthetic surgical sponges absorb fluids twice as fast as the best cotton sponges and have three times their fluid-holding capacity. They are made from strong, soft, lint-free biocompatible-proven material that is nonirritating to delicate tissue and leaves no fibrous residue that might cause wound contamination. The Absorption Spears are sterilized by radiation.





Miniature File Set

Comes with eight different file profiles in a vinyl pouch.





10 cm Carbon Steel

No. 30076-14 \$ 109.00

Instrument Sharpening Stones

Natural Arkansas oil stones feature unequaled fineness, hardness and structural density. When used with mineral oil, they will produce a sharper cutting edge.

6 mm x 9 cm Square stone

No. 29008-01 \$ 15.50

6 mm x 9 cm Triangular stone

No. 29008-12 \$ 15.50

4-in-1 Screwdriver

With four hardened, interchangeable blades stored in handle: 1.5, 2, 2.5, and 3 mm.





Handle 9.5 cm, with attachment 11.5 cm Nickel handle

No. 30051-10 \$ 30.00

Ceramic Blade Cutter

Ceramic edge stays sharp 100 times longer than a steel edge. Rust and corrosion free. No trace metal contamination. **Autoclavable.**



Plastic handle with ceramic blade

Straight

13 cm Cutting Edge: 58 mm

> No. 10025-70 \$ 19.00

Replacement blade

Straight

Cutting Edge: 58 mm


No. 10025-71 \$ 13.00



Utility Scissors

These scissors are extremely hard (54 on the Rockwell scale). Useful for cutting tin or aluminum sheets, bone, plastics, etc. The strong, 3 mm thick blades are magnetic. The plastic handles are anatomically shaped.







No. 37500-00 \$ 28.00

Universal Scissors

The scissor blades are made of high quality stainless-steel and guarantee a perfect cut. Handles are made of glass fiber reinforced polyamide.





13 cm Stainless steel with plastic handle


No. 37500-05 \$ 24.50

Ruler with Gauge Measurements

Front



Back



Stainless Steel 15.5 cm / 6"


No. 30085-15 \$ 6.50

Rulter with Metric Conversion Table

Front



Back



50% of actual size

Stainless Steel 30 cm / 12"

No. 30085-30 \$ 4.50

Ruler Label

Used for stable measurements in all surgical platforms.





6 cm

Pkg. of 25 labels

No. 29027-00

\$ 6.50

Plastic Vernier Caliper

Tough polymer is unbreakable under normal conditions. Measures inside, outside, step and depth, metric and inch to 0.1 mm or 1/64". Maximum measurement: 153 mm.



Digital Electronic Caliper

Wide screen LED display with the ability to measure in millimeters, inches and fractions. Measures inside, outside, step and depth. Battery, spare battery and plastic storage case included.



Castroviejo Surgical Caliper

Used for precise measurement during surgery.



0-20 mm with 0.5 mm divisions Tip Ø: 0.5 mm

8.5 cm

No. 18000-35 \$ 387.50

Stainless Steel 23.5 cm

> No. 30087-00 \$ 33.50

Plastic 21 cm

No. 30087-20 \$ 29.50



Magnifying Loupe with Micrometer and LED

High quality loupe features a removable micrometer and ultra-bright LED lights surrounding the circumference for a defined image and clear contrast.

Magnification: 10x Field of view: 30 mm Working distance: 10 mm (without scale) Ultrabright LED

38 x 38 x 40 mm

No. 29026-10

\$ 131.00





76 x 26 mm 1 mm with 100 divisions (0.01 mm)

No. 29025-02

\$ 174.50

Electronic Clock/Triple Timer

Three activities can be timed up or down simultaneously or individually. Time can be displayed either in 12 or 24 hours and features a memory function. Maximum countdown time is 19 hours, 59 minutes, 59 seconds. Minimum time interval is 1 second. The timer housing includes a powerful magnet for mounting.

LCD display: 4.5 x 4.5 cm 7 x 8.5 x 1.5 cm AA battery (not included)

> No. 27000-01 \$ 30.50



Gold Wire Contacts

Matching pin and socket. Contacts are crimp terminated, but also can be used for solder connections.

Total length: 16 mm Ø:1.2 mm Opening for wire: 0.63 mm

Pkg. of 50 Male contacts

No. 19003-00

\$ 92.50

Pkg. of 50 Female contacts

No. 19003-01 \$ 141.50 Enlarged 225%

Headband Magnifier

Precision ground and polished optical glass lenses. The padded headband is lightweight and fully adjustable. Can be worn with spectacles.



Magnification: 2.5x Working distance: 20 cm (8")

No. 28030-02

\$ 66.50

Magnification: 2.75x Working distance: 15 cm (6")

> No. 28030-03 \$ 75.00

Magnification: 3.5x Working distance: 10 cm (4")

No. 28030-04

\$ 79.00

Interchangeable Magnifier Headset with LED

Economical and fully interchangeable headband magnifier with LED light.

MOST Popular

Includes:

- Multiple Lens Magnifications (1.0x, 1.5x, 2.0x, 2.5x, 3.5x)
- LED Light Source
- Tilting Functionality
- Cushioned Nose Pads
- Adjustable Headband
- Interchangeable Lens Frames





Magnification: 1x, 1.5x, 2x, 2.5x and 3.5x Field of view: Variable Working distance: Variable

No. 28080-10

\$ 36.00

Galilean Loupes

These loupes are lightweight and easy to use. Made from the finest optical coated lenses which deliver excellent clarity and high resolution. The loupes are mounted onto a strong yet flexible wraparound safety frame with a headband for stability and comfort. Ability to flip loupes up for use as safety glasses.

Comes with mini screwdriver for fine adjustments, micro cloth and storage case.



Magnification: 3x Working distance: 40 cm (16") Weight: 72 g

> No. 28050-30 \$ 224.50

Magnification: 3.5x Working distance: 30 cm (12") Weight: 77 g

> No. 28050-35 \$ 365.50

Eschenbach Magnifier Spectacles

These magnifier spectacles allow full adjustments on almost all parts. Headband keeps spectacles steady and in place. Leather case and Headband included.



Working distance: 35 cm (14")
Weight: 70 g
Plastic frame reinforced with fiberglass

No. 28040-30 \$ 538.00

Spectacles Headband

Compatible with the Eschenbach Max Detail Spectacles (Item No. 28030-20) and Eschenbach Magnifier Spectacles (Item No. 28040-30).



Material: Neoprene

No. 28080-90

\$ 3.00

Eschenbach Max Detail Spectacles

These spectacles are portable, lightweight, and easily adjustable. Designed with frosted objective lens housing which eliminates distracting reflections. Bendable ear pieces for a secure, comfortable fit. Protective case is included.



Magnification: 2x Field of view: 110 mm (4") Working distance: 40 cm (16") Weight: 49 g

> No. 28030-20 \$ 152.00

Max Detail Spectacles shown with Eschenbach Clip-On LED Light (sold separately).

Eschenbach Clip-On LED Light

A compact and lightweight light source with two high-performance SMD LEDs and a lens that concentrates the light producing a more powerful, bright and homogenous field of view. Light can be set high or low. Compatible with the Max Detail Spectacles and Headband Magnifiers. Comes with 3 AA batteries, belt clip and storage case. MOST POPULAR **≒**ESCHENBACH Weight: 106 g

No. 28030-25

\$ 155.00

Eschenbach Vario Flex with LED

The Vario LED Flex ensures ease and precision by its smooth flexible neck and tiltable magnifying lens. This magnifier's innovative features provide a spacious working platform suitable for any application. Mounting clamp provides uncompromised workspace due to its sturdy, slim design. The magnification lens is illuminated with shadow-free full or half ring optimum bright LEDs.

Magnification: 2.5x
Diopter: 6D
Lens size: 76 mm
Lens shape: Aspheric
Working distance: Variable
Lens material: PXM® lightweight lens with
patented Ceratec®scratch resistant coating

Illumination: SMD LED Power source: 120 V & 230 V

No. 28015-25

\$ 667.00



Eschenbach Scribolux Magnifier

This magnifier provides an illuminated platform suitable for any working condition. The open design allows for a spacious working platform. Supplied in a microfiber pouch for protecting and cleaning the lens.

Magnification: 2.8x Diopter: 7/11D

Lens size: 100 x 75 mm Lens shape: Aspheric Working distance: 7.5 cm (3")

Lens material: PXM® lightweight lens with patented Ceratec®scratch resistant coating

Illumination: SMD LED

Power source: 6 V (4 AA-Batteries included)

No. 28020-28

\$ 184.00



Eschenbach mobilux® DIGITAL inspection

The reflection-free and high-contrast 4.3-inch display ensures relaxed work. The HD camera arranged centrally under the display enables easy orientation. A magnification of up to 15x can be selected continuously or in increments by touching the magnifying glass symbol. The integrated LED lighting offers great variability in lighting and exposure settings for a wide variety of applications. The mobilux® offers measurement and comparison functions via adjustable scales and templates as well as simultaneous comparison measurements of the target and actual status via a split screen on the PC.

With the photo function, the live image seen through the magnifying glass can be saved as a photo on an inserted SD card. The images can also be easily transferred to a computer via a USB connection. In addition, the USB connection to the computer enables the live image of the magnifying glass to be transferred to the PC monitor, so the mobilux® can also be used as a screen reader. The "mobilux® digital" program supplied must first be installed on the computer (Windows Vista, Windows 7, 8 or Windows 10).

Delivery incl. USB cable length 2 m, SD memory card (incl. software), hand strap, manual, case for storage, calibration plate. Mains adapter for EU, GB, US. AUS included.

Magnification: 4 -15x Field of view: Variable Working distance: Variable Screen size: 11 cm (4.3") Screen resolution: 480 x 272 px User input: Touchscreen



\$ 525.00



Eschenbach laboCOMFORT

With the laboCOMFORT, both hands remain free to work. The screen can be folded up when not in use. Various locking options for individual height adjustment of the magnifying screen. The headband magnifier can also be used by people who wear glasses.



Can be used with the Eschenbach Clip-On LED light.

Magnification: 3x

Working distance: 13 cm (5")

No. 28030-13 \$ 99.00



Optical Cleaning Kit

This convenient kit contains everything you need to clean lens surfaces safely. Perfect for microscopes, camera lenses, binoculars, telescopes, graphic art optics and all other fragile lenses. Storage case included.

Kit includes:

- 1 Bottle of lens cleaner (30 ml)
- 1 Ultra soft duster brush
- 1 Cleaning cloth (20 x 20 cm)
- 3 Books of lens paper (25 sheets each)



No. 29000-10 \$ 32.00

Lens Paper

This premium grade optical lens tissue is extremely soft and safe for any glass or plastic optical lens surface.




15 x 10 cm Book of 50 sheets

No. 29015-50

\$ 4.00

STUDENT QUALITY INSTRUMENTS



FST STUDENT LINE



FEATURES:

- Economy
- Quantity discounts
- Quality
- Less hand finishing
- Less expensive alloys

One of the hallmarks of FST has always been to accurately assess the needs of our customers. We gather information not only from the lab, but from conferences, journals and researchers. Whether it is designing new tools or finding new applications for existing instruments, we believe our best information comes directly from you.

Our customers wanted reduced costs and quantity discounts without sacrificing the precision and quality inherent in German instruments. To meet their needs, we have developed a full line of "student" instruments. They were created for use in the classroom where students are learning proper instrument care.

Unlike our competitors, the quality of these instruments does not drop dramatically with the price. Our student line uses quality stainless steel and maintains the precision you expect from FST. In addition they carry our unconditional satisfaction guarantee while being offered at a significantly reduced price.

Not intended as a substitute for our highest quality instruments, the student line may require extra care as the alloys used are more susceptible to corrosion. Visit our website at **finescience.com** for more information.

Vannas Spring Scissors

Ideal for introductory courses in microdissection. The manufacturer, material and general pattern are the same as our No. 15003-08 but with much of the costly hand finishing omitted.







Quantity discount for student instruments: 5-9 = 5%

10 + = **10 %**Per item, selection cannot be assorted for discount.



9 cm Cutting edge: 5 mm Tip Ø: 0.35 mm

No. 91500-09 \$ 101.50



9 cm Cutting edge: 5 mm Tip Ø: 0.35 mm

No. 91501-09 \$ 109.50





11.5 cm Cutting edge: 16 mm

No. 91460-11 \$ 40.50



Fine Scissors

MOST

POPULAR

Curved Sharp/Sharp

11.5 cm Cutting edge: 16 mm

No. 91461-11 \$ 44.00





No. 91408-14

\$ 25.50



Surgical Scissors

Length Cutting edge Straight Price Sharp / Sharp / Sharp / Blunt Price Straight Price Sharp / Blunt / Blunt / Blunt
0.5 20 No. 91402-10 \$37.50 No. 91401-10 \$35.00 No. 91400-10 \$31.00
26 No. 91402-12 \$38.50 No. 91401-12 \$36.50 No. 91400-12 \$34.50
No. 91402-13 \$40.00 No. 91401-13 \$37.50
4.5 30 No. 91402-14 \$41.50 No. 91401-14 \$38.50 No. 91400-14 \$33.50
Length Cutting edge Curved Price Curved Price Com (mm) Sharp/Sharp Sharp / Blunt
2 26 No. 91405-11 \$38.00 No. 91404-12 \$36.50
No. 91405-13 \$40.00 No. 91404-13 \$37.50
4.5 30 No. 91405-14 \$41.50 No. 91404-14 \$38.50

Wagner

Spencer Ligature







Quantity discount for student

5-9 = 5% 10+= 10% Per item, selection cannot be assorted for discount.



Straight Sharp/Sharp

11.5 cm Cutting edge: 20 mm

No. 91468-12 \$ 29.50



9 cm Cutting edge: 16 mm

No. 91476-09

\$ 21.50



Lister Scissors

Longer blunt blade prevents damaging tissue underneath skin without losing the cutting line.

Mayo





Quantity discount for student 5 - 9 = 5%

10 + = **10 %** Per item, selection cannot be assorted for discount.



Angled to side **Blunt/Blunt**

20 cm Cutting edge: 34 mm

No. 91413-20 \$ 28.00



14.5 cm Cutting edge: 28 mm

No. 91409-15 \$ 22.50



Blunt/Blunt

17 cm Cutting edge: 32 mm

No. 91410-17 \$ 28.00



Blunt/Blunt

17 cm Cutting edge: 32 mm

> No. 91411-17 \$ 29.00

No. 91413-14 \$ 27.00

Angled to side

Blunt/Blunt

14 cm

Cutting edge: 26 mm

RESEARCH

No. 91413-18

ONLY

\$ 27.50



Angled to side

Blunt/Blunt

18 cm

Cutting edge: 30 mm

O/O DISCOUNT

Quantity discount for student

5-9 = 5% 10+= 10% Per item, selection cannot be assorted for discount. **Metzenbaum Baby**

Metzenbaum



Cutting edge: 22 mm

No. 91419-14

\$ 30.50



F·S·T

\$ 30.00

\$ 30.50

Heavy Scissors





Heavy Blades 10.5 cm Cutting edge: 20 mm

No. 91405-10

\$ 22.50









Quantity discount for student 5 - 9 = 5%10 + = **10 %**

Per item, selection cannot be assorted for discount.

STUDENT INSTRUMENTS





For scalpel blades, see page 77.



For scalpel blades, see page 78.

12 cm

No. 91003-12

\$ 14.50

13 cm

No. 91004-13 \$ 15.00




for student 5 - 9 = 5%10 + = **10 %**

Quantity discount

Per item, selection cannot be assorted for discount.









11 cm Inox 0.17 x 0.1 mm

No. 91197-00 \$ 37.50

STUDENT INSTRUMENTS

Feilchenfeld





Splinter Forceps



Quantity discount for student 5 - 9 = 5%10+=**10%**

Per item, selection cannot be assorted for discount.

Serrated/Sharp Straight

9 cm Tip Ø: 0.75 mm

No. 91139-09 \$ 21.50



11.5 cm Tip Ø: 1 mm

No. 91139-12 \$ 21.50




10.5 cm Tip Ø: 0.3 mm

No. 91156-11 \$ 36.00

for student

5-9=**5%**

10 + = **10 %**



Anatomical and Surgical Forceps

Broad pattern with strong spring action.

Anatomical Standard Pattern



Straight Serrated

Tip width	Length (cm)	Item	Price
2.5	11.5	No. 91100-12	\$ 18.50
2.7	13	No. 91100-13	\$ 18.50
3	14.5	No. 91100-14	\$ 20.50
3.5	16	No. 91100-16	\$ 22.50
4	17	No. 91100-17	\$ 23.00

Anatomical Narrow Pattern



Straight Serrated

Tip width	Length (cm)	Item	Price
1.5	11.5	No. 91102-12	\$ 17.50
2.1	13	No. 91102-13	\$ 17.50
2.2	14.5	No. 91102-14	\$ 18.00
2.3	16	No. 91102-16	\$ 18.50

Surgical Standard Pattern



Straight 1x2 Teeth

Tip width	Length (cm)	Item	Price
2.2	12	No. 91121-12	\$ 18.00
2.4	13	No. 91121-13	\$ 18.00
2.6	14.5	No. 91121-14	\$ 18.00
2.8	15.5	No. 91121-15	\$ 18.50
3	16	No. 91121-16	\$ 18.50
3.5	18	No. 91121-18	\$ 19.50
4	20	No. 91121-20	\$ 19.50
4.5	25	No. 91121-25	\$ 20.00

Surgical Narrow Pattern



Straight 1x2 Teeth

	DISCOUNT	(0V
(Quantity di	scount student

instruments: 5-9=**5%** 10+=**10%** Per item, selection cannot be assorted for discount.

Tip width	Length (cm)	Item	Price
2	11.5	No. 91123-12	\$ 18.00
2.2	14.5	No. 91123-14	\$ 18.00
2.4	16	No. 91123-16	\$ 19.00

Quantity discount for student instruments: 5-9 = 5% 10 + = 10% Per item, selection cannot be assorted for discount.

Gillies Semken Russian McIndoe 80% of 80% of 80% of actual size actual size actual size Serrated ►| |<u>2.1 mm</u> Straight 5.7 mm 11.5 cm Tip width: 1.2 mm No. 91108-12 ₹ 7.6 mm \$ 25.00 1x2 Teeth and **Serrated** Serrated **Cross-Serrations** Straight 14.5 cm 15.5 cm 15 cm 15 cm Tip dimension: 7.6 x 5.7 mm Tip width: 2.2 mm Tip width: 2.1 mm Tip width: 1.2 mm No. 91108-14 No. 91128-15 No. 91126-15 No. 91138-15 \$ 24.50 \$ 34.50 \$ 19.50 \$ 34.50

Halsted-Mosquito









Quantity discount for student 5-9=**5%**

10+=**10%** Per item, selection cannot be assorted for discount.



12.5 cm Tip width: 1.4 mm

No. 91308-12 \$ 39.00



Curved **Serrated**

12.5 cm Tip width: 1.4 mm

No. 91309-12 \$ 44.00



Curved 1x2 Teeth and **Serrations**

12.5 cm Tip width: 2 mm

No. 91331-12 \$ 33.00



10 cm Tip width: 1.5 mm

No. 91303-10 \$ 33.00


Crile Kelly 80% of actual size **Straight** Curved Serrated Serrated 14 cm 14 cm Tip width: 1.5 mm Tip width: 1.5 mm No. 91304-14 No. 91305-14 \$ 28.00 \$ 26.50 Straight Curved **Straight** Curved Serrated Serrated Serrated Serrated 16 cm 16 cm 14 cm 14 cm Tip width: 2 mm Tip width: 2 mm Tip width: 2 mm Tip width: 2 mm No. 91304-16 No. 91305-16 No. 91318-14 No. 91319-14 \$ 29.50 \$ 27.00 \$ 30.00 \$ 30.50



Quantity discount for student

5-9=**5%** 10 + = **10 %**

Per item, selection cannot be assorted for discount.



Rochester-Pean



Pean



Quantity discount for student instruments: 5-9=5% 10+=10%

Per item, selection cannot be assorted for discount.

Quantity discount for student instruments: 5-9 = 5%

10 + = **10 %**Per item, selection cannot be assorted for discount.

Ochsner-Kocher Kocher 80% of actual size Straight Curved **1x2 Teeth and Serrations 1x2 Teeth and Serrations** 14 cm 14 cm Tip width: 2.2 mm Tip width: 2.2 mm No. 91328-14 No. 91329-14 \$ 34.00 \$ 35.00 Straight Curved **Straight** Curved **1x2 Teeth and Serrations 1x2 Teeth and Serrations 1x2 Teeth and Serrations** 1x2 Teeth and Serrations Narrow Narrow 16 cm 16 cm 14 cm 14 cm Tip width: 3 mm Tip width: 2.2 mm Tip width: 2.2 mm Tip width: 3 mm No. 91328-16 No. 91329-16 No. 91330-14 No. 91331-14



\$ 36.00

\$ 37.00

\$ 30.50

\$ 31.00







Quantity discount for student instruments: 5-9=5%

10+= 10% Per item, selection cannot be assorted for discount.



Round and sharp tips

9 cm

No. 91195-09 \$ 20.00



Round and sharp tips

11 cm

No. 91195-11 \$ 20.50



Round and sharp tips

13 cm

No. 91195-13 \$ 21.00



Round and serrated tips

10 cm Tip width: 2.5 mm

No. 91194-10 \$ 24.00



Round and serrated tips

13 cm Tip width: 3 mm

No. 91194-13 \$ 24.50





\$ 30.50

Serrated

13 cm Tip width: 7 mm

No. 91196-13

\$ 22.50

Lister Sine Clamp Allis Clamp Hose Clamp 60% of 60% of actual size actual size

60% of actual size



Quantity discount for student 5 - 9 = 5%10+=**10%**

Per item, selection cannot be assorted for discount.



15 cm Tip width: 6 mm

No. 91191-15 \$ 26.00



15 cm Tip width: 4 mm

No. 91198-15 \$ 24.00



Serrated

16 cm Tip width: 3 mm

No. 91199-16 \$ 23.50

PIN & NEEDLE HOLDERS Pin Holder Halsey Mayo-Hegar 80% of 80% of actual size actual size



Quantity discount for student 5-9=**5%** 10 + = **10 %** Per item, selection cannot be assorted for discount.

For pins, see page 147.



7.5 cm Jaw opening: 0 to 1 mm

> No. 91606-07 \$ 15.50



For suture needles, see page 154, 155.



Straight

13 cm Tip width: 1.5 mm

Clamping length: 18 mm Lockable: Yes Scissors: No

> No. 91201-13 \$ 52.50



see page 154, 155.



Straight

16 cm Tip width: 2.6 mm

Clamping length: 21 mm Lockable: Yes Scissors: No

> No. 91204-16 \$ 44.50





80% of

Spring-Loaded Retractor

Atraumatic blades 8.5 cm Maximum spread: 3 cm

> No. 91706-05 \$ 44.00

Barraquer



7 mm - 5 mm

actual size

3 cm Maximum spread: 1.1 cm

> No. 91700-03 \$ 18.50



Quantity discount for student instruments: 5-9=5%10+=10%

Per item, selection cannot be assorted for discount.

Dieffenbach



Straight

35 mm Strong pressure

No. 91850-35

\$ 32.50

NUMERICAL INDEX

00071-14	124	10035-00	76	10110-07	73	11003-13	110	11043-08	103	11200-33	91
00072-14	124	10035-05	76	10130-05	147	11003-14	110	11049-10	104	11203-23	91
00108-11	99	10035-10	76	10130-10	147	11003-16	110	11050-10	104	11203-25	91
00109-11	99	10035-12	76	10130-20	147	11003-18	110	11051-10	104	11210-10	91
00125-11	130	10035-15	76	10140-01	137	11003-20	110	11052-10	104	11210-20	91
00126-11	130	10035-20	76	10140-02	137	11006-12	108	11053-10	104	11215-01	61
00272-13	101	10035-25	76	10140-03	137	11006-15	102	11054-10	104	11215-02	61
00276-13	130	10035-30	76	10140-04	137	11008-13	111	11055-10	104	11220-21	90
00325-00	123	10050-00	75	10152-30	72	11008-15	111	11062-10	105	11223-20	90
00396-01	123	10052-11	75	10157-13	72	11009-13	111	11063-07	101	11229-08	92
00398-02	123	10053-09	75	10157-15	72	11009-15	111	11064-07	103	11229-10	92
00400-03	123	10053-13	75	10157-18	72	11010-17	116	11065-07	103	11231-20	88
00574-11	133	10055-12	70	10160-13	139	11011-17	116	11066-07	103	11231-30	88
00608-11	133	10056-12	70	10162-12	135	11012-18	116	11067-07	103	11241-30	90
00632-11	99	10058-15	71	10165-11	138	11012-21	116	11069-08	103	11242-40	90
00649-11	99	10059-13	70	10166-11	138	11012-25	116	11070-08	103	11251-10	85
10000-10	80	10059-15	71	10167-11	138	11013-18	116	11071-10	105	11251-20	85
10000-11	80	10060-00	80	10290-13	139	11013-21	116	11072-11	107	11251-21	86
10000-15	80	10060-13	80	10315-12	76	11014-18	115	11073-10	106	11251-23	85
10002-00	79	10061-12	137	10316-14	76	11015-18	115	11074-02	106	11251-30	85
10002-50	79	10067-12	137	10317-14	76	11016-17	116	11075-00	106	11251-33	87
10002-30	78	10062-12	136	10317-14	76	11010-17	116	11076-15	111	11251-35	87
10003-12	78	10064-14	137	10310-14	145	11017-17	108	11080-02	115	11252-00	83
10003-13	77	10065-15	136	10360-13	145	11010-12	108	11080-02	100	11252-00	85
	81		136		71		108				86
10006-12		10066-15		10370-13		11020-12		11084-07	100	11252-21	
10007-12	79	10073-14	70	10370-17	145	11021-12	113	11090-09	100	11252-23	85
10007-16	79	10075-16	69	10370-18	145	11021-14	113	11090-10	100	11252-30	85
10009-13	77	10080-05	69	10370-19	145	11021-15	113	11091-15	122	11252-40	85
10010-00	78	10081-10	69	11000-12	110	11022-12	108	11092-12	122	11252-50	83
10010-10	81	10082-15	69	11000-13	110	11022-14	113	11093-10	100	11253-10	86
10011-00	78	10083-20	69	11000-14	110	11022-15	113	11095-09	121	11253-20	84
10011-10	81	10087-12	141	11000-16	110	11023-10	113	11095-13	121	11253-21	84
10012-00	78	10088-15	139	11000-18	110	11023-12	113	11096-10	122	11253-25	84
10015-00	78	10089-11	141	11000-20	110	11023-14	113	11096-13	122	11253-27	87
10015-10	81	10090-13	140	11000-25	110	11023-15	113	11101-09	107	11253-29	84
10020-00	77	10090-17	140	11000-30	110	11024-12	111	11103-09	107	11254-20	83
10021-00	77	10091-12	141	11001-12	110	11024-18	116	11106-09	107	11255-20	85
10022-00	77	10092-12	142	11001-13	110	11025-18	116	11150-10	104	11258-20	92
10023-00	77	10093-13	142	11001-14	110	11026-15	114	11151-10	104	11260-20	88
10025-23	74	10094-13	142	11001-16	110	11027-12	108	11152-10	104	11270-20	89
10025-43	74	10095-12	69	11001-18	110	11028-15	114	11153-10	104	11271-30	89
10025-44	74	10096-16	69	11001-20	110	11029-14	113	11154-10	104	11272-30	89
10025-45	74	10098-06	143	11002-12	110	11030-12	109	11155-10	104	11272-40	85
10025-50	74	10099-12	144	11002-13	110	11031-15	114	11158-10	104	11272-50	89
10025-70	191	10099-15	144	11002-14	110	11032-12	108	11159-10	104	11273-20	84
10025-71	191	10100-30	74	11002-16	110	11036-20	116	11160-10	104	11273-22	84
10030-13	136	10100-45	74	11002-18	110	11036-90	116	11200-00	175	11274-20	89
10031-13	136	10110-01	73	11002-20	110	11040-08	103	11200-10	92	11280-11	133
10032-13	136	10110-03	73	11002-25	110	11041-08	103	11200-12	92	11281-11	133
10032-13	136	10110-05	73	11002-23	110	11041-08	103	11200-12	92	11282-11	133
10000-10	100	10110-03	75	11000-12	110	11042-00	103	11200-14	JL	11202-11	133

11293-00	88	11972-20	96	12076-12	149	14003-13	48	14061-09	36	14116-18	52
11294-00	90	11980-13	95	12080-14	149	14003-14	48	14061-10	36	14117-14	52
11295-00	85	11988-01	95	12081-14	149	14003-16	48	14061-11	36	14117-18	52
11295-10	85	11988-02	95	12102-12	152	14003-18	48	14062-09	36	14130-17	49
11295-20	83	11988-03	95	12500-12	151	14003-20	48	14062-10	36	14131-14	50
11295-51	85	11990-14	94	12501-13	151	14004-12	48	14063-09	36	14160-10	37
11297-00	89	11991-14	94	12502-12	152	14004-13	48	14063-11	36	14161-10	37
11297-10	89	11992-12	94	12502-14	152	14004-14	48	14064-11	43	14171-10	47
11370-31	97	11992-20	96	12503-15	153	14004-16	48	14065-11	43	14173-12	44
11370-32	97	12001-13	151	12504-15	153	14004-18	48	14066-11	43	14184-09	35
11370-40	97	12002-12	152	12510-14	150	14005-12	48	14067-11	43	14185-09	35
11370-42	97	12002-14	152	12512-12	152	14005-13	48	14068-12	38	14200-21	54
11373-12	97	12003-15	153	12565-14	150	14005-14	48	14069-12	38	14370-22	37
11373-22	97	12004-16	152	12875-13	148	14005-16	48	14070-12	38	14501-14	49
11383-50	98	12004-18	152	13002-10	121	14007-14	50	14071-12	38	14502-14	49
11383-56	98	12005-15	153	13003-10	121	14008-14	48	14072-10	46	14504-14	49
11390-25	98	12010-14	150	13004-14	119	14010-15	53	14074-09	42	14505-14	49
11393-04	101	12018-12	157	13005-14	119	14010-17	53	14074-11	42	14508-15	51
11393-05	101	12020-00	159	13006-12	117	14011-15	53	14075-09	42	14509-15	51
11399-80	97	12020-09	159	13007-12	117	14011-17	53	14075-11	42	14510-15	53
11399-87	97	12022-09	159	13008-12	118	14012-15	54	14076-09	45	14510-17	53
11412-11	95	12022-19	159	13009-12	118	14012-17	54	14077-09	43	14511-15	53
11413-11	95	12023-00	159	13010-12	118	14013-15	54	14077-10	43	14511-17	53
11445-12	95	12028-12	157	13011-12	118	14013-17	54	14078-10	39	14512-15	53
11480-11	96	12029-12	157	13012-12	118	14014-17	54	14079-10	39	14512-17	53
11485-11	96	12030-01	158	13013-14	120	14015-17	54	14080-11	46	14518-14	51
11487-11	96	12030-04	158	13014-14	120	14016-14	52	14081-09	45	14518-18	51
11506-12	108	12030-20	158	13015-14	120	14016-18	52	14082-09	45	14519-14	51
11515-02	61	12030-22	158	13018-14	119	14017-14	52	14083-08	34	14519-18	51
11602-14	110	12030-23	158	13019-14	119	14017-18	52	14084-08	34	14558-09	41
11602-16	115	12035-00	158	13020-12	117	14018-13	51	14084-09	35	14558-11	41
11608-15	111	12040-01	157	13021-12	117	14018-14	51	14085-08	34	14559-09	41
11616-15	109	12040-02	157	13108-12	118	14018-18	51	14085-09	35	14559-11	41
11617-12	109	12040-03	157	13109-12	118	14019-13	51	14086-09	46	14568-09	40
11626-11	87	12050-01	155	14000-12	48	14019-14	51	14088-10	37	14568-12	40
11627-12	109	12050-02	155	14000-13	48	14019-18	51	14090-09	35	14569-09	40
11650-10	104	12050-03	155	14000-14	48	14024-14	52	14090-11	35	14569-12	40
11651-10	104	12050-10	155	14000-16	48	14028-10	39	14091-09	35	14574-09	42
11652-10	104	12050-20	155	14000-18	48	14029-10	39	14091-11	35	14574-11	42
11700-00	106	12052-08	154	14000-20	48	14037-10	47	14094-11	36	14575-09	42
11700-01	106	12052-09	154	14001-12	48	14040-10	38	14095-11	36	14575-11	42
11700-02	106	12052-10	154	14001-13	48	14041-10	38	14101-14	50	14854-10	34
11700-03	106	12052-11	154	14001-14	48	14054-13	49	14105-12	44	14855-10	34
11700-04	106	12060-01	148	14001-16	48	14058-09	40	14106-09	47	14958-09	41
11851-20	93	12060-02	148	14001-18	48	14058-11	40	14108-09	47	14958-11	41
11852-20	93	12061-01	148	14002-12	48	14059-09	40	14110-15	53	14959-09	41
11911-11	93	12061-02	148	14002-13	48	14059-11	40	14110-17	53	14959-11	41
11915-11	93	12074-12	149	14002-14	48	14060-09	36	14111-15	53	15000-00	21
11917-12	93	12075-12	149	14002-16	48	14060-10	36	14111-17	53	15000-01	24
11923-13	94	12075-14	149	14003-12	48	14060-11	36	14116-14	52	15000-02	24

NUMERICAL INDEX

45000.00	0.4	45000.00	0.4	10150.15	0.4	10001.07	107	10050.00	407	40405.04	400
15000-03	21	15396-00	24	16152-15	64	18004-27	187	18052-03	127	18105-04	190
15000-04	21	15396-01	24	16220-14	55	18004-50	187	18052-12	131	18106-01	190
15000-08	21	15400-12	30	16221-14	55	18010-00	188	18053-28	127	18131-12	130
15000-10	21	15401-12	30	17000-01	161	18010-01	188	18054-28	127	18132-12	130
15000-11	24	15403-08	22	17000-02	161	18010-02	188	18055-01	126	18144-30	126
15000-12	24	15404-08	22	17000-03	161	18019-00	188	18055-02	126	18155-13	105
15001-08	21	15514-12	29	17000-04	161	18019-01	188	18055-03	126	18196-10	190
15002-08	21	15610-08	24	17002-02	161	18019-02	188	18055-04	126	18200-01	167
15003-08	22	15615-08	24	17003-03	161	18020-00	155	18055-05	126	18200-02	167
15004-08	22	15617-08	24	17004-03	161	18020-01	155	18055-06	126	18200-03	167
15005-08	22	15650-11	25	17004-05	162	18020-02	155	18056-14	125	18200-04	167
15006-09	26	15651-11	25	17005-03	161	18020-03	155	18057-14	125	18200-05	167
15007-08	23	15750-11	25	17005-04	162	18020-20	155	18058-15	126	18200-06	167
15008-08	22	15751-11	25	17006-05	164	18020-30	155	18058-18	126	18200-07	167
15009-08	23	15903-08	22	17007-08	164	18020-40	155	18059-14	125	18200-08	167
15010-09	27	15904-08	22	17008-07	163	18020-50	155	18060-18	169	18200-09	167
15010-10	27	16000-14	59	17009-07	163	18020-60	155	18060-20	169	18200-10	167
15011-12	29	16001-15	57	17009-08	163	18020-70	155	18060-22	169	18200-11	167
15012-12	29	16002-18	58	17010-07	163	18025-10	101	18060-24	169	18200-12	167
15013-12	29	16004-16	59	17011-10	165	18026-10	102	18061-10	169	18200-20	167
15015-11	28	16005-16	59	17012-11	166	18030-30	155	18061-15	170	18200-50	167
15017-10	26	16015-17	57	17012-13	166	18030-40	155	18061-18	170	18320-11	126
15018-10	28	16016-17	57	17017-10	165	18030-50	155	18061-20	170	18374-43	126
15019-10	28	16020-14	56	17018-11	166	18030-60	155	18061-22	169	18374-44	126
15020-15	30	16021-14	56	17020-17	160	18030-70	155	18061-24	169	18403-11	133
15021-15	30	16022-15	58	17021-13	160	18030-80	155	18061-38	169	18406-11	133
15023-10	25	16023-15	58	17022-13	160	18035-01	190	18061-50	169	18406-13	133
15024-10	25	16025-14	67	17023-13	160	18035-02	190	18061-75	169	18555-01	126
15025-10	25	16030-12	64	17300-02	162	18035-03	190	18062-12	131	18555-02	126
15027-18	31	16030-16	64	17300-03	162	18035-05	190	18062-13	131	18555-03	126
15030-14	32	16044-10	64	17300-04	162	18035-35	190	18063-13	131	18555-04	126
15031-14	32	16050-15	65	17370-53	162	18035-50	190	18063-20	169	18601-15	112
15032-08	33	16060-11	68	18000-00	189	18035-80	190	18064-20	169	18602-15	112
15033-09	26	16101-10	62	18000-01	189	18036-19	190	18065-20	169	18603-14	112
15036-14	32	16102-11	62	18000-02	189	18036-22	190	18067-10	169	18961-15	170
15037-14	32	16104-14	66	18000-03	189	18036-24	190	18067-11	135	18961-17	170
15040-11	27	16104-19	66	18000-04	189	18038-45	127	18067-20	169	18961-18	170
15042-11	27	16105-16	66	18000-10	132	18039-45	127	18067-50	169	18961-20	170
15043-08	23	16106-14	66	18000-18	187	18040-11	123	18067-75	169	18961-75	170
15044-08	23	16107-14	60	18000-20	187	18040-14	124	18070-00	128	18961-85	170
15070-08	23	16109-14	60	18000-30	173	18040-22	123	18070-10	128	19003-00	196
15070-08	23	16120-14	56	18000-35	194	18040-33	123	18073-00	128	19003-00	196
15110-08	31	16121-14	56	18000-45	178	18050-28	127	18080-01	129	19003-01	187
15111-08	31	16130-15		18000-45	178	18050-26		18080-01	129	19007-03	187
	30		65				127				187
15123-12		16140-11	63	18000-47	179	18050-50	127	18080-03	129	19007-09	
15124-12	30	16143-12	63	18000-50	178	18051-28	127	18090-45	179	19007-14	187
15300-00	33	16144-13	63	18000-51	178	18051-35	127	18090-46	179	19007-21	187
15370-50	27	16150-24	67	18000-52	179	18051-50	127	18090-50	179	19007-29	187
15370-52	27	16152-11	64	18004-18	187	18052-01	127	18090-51	179	19008-07	187
15371-92	28	16152-12	64	18004-23	187	18052-02	127	18105-01	190	19008-09	187

NUMERICAL INDEX

19008-14	187	24213-02	172	28020-20	180	29071-06	176	91156-11	215	91404-14
19009-00	68	24213-12	172	28020-28	201	29071-08	176	91162-12	216	91405-10
19009-05	187	24214-02	172	28030-02	197	29071-09	176	91191-15	225	91405-11
19009-07	187	24215-02	171	28030-03	197	29080-02	176	91194-10	223	91405-13
19009-09	187	24220-00	174	28030-04	197	30051-10	191	91194-13	223	91405-14
19010-00	68	24221-10	174	28030-13	202	30076-14	191	91195-09	223	91408-14
19010-01	68	24221-50	174	28030-20	200	30085-15	193	91195-11	223	91409-15
19010-10	68	24221-90	174	28030-25	200	30085-30	193	91195-13	223	91410-17
19010-11	68	24916-01	171	28040-30	199	30087-00	194	91196-13	224	91411-17
20311-21	185	24916-02	171	28050-30	199	30087-20	194	91197-00	213	91413-14
20325-00	181	26000-25	147	28050-35	199	37500-00	192	91198-15	225	91413-18
20325-10	181	26000-30	147	28070-50	202	37500-05	192	91199-16	225	91413-20
20330-00	184	26000-35	147	28080-10	198	91003-12	212	91201-13	226	91416-14
20330-01	184	26000-40	147	28080-90	199	91004-13	212	91204-16	226	91417-18
20330-02	184	26000-45	147	29000-00	175	91100-12	217	91303-10	219	91419-14
20330-03	184	26000-50	147	29000-10	203	91100-13	217	91304-14	220	91427-12
20330-04	184	26000-55	147	29008-01	191	91100-14	217	91304-16	220	91460-11
20350-00	181	26000-60	147	29008-12	191	91100-16	217	91305-14	220	91461-11
20810-01	182	26000-65	147	29008-22	175	91100-17	217	91305-16	220	91468-12
20810-02	182	26000-70	147	29015-50	203	91102-12	217	91308-12	219	91476-09
20830-00	185	26001-25	147	29025-02	195	91102-13	217	91309-12	219	91500-09
20830-01	185	26001-30	147	29026-10	195	91102-14	217	91316-14	221	91501-09
20830-02	185	26001-35	147	29027-00	193	91102-16	217	91316-16	221	91601-11
20830-03	185	26001-40	147	29055-00	175	91106-12	216	91317-14	221	91604-09
20830-04	185	26001-45	147	29060-00	186	91108-12	218	91317-16	221	91606-07
20830-05	185	26001-50	147	29060-01	186	91108-14	218	91318-14	220	91700-03
20830-06	185	26001-55	147	29060-02	186	91110-10	214	91319-14	220	91706-05
20831-10	186	26001-60	147	29060-03	186	91113-10	214	91322-14	221	91790-16
20840-01	183	26001-65	147	29060-04	186	91115-10	214	91323-14	221	91791-16
20840-02	183	26001-70	147	29060-05	186	91117-10	214	91328-14	222	91815-11
20840-03	183	26002-10	147	29060-06	186	91118-12	216	91328-16	222	91850-35
20842-03	183	26002-15	147	29066-00	186	91119-12	216	91329-14	222	
20850-00	182	26002-20	147	29066-01	186	91121-12	217	91329-16	222	
20850-10	182	26003-15	147	29066-02	186	91121-13	217	91330-14	222	
20850-11	182	26007-01	147	29066-03	186	91121-14	217	91331-12	219	
23005-10	156	26007-02	147	29066-04	186	91121-15	217	91331-14	222	
24202-01	173	26007-03	147	29070-01	176	91121-16	217	91393-16	224	
24202-02	173	26007-04	147	29070-02	176	91121-18	217	91400-10	207	
24202-03	173	26007-05	147	29070-03	176	91121-20	217	91400-12	207	
24202-04	173	26016-12	146	29070-04	176	91121-25	217	91400-14	207	
24202-05	173	26018-17	146	29070-05	176	91123-12	217	91401-10	207	
24202-06	173	26029-10	107	29070-06	176	91123-14	217	91401-12	207	
24202-11	173	26030-10	107	29070-07	176	91123-16	217	91401-13	207	
24202-12	173	27000-01	196	29070-08	176	91126-15	218	91401-14	207	
24202-13	173	28000-07	177	29070-09	176	91127-12	216	91402-10	207	
24202-14	173	28000-10	177	29071-01	176	91128-15	218	91402-12	207	
24202-15	173	28000-12	177	29071-02	176	91138-15	218	91402-13	207	
24202-16	173	28001-02	180	29071-03	176	91139-09	215	91402-14	207	
24212-01	172	28015-15	180	29071-04	176	91139-12	215	91404-12	207	
24212-02	172	28015-25	201	29071-05	176	91150-20	213	91404-13	207	

ALPHABETICAL INDEX

Absorption swabs	190	Scalpels	74,191	<u>Mandrel</u>
Adson DeBakey Forceps	109	Ceramic Coated		Trephines
Adson Forceps	108,216	Forceps	83,89	Dumont
Adson-Brown Forceps	109,216	Iris Scissors	41	
Adson-Graefe Forceps	109	Spring Scissors	25	E
Agricola Retractor	162	Circular Saw	187	
Allis Clamp Forceps	122,225	Cleaning Brush	190	Ear Punchs
Alm Retractors Animal Identification	163	Cleveland Bone Cutter	66	Ear Tags
Ear Punch	171-172	Clipper II Spring Scissors	33	Episcleral Forceps
	171-172	Clips (Vascular) Biemer	126	Eschenbach Magnifier
Ear Tags Markers	174			Clip-on LED light
	180	Bulldog Artery Spring Clamp	126	Exclusive Line
Autoclave Tape	180	Bulldog Type Serrefines	127	Forceps
		Dieffenbach	227	Needle Holder
В		Dietrich Bulldog	127	Rongeurs
Dahasak Classes	224	Double Clamps	123	Scissors
Babcock Clamp	224	Micro Serrefines	126	
Baby-Beyer Rongeurs	58_	Mini Serrefines	127	F
Baby-Mixter Hemostat	120	S&T Micro	123	
Backhaus Towel Clamp	121,223	Schwartz Micro Serrefines	127	Feeding Needles
Barraquer Retractors	227	Titanium	126	Reusable
BeeBee Bone Scissors	64	Clock (Electronic Timer)	196	Single Use
Beyer Rongeur	58	Cohan-Vannas Spring Scissors	24	Feilchenfeld Forceps
Biemer	405		161-162	File Set
Clip Applicator	125	Combination Spatula and Probe	140	Fomon Retractor
Clips	126	Combination Spatula and Spoon	140	Forceps
Spring Scissors	33	Cover Glass Forceps	106	Adson
Bishop-Harman	103		119,220	Adson (Student)
Blair Retractor	160	Crile-Wood Needle Holders	153	Adson DeBakey
Boehler Bone Cutter	65	Cross-Action Forceps	106	Adson-Brown
Bone		Curettes	69	Adson-Brown (Student)
Austin Chisel	69	Cutters	61,211	Adson-Graefe
Dissecting Chisel	69	Beebee Bone Scissors	64	Allis Clamp Forceps
Forceps	68	Boehler Bone Cutter	65	Allis Clamp Forceps (Stu
Nipper	62	Bone Nipper	62	Balanced
Scissors	211	Bone Pliers	67	Biemer Clip Applicator
Scraper	69	Bone Scissors	64	Bishop-Harman
Screws	68	Bone Shears	67	Bone
Spring Scissors	63	Bone Trimmers	60	Bonn
Wax	68	Cartilage	60	Bonn Micro
Bonn		Cleveland	66	Ceramic Coated
Forceps	100	Dumont	61	Circle
Micro Probe	136	Liston Bone	66	Components
Scissors	34-35,46	Littauer Bone	64	Cover Glass
Bonn-Strabismus Scissors	35	Malleus Nipper	63	Cover Slip
Breakable Scalpels	75	Skull Flap	65	Cross Action
Bulldog Clamps	126-127			DeBakey Round Handled
		D		Diamond Coated
C		ע		Double Micro Clamp App
		_ DeBakey Forceps	111	Dumont
Calipers	194	Decapitation Scissors	54	Dumont (Student)
Cannulation System	132	Diamond Coated Forceps	94	Episcleral
Carbon Steel Blades	76	Diamond Knives	74	Epoxy Coated
Castroviejo		Dieffenbach Clamp	227	Feilchenfeld (Student)
Needle Holder	148,150	Dietrich Bulldog Clamps	127	Forceps Style Clip Applic
Spring Scissors	25-26	Double Micro Clamp Applying Forceps	124	Gerald
Surgical Caliper	194	Double Micro Clamps	123	Gillies
Cataract Knife	70	Dowell Spring Scissors	27	Gillies (Student)
Cauterizer	188-189	Drill Accessories		Gold Plated
Ceramic		Burrs	187	Graefe
Scalpel Handle	74	Circular Saw	187	Insect Handling
Sourpor Francio	/ 1	Ontolial Davv	107	moodermanding

Mandrel	187
Trephines	187
Dumont	61,83-92,133,213

E	
Ear Punchs	171-172
Ear Tags	174
Episcleral Forceps	105
Eschenbach Magnifier	199-202
Clip-on LED light	200
Exclusive Line	
Forceps	93
Needle Holder	148
Rongeurs	55
Scissors	34

F	
Feeding Needles	
Reusable	169
Single Use	170
Feilchenfeld Forceps	215
File Set	191
Fomon Retractor	160
Forceps	95-96
Adson	108
Adson (Student)	216
Adson DeBakey	109
Adson-Brown	109
Adson-Brown (Student)	216
Adson-Graefe	109
Allis Clamp Forceps	122
Allis Clamp Forceps (Student)	225
Balanced	93,112
Biemer Clip Applicator	125
Bishop-Harman	103
Bone	68
Bonn	100
Bonn Micro	100
Ceramic Coated	83,89
Circle	107
Components	92
Cover Glass	106
Cover Slip	87
Cross Action	106
DeBakey Round Handled	111
Diamond Coated	94
Double Micro Clamp Applying	124
Dumont	83-92,133
Dumont (Student)	213
Episcleral	105
Epoxy Coated	90-91
Feilchenfeld (Student)	215
Forceps Style Clip Applicator	125
Gerald	115
Gillies	114
Gillies (Student)	218
Gold Plated	93
Graefe	103-104
1 . 11 . 112	407

119,220

222

Laminectomy	90
London	115
McIndoe (Student)	218
Micro Adson	108
Micro Adson (Student)	216
Micro-Blunted Tips	84
Mirror Finish	85,94-95
Moria Bonn	98
Moria Iris	97
Moria Paufique	98
Moria Suture Tying	101
Moria Ultra Fine	97
Mouse Handling	116
Narrow Pattern	110
O-Rings	175
Octagon	103
Organ Holding	114
Pierse Fixation	105
Plastic	106
Potts-Smith	116
Repair Kit	175
Replaceable Tips	95
Ring	107
Russian	114
Russian (Student)	218
S&T	99
S&T Micro Clamp Applying	124
S&T SuperGrip	99
S&T Suture Tying	101
S&T Vessel Cannulation	133
Self-Closing	96
Semken	111
Semken (Student)	218
Sliding Lock	87,105
Sorensen	112
Splinter (Student)	215
Standard Pattern	110
Standard Pattern (Student)	217
Student	214
Suture Tying	100-102
Taylor	116
Tissue	113
Titanium	115
Vessel Cannulation	133
Vessel Dilators	130
Vessel Dilators (Student)	227
Vial	102
Forceps Style Clip Applicator	125
Forceps with Replaceable Tips	95
Friedmann Rongeurs	59
Friedmann-Pearson Rongeurs	55-56
Theumann-rearson nongeurs	33-30
G	
Galilean Loupes	199
Gayage Feeding Needles	169-170

G	
Galilean Loupes	199
Gavage Feeding Needles	169-170
Gelpi Retractor	165
GenoPunch	171
Gerald Forceps	115
Gillies Forceps	114,218
Gold Plated Forceps	93

Gold Wire Contacts	196
Goldstein Retractors	161
Graefe Forceps	103-104
Graefe Scissors	47
Grooved Director	139
Gross Anatomy Blade and Handle	80
Gross Anatomy Knives	72
Gross Anatomy Probe	139
Guthrie Retractor	160

Н Halsey Needle Holder 151,226 Halsted-Mosquito Hemostats 118,219 Hartmann Hemostats 121,219 Heavy Scissors 211 Heiss Retractor 165 Hemostats 117 Baby-Mixter 120 Crile 119 Crile (Student) 220 Halsted-Mosquito 118 Halsted-Mosquito (Student) 219 121 Hartmann Hartmann (Student) 219 Kelly 119 Kelly (Student) 220 Kocher (Student) 222 Mosquito 118 Ochsner-Kocher (Student) 222 Pean (Student) 221 Providence-Hospital 120 Rochester-Pean (Student) 221 Ultra-fine 117 Hippocampal Dissecting Tool 144 Holders and Breakers 75 136-137 Horizon™ Metal Ligation System 128 Hose Clamp 225 Hot Bead Sterilizer 178-179

1	
Insect Handling Forceps	107
Insect Pins	147
Insert Pins	147
Instrument Care	
Double Tip Protectors	186
Forceps Repair Kit	175
Instrument Oil	175
Marking Tape	176
Sharpening Stones	175,191
Tip Protectors	186
Instrument Cases	
Aluminum (Storage)	184-185
Plastic (Storage)	185
Sterilization	182-183
Instrument Oil	175
Iris Scissors	35-41,206
Iris Spatula	142

Kalt Needle Holders 149 Kaye Scissors 47

Kelly Hemostats

Kocher Hemostats

L	
LaGrange Scissors	44
Large Loops Scissors	47
Lempert Rongeurs	59
Lens Paper	203
Lexer-Baby Scissors	39
Ligation Aids	131
Ligation Systems	128
Lister	
Scissors	50,209
Sine Clamp	225
Liston Bone Cutter	66
Littauer Bone Cutter	64
London Forceps	115
Lorna Towel Clamp	122,224
Luer Rongeurs	57

M	
Magnifiers / Loupes	195,197-202
Cleaning Kit	203
Headband	199
Malleus Nipper	63
Mandrel	187
Markers	173
Marking Tape	176
Mathieu Needle Holder	150
Mayo Scissors	53,209
Mayo-Hegar Needle Holder	152,226
Mayo-Noble Scissors	54
Mayo-Stille Scissors	54
McIndoe Forceps	218
McPherson Forceps	101
Metzenbaum Baby Scissors	51,210
Metzenbaum Scissors	51-52,210
Michel Suture Clips & Applicators	157
Micro Clip Applicator	125
Micro Serrefines	126
Microsurgical Needles with Suture	Thread
Attached	154
Mini Serrefines	127
Minutien Pins	147
Moria	
Bonn Forceps	98
Bulldog Clamp	126
Forceps	97
Iris Scissors	37
Pascheff-Wolff Spring Scissors	s 28

Paufique Forceps

Spring Scissors
Suture Tying Forceps

Vessel Clamp

Vannas-Wolff Spring Scissors

Retractors

Spoons

98

162

145 24

101

27

126

ALPHABETICAL INDEX

Mosquito Hemostats Micro	118	Retractors 160-7	162,164,227	Scissors
Mouse Handling Forceps	116	Agricola	162	Bone
Multipurpose Forceps	112	Alm	163	Bone (Student)
		Barraquer (Student)	227	Bonn
NI.		Blair	160	Bonn Artery
N		Colibri	161-162	Bonn-Gawenda
Narrow Pattern Forceps	110	Fomon	160	Bonn-Strabismus
Needle Holders		Gelpi	165	Decapitation
Castroviejo	148,150	Goldstein	161	Dissector
Crile-Wood	153	Guthrie	160	Graefe
Halsey	151	Heiss	165	Heavy (Student)
Halsey (Student)	226	Senn-Miller (Student)	227	Iris
Kalt	149	Weitlaner-Locktite	166	Iris (Student)
Mathieu	150	Wullstein	166	Kaye
Mayo-Hegar	152	Reusable Feeding Needles	169	LaGrange
Mayo-Hegar (Student)	226	Ring Forceps	107	Large Loops
Olsen-Hegar	152	Rochester-Pean Hemostats	221	Lexer-Baby
Round Handled	148	Rongeurs	221	Ligature
Tungsten Carbide	150-153	Baby-Beyer	58	Lister
Needles	150-155	Beyer	58	Lister (Student)
Etched Tungsten Micro Needles	1.17	Friedmann	59	Mayo
Holders	147 146	Friedmann-Pearson	55-56	Mayo (Student)
Holders (Student)	226	Lempert	59	Mayo-Noble
Insect	147	Luer	57_	Mayo-Stille
Insert	147	Pearson	57	Metzenbaum
Minutien	147	Round Handled Needle Holders	148-149	Metzenbaum (Student)
Suture Needles	155	Rulers	193	Metzenbaum Baby
Neuro Punches	190	Russian Forceps	114,218	Metzenbaum Baby (Student)
Noyes Spring Scissors	29			Micro
Nylon Suture	155	S		Moria Iris
				Sanvenero (Student)
0		S&T		Shea
		Clamp Applying Forceps	124	Spencer
O-Rings for Forceps	175	Forceps	99	Spencer (Student)
Obsidian Stone Age Scalpels	73	Micro Clamps	123	Stevens Tenotomy
Ochsner-Kocher Hemostats	222	SuperGrip Forceps	99	Strabismus
Octagon Forceps	103	Suture Tying Forceps	101	Tissue Separating
Olsen-Hegar Needle Holder	152	Vessel Cannulation Forceps	133	Universal Scissors
Optical Cleaning Kit	203	Vessel Dilators	130	Utility Scissors
Organ Holding Forceps	114	Sample Corers	190	Wagner
		Sanvenero Scissors	206	Wagner (Student)
P		Scalpels		Walton
<u>r</u>		Breakable	75	Screwdriver
Pean Hemostats	221	Cataract Knife	70	Semken Forceps
Pearson Rongeurs	57	Ceramic Blade Cutter	191	Senn-Miller Retractors
Pick	135	Ceramic Blades	74	Sharpening Stones
Pierse Fixation Forceps	105	Circle Knife	71	Shea Scissors
Pin Holders	146,226	Diamond Knives	74	Sichel Knife
Plastic Forceps	106	Disposable Safety Scalpels	80	Silicone Mat
Potts-Smith Forceps	116	Holders and Breakers	75	Silk Sutures
Probes	137	Micro	76	Single Use Feeding Needles
Bonn Micro Probes	136	Micro Knives	71,76	Skin Staplers & Applicators
Double Pronged Pick	135	Safety Scalpel Blade Cartridges		Sliding Lock Forceps
Providence-Hospital Hemostats	120	Scalpel Blade Remover	79	Spatula
PTFE Feeding Needles	170	Scalpel Blades	77-78	Combination Probe and Spatula
THE LEGUING INEGUIES	1/0	Scalpel Handles		Combination Spoon and Spatula
			77-79,81 212	Spencer Ligature Scissors
R		Scalpel Handles (Student)		
	475	Schwartz Micro Serrefines	127	Spinal Cord Hook
Donoir Vit				
Repair Kit Retraction System	175_ 167			Splinter Forceps Spoons



158-159

141,143

45,208

V

Spring Scissors	25,27,30-31
Biemer	33
Bone Cutting	63
Castroviejo	25-26
Clipper II	33
Cohan-Vannas	24
Dowell	27
Micro	32
Moria	24,27-28
Noves	29
Pascheff-Wolff	28
Titanium	24
ToughCut	30
Trident II	31
Tungsten Carbide	29
Vannas	21-24,28,30
Vannas (Student)	206
Vannas-Tübingen	22
Vannas-Wolff	27
Westcott	28
Sterilization	
Containers	182-183
Disposable Wraps	180
Pouches	177
Tape	180
Stevens Tenotomy Scissors	43
Storage Cases	184-185
Strabismus Scissors	42
Surgical Scissors	48-50
Student	207
Tungsten Carbide	40-42,49,51,53
Suture Needles	154-155
Suture Tying Forceps	100-102
Suturing Principles and Techniq	•
in Laboratory Animals	156

Taylor Forceps	116
Timer (Electronic)	196
Tip Protectors	186
Tissue Forceps	113
Tissue Separating Scissors	46
Titanium Forceps	115
Titanium Micro Point, Y-Hook, and Spatula	138
Tohoku Towel Clamp	223
Towel Clamps	
Backhaus	121
Backhaus (Student)	223
Lorna	122
Lorna (Student)	224
Tohoku (Student)	223
Travel Case for instruments	186
Trephines	187
Trident II Spring Scissors	31

Vannas Spring Scissors 2°	1-24,28,30,206
Vannas-Tübingen Spring Scissors	3 22
Vascular Occluders	129
Vessel Cannulation Forceps	133
Vessel Dilating Probe	139
Vessel Dilators	130,227
Vial Forceps	102
Von Graefe Knife	70
Wagner Scissors	38,208
Walton Scissors	43
Weitlaner-Locktite Retractor	166
Westcott Spring Scissors	28
Wraps	180
Wullstein Retractor	166

YOUR NOTES		

FINE SCIENCE TOOLS AROUND THE WORLD

SHIPPING GLOBALLY SINCE 1974





All of our European suppliers are ISO 9001 certified. All FST surgical instruments are made from the finest German stainless steel alloys (unless otherwise noted) and manufactured by skilled European craftsmen. Most surgical instruments are shown actual size. As these instruments are handcrafted, dimensions may vary slightly from those stated in this catalog.

The information in this catalog is accurate to the best of our knowledge. Designs, styles and dimensions depicted in this catalog are subject to change without notice. All recommendations or suggestions are made without guarantee, and we disclaim any liability incurred in connection with any recommendation. With the purchase of any product from this catalog the user assumes all risks and liabilities whatsoever in the use of such products. Neither seller nor manufacturer shall be liable in tort or contract for any loss or damage (direct, incidental, or consequential) arising out of the use, missue, or inability to use such product.

FST is a registered trademark of Fine Science Tools Inc. Fine Science Tools, ToughCut, CeramaCut, and Fine Science Tools (USA) Inc. Fine Science Tools and Fine Surgical Instruments for Research are trademarks of Fine Science Tools and Fine Science Tool

© COPYRIGHT 2025 The text, photos and drawings contained in this catalog are proprietary to Fine Science Tools Inc. and may only be copied, duplicated or otherwise reproduced with the written consent of Fine Science Tools Inc.



Scissors, Bone Instruments, Knives & Scalpels pages 21 – 81



Forceps/Tweezers, Hemostats & Vascular Instruments pages 83 – 133



Probes, Needle Holders, Thread, Retractors & Clamps pages 135 – 167



Student Quality Instruments pages 205 – 227

Surgical & Laboratory

Accessories pages 169 – 203



Fine Science Tools (USA) Inc.

4000 East 3rd Avenue, Suite 100 Foster City, CA 94404-4824

Telephone +1 800-521-2109 / +1 650-349-1636 Fax +1 800-523-2109 / +1 650-349-3729 E-Mail america@finescience.com Web finescience.com



Fine Science Tools GmbH

Vangerowstraße 14
69115 Heidelberg
Germany
Telephone +49 62 21 - 90 50 50
Fax +49 62 21 - 90 50 590
E-Mail europe@finescience.com
Web finescience.com



Fine Science Tools

Unit C, 10/F, Charmhill Centre 50 Hillwood Road, Tsimshatsui Hong Kong

Hong Kong
Telephone +852 653 292 29
E-Mail asia@finescience.com
Web finescience.com

